## nfluenza Update: October 19, 2019

### During the week ending October 19, 2019:

- There were no new influenza-related deaths and one new outbreak reported this week. One death and three outbreaks at long-term care facilities have been reported this season (since 9/29/2019).
- · Based on data from King County laboratories, rhinovirus was the most commonly identified respiratory pathogen, followed by parainfluenza and influenza. The percent of positive tests for respiratory viral pathogens was comparable to or below rates observed this time of year and below peak levels observed during the previous five seasons.
- The percent of visits to King County emergency departments (ED) for influenza-like illness (ILI) was below baseline levels, and below peak levels observed during the previous 5 influenza seasons. The magnitude of ED ILI visits relative to the total number of ED visits was highest among the pediatric population, but comparable to trends observed at this time of the year during each of the past 5 seasons.


At a glance			
	Week Ending 10/19/2019	Since 09/29/2019	5-Year Average to <u>Date</u>
Laboratory-confirmed influenza deaths	0	1	0.2
Respiratory disease outbreaks at long-term care facilities (LTCFs)	1	3	2
Percentage positive influenza tests by PCR <sup>1</sup>	2.8%	Season Peak 2.89	<u></u>
Number of labs reporting	5	Weekly Average 6	
Number of specimens tested	711	Weekly Average 702	
Percentage of emergency department (ED) visits for ILI <sup>2</sup>	1.36%	Season Peak 1.36	5% 5-Year Average to Date 1.12%


<sup>1</sup>Based on King County hospital laboratory and sentinel provider submissions to CDC's National Respiratory and Enteric Virus Surveillance System (NREVSS)


NREVSS data not available for all previous seasons due to change in reporting procedures. Changes in facilities reporting to NREVSS may impact counts.

<sup>2</sup>Based on Public Health - Seattle & King County's syndromic surveillance data representing aggregate percent of visits to King County EDs

Submissions to NREVSS by King County labs, PCR testing only										
Week#	Week ending	# Labs reporting	A (H1N1)	A (H3N2)	A (Not typed)	В	# Tested	% Flu positive		
39	9/28/2019	7	0	0	10	3	673	1.9%		
40	10/5/2019	6	0	0	14	3	734	2.3%		
41	10/12/2019	5	0	0	6	3	690	1.3%		
42	10/19/2019	5	0	2	7	11	711	2.8%		









## **Public Health - Seattle & King County**

## **Summary of Influenza Syndromic and Laboratory Surveillance**




#### King County syndromic surveillance



Note: The change from ICD-9 to ICD-10 codes in October 2015 may impact trends. Last updated Oct 20, 2019 ; 'current week' is week ending Oct 19, 2019 Baseline: Mean % ILI during non-flu weeks for previous three seasons, adding two standard deviations A non-flu week is a period of 2+ consecutive weeks where each one accounted for <2% of the season's total number of specimens that tested positive for influenza by PCR.

Weekly Percent of ED Visits for Influenza-Like Illness By Age Group



ALLHOSPITALS, Last Updated Oct 22, 2019

## National data from CDC

## FLUVIEW

A Weekly Influenza Surveillance Report Prepared by the Influenza Division

Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILINet 2019-20 Influenza Season Week 41 ending Oct 12, 2019



ILI Activity Level presented by the state likely being the more complete --- Insufficient Data

"This map uses the proportion of outpatient visits to healthcare providers for influenza-like illness to measure the IL1 activity level within a state. If does not, however, measure the extent of geographic spread of flu within a state. Therefore, outbreaks occurring in a single city could cause the state to display high activity levels.

\*Data collected in ILINet may disproportionately represent certain populations within a state, and therefore may not accurately depict the full picture of influenza activity for the whole state

process of minerical activity to the whose state. That displayed in this map are based on data collected in ILINet, whereas the State and Territorial flu activity map are based on reports state and territorial epidemiologists. The data presented in this map is preliminary and may change as more data is received. "Differences in the data presented by CDC and state health departments likely represent differing levels of data completeness with data

#### Please report any of the following:

- · Laboratory-Confirmed influenza-associated deaths
- Patients with novel or unsubtypable influenza viruses
- Outbreaks of influenza-like illness in a long-term care facility Immediately

#### Additional Resources:

Additional King County Flu Information, Resources, and Surveillance UW Virology Laboratory Respiratory Virus Surveillance Washington State Influenza Surveillance Update

#### **Reporting Timeframe** Within 3 business days

Immediately

National Influenza Update Global Influenza Update

#### **Contact Information**

Phone: (206) 296-4774 (206) 296-4803

CDC



Report updated on 10/23/2019

# Public Health - Seattle & King County Summary of Influenza Deaths and Long-Term Care Facility (LTCF) Influenza Outbreaks

Confirmed	cases	s as of	wee	ek 42	(end	ing 1	0/19	/19)							
		9-2020		-2019		-2018		-2017	2015	-2016	2014	-2015	5-vea	ar avg	
Influenza Deaths in Week 42	0			0	0		0		0		0		5-year avg 0.0		
Influenza deaths, season to date (since 9/29/2019)	1			0	0		1		0		0		0.2		
	_			•			-		"						
LTCF Outbreaks in Week 42	1 1			0 0		0	2		0		0		0.4		
LTCF Outbreaks, season to date (since 9/29/2019)		3	1		0		6		1		0		1.6		
	201	9-2020	2018-2019		2017-2018		2016-2017		2015-2016		2014-2015		5-year avg		
Total Seasonal LTCF Outbreaks	3		43		68		92		18		65		57.2		
Flu type:															
A	2	67%	37	86%	15	22%	62	67%	7	39%	49	75%	34	59%	
B	1	33%	0	0%	6	9%	3	3%	7	39%	4	6%	4	7%	
A and B	0	0%	1	2%	5	7%	4	4%	0	0%	2	3%	2.4	4%	
Info not available	0	0%	5	12%	42	62%	23	25%	4	22%	10	15%	16.8	29%	
	201	9-2020	2018-2019 2		2017-2018		2016-2017		2015-2016		2014-2015		5-year avg		
Total Seasonal Influenza Deaths	1			52	50		84		16		43		49		
Flu type:															
A	1	100%	48	92%	33	66%	75	89%	10	63%	40	93%	41.2	84%	
H1/H1N1	0	0%	11	21%	1	2%	1	1%	6	38%	0	0%	3.8	8%	
н3	0	0%	5	10%	6	12%	18	21%	1	6%	7	16%	7.4	15%	
A (not typed)	1	100%	32	62%	26	52%	56	67%	3	19%	33	77%	30	61%	
В	0	0%	2	4%	11	22%	7	8%	6	38%	3	7%	5.8	12%	
Not typed	0	0%	2	4%	6	12%	1	1%	0	0%	0	0%	1.8	4%	
Sex:															
Male	1	100%	27	52%	17	34%	41	49%	7	44%	17	40%	21.8	44%	
Female	0	0%	25	48%	33	66%	43	51%	9	56%	26	60%	27.2	56%	
Age:		00/	_	00/	•	00/	_	00/		201		00/		001	
Under 5 years	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
5 - 17	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
18 - 44 45 - 64	0	0%	1 13	2%	0 7	0%	1 5	1%	3 5	19%	1 6	2%	1.2 7.2	2%	
45 - 64 65+ years	1	0% 100%	38	25% 73%	43	14% 86%	5 78	6% 93%	8	31% 50%	36	14% 84%	40.6	15% 83%	
Average		85 85		7570 3.6	_				_						
Average	83		/.	J. U	81.1		81.9		64.9		81.7		76.6		
Race:															
White	1	100%	35	67%	33	66%	54	64%	12	75%	35	81%	33.8	69%	
Asian	0	0%	5	10%	2	4%	13	15%	2	13%	1	2%	4.6	9%	
Black	0	0%	1	2%	3	6%	4	5%	2	13%	5	12%	3	6%	
Amer Indian	0	0%	1	2%	0	0%	0	0%	0	0%	0	0%	0.2	0%	
Hispanic/Latino	0	0%	2	4%	2	4%	3	4%	0	0%	1	2%	1.6	3%	
Other	0	0%	0	0%	1	2%	1	1%	0	0%	1	2%	0.6	1%	
Unknown	0	0%	8	15%	9	18%	9	11%	0	0%	0	0%	5.2	11%	
Flu vaccine status															
Up to date	0	0%	16	31%	26	52%	39	46%	6	38%	21	49%	21.6	44%	
Not up to date	1	100%	19	37%	10	20%	20	24%	8	50%	5	12%	12.4	25%	
Unknown	0	0%	17	33%	14	28%	25	30%	2	13%	17	40%	15	31%	