

Wastewater Management Section

List of Registered Sewage Tanks

As Established in Chapter 246-272C WAC

November 2016



For more information or additional copies of this document contact:

Wastewater Management Section

Washington State Department of Health

Physical address: 243 Israel Road SE, Tumwater, WA 98501

Mailing address: PO Box 47824, Olympia, WA 98504-7824

Phone: (360) 236-3330

FAX: (360) 236-2257

Website: www.doh.wa.gov/wastewater

Email: wastewatermgmt@doh.wa.gov

John Wiesman

Secretary of Health

For persons with disabilities, this document is available upon request in other formats.
To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

DOH 337-046

Contents

Introduction and Overview3

List of Manufacturers of Registered Sewage Tanks – Concrete Tanks.....4

List of Manufacturers of Registered Sewage Tanks – Non-Concrete Tanks47

NOTE: The presence of a product on this list does not constitute approval of marketing, advertising, or labeling practices employed by manufacturer, nor is it an affirmation of manufacturer claims of product performance. Registration listing does not constitute endorsement of these products by the Washington State Department of Health. Information obtained from the sources listed is the sole responsibility of the manufacturer or other provider.

Updates this revision:

Manufacturer	Model(s) Number	Approved
Roth Global Plastics, Inc.	DWT-1000L	9/21/16

Introduction and Overview

Chapter 246-272C WAC establishes sewage tank design and construction requirements, plan review and approval requirements, and prefabricated tank registration requirements. This chapter applies to all prefabricated tanks and all cast-in-place tanks. When the Washington State Department of Health (DOH) has determined that a product meets the registration requirements that are established in the rule, the product will be placed on the “List of Registered Sewage Tanks.” This document is a revision to the previous edition of the “List of Registered Sewage Tanks.”

Overview

Chapter 246-272C WAC On-Site Sewage System Tanks took full effect on December 19, 2009.

1. A prefabricated tank manufacturer or agent shall comply with the registration requirements of Chapter 246-272C-0130 WAC.
2. DOH or the local health officer shall only allow use of prefabricated sewage tanks from the “List of Registered Sewage Tanks.”
3. All prefabricated tank renewal registrations expire on December 31st of the third year of registration.
4. All prefabricated tank renewal applications must be received by the department no later than October 31st of the year the registration expires.

We welcome suggestions to improve this document. If you identify an error or have an idea about how to improve the usefulness of this document, please contact us at wastewatermgmt@doh.wa.gov.

For questions regarding sewage tank standards or information about application for product review and approval, please contact Jeanne Andreasson, P.E. at (360) 236-3360 or Jeanne.Andreasson@doh.wa.gov.

List of Manufacturers of Registered Sewage Tanks – Concrete Tanks

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
AAA Septic Service LLC PO Box 1668 Brush Prairie WA 98606 (360) 687-8960	1000 S, P & G	1035	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	3-13-2013 /12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1000 S-T, P-T & G-T	1035	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	3-13-2013 /12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 S, P & G	1278	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	3-13-2013 /12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1250 S-T, P-T & G-T	1278	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	3-13-2013 /12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500 S, P & G	1540	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	3-13-2013 /12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1500 S-T, P-T & G-T	1540	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	3-13-2013 /12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
A-1 Redi Mix P.O. Box 891 Ilwaco, WA 98624 360-642-3153 360-642-3345 (fax)	1000 S & SP	1024	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	2-8-2012 / 12-31-2017	3' of soil cover, maximum high water table to top of lid.
	1500 S	1643	Two	Septic Tank, Holding Tank & Trash Tank	2-8-2012 / 12-31-2017	3' of soil cover, maximum high water table to top of lid.
	1500 Glendon	2012	One	M31 Glendon Basin	2-8-2012 / 12-31-2017	Containment tank for the M31 Glendon BioFilter treatment unit (120 GPD). Follow installation instruction.
Berg Vault Company P. O. Box 1205 Mount Vernon, WA 98273 360-424-4999 360-424-5839 (fax)	400	355	One	Septic Tank, Pump Tank, Holding Tank & Trash Tank	7-8-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	400-T	355	One	Septic Tank, Pump Tank, Holding Tank & Trash Tank	7-8-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	750	748	One	Septic Tank, Pump Tank, Holding Tank & Trash Tank	7-8-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	750-T	748	One	Septic Tank, Pump Tank, Holding Tank & Trash Tank	7-8-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1000 P	1047	One	Septic Tank, Pump Tank, Holding Tank, Trash Tank & ECOPOD	7-8-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000 P-T	1047	One	Septic Tank, Pump Tank, Holding Tank, Trash Tank & ECOPOD	7-8-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Berg Vault Company (continued)	1000 S, P & G	1049	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank & MicroFast 0.5	7-8-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000 S-T, P-T & G-T	1049	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank & MicroFast 0.5	7-8-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 S & P	1348	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank & MicroFast 0.5, 0.75 and 0.9	7-8-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1250 S-T & P-T	1348	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank & MicroFast 0.5, 0.75 and 0.9	7-8-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500 S & P	1562	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank, AdvanTex Processing Tank, MicroFast 0.5, 0.75 and 0.9 & ECOPOD	7-8-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Berg Vault Company (continued)	1500 S-T & P-T	1562	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank, AdvanTex Processing Tank, MicroFast 0.5, 0.75 and 0.9 & ECOPOD	7-8-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1750 S & P	1772	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	5-23-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1750 S-T & P-T	1772	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	5-23-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	DF50	909	One	Delta Whitewater DF Series	12-10-2010 / 12-31-2018	3' of soil cover. Maximum water table at ground level.
	DF60	1138	One	Delta Whitewater DF Series	12-10-2010 / 12-31-2018	3' of soil cover. Maximum water table at ground level.
	M31 Basin JR	2070	One	Glendon BioFilter Model M-31 Basin	4-13-2011 / 12/31/2016	Follow installation instructions.
	TRD 1000 C & TRD 1250		Two	TRD Systems	7-28-2011 / 12/31/2016	3' of soil cover, maximum high water table to top of lid.
	TRD 1000 C - T & TRD 1250 T		Two	TRD Systems	7-28-2011 / 12/31/2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	800 P	808	One	Pump Tank, Holding Tank & Trash Tank	6-23-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Berg Vault Company (continued)	800 P-T	808	One	Pump Tank, Holding Tank & Trash Tank	6-23-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1000 S, P & G	1035	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	6-23-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1000 S-T, P-T & G-T	1035	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	6-23-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 S, P & G	1278	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	6-23-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1250 S-T, P-T & G-T	1278	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	6-23-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500 S, P & G	1540	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	6-23-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1500 S-T, P-T & G-T	1540	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	6-23-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Berg Vault Company (continued)	1500 AdvanTex	1540	Two	AdvanTex Processing Tank	6-23-2011 / 12-31-2016	4' of soil cover, maximum high water table to top of lid.
	1500 AdvanTex-T	1540	Two	AdvanTex Processing Tank	6-23-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1750 S, P & G	1779	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank & ECOPOD	6-23-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1750 S-T, P-T & G-T	1779	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank & ECOPOD	6-23-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	3000 S, P & G	3042	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank. Pump Tank is approved for ECOPOD E200-N.	6-23-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	3000 S-T, P-T & G-T	3042	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank. Pump Tank is approved for ECOPOD E200-N.	6-23-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	700P	713	One	Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	3' of soil cover, water table at ground level. Locate pumps in center of tank below access.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Berg Vault Company (continued)	1000P DEL ZOTTO	1088	One	Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid. Locate pumps in center of tank below access.
	1000P DEL ZOTTO-T	1088	One	Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid. Locate pumps in center of tank below access.
	1000P	1006	One	Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid. Locate pumps in center of tank below access.
	1000P-T	1006	One	Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid. Locate pumps in center of tank below access.
	1000S / 1000G	1006	Two	Septic Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000S-T / 1000G-T	1006	Two	Septic Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250P / 1250S	1255	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid. Locate pumps in center of tank below access.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Berg Vault Company (continued)	1250P-HW / 1250S-HW	1255	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	Maximum water table at ground level. Locate pumps in center of tank below access.
	1500P / 1500S	1556	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid. Locate pumps in center of tank below access.
	1500P-T / 1500S-T	1556	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank and Trash Tank	11-24-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid. Locate pumps in center of tank below access.
	DF50	909	One	Delta Whitewater DF Series	12-10-2010 / 12-31-2018	3' of soil cover. Maximum water table at ground level.
	B-500	1097	Three	Nu-Water ATU	3-7-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	B-500-HW	1097	Three	Nu-Water ATU	3-7-2011 / 12-31-2016	3' of soil cover, groundwater to surface.
	B-500-P	1997	Four	Nu-Water ATU /pump chamber	3-7-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	B-500-PHW	1997	Four	Nu-Water ATU /pump chamber	3-7-2011 / 12-31-2016	3' of soil cover, groundwater to surface.
	B-500 T	1097	Three	Nu-Water BNR-500	5-7-2014 / 12-31-2016	12" minimum soil cover. Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
1250A S	1274	Two	Septic Tank	5-15-2014 / 12-31-2016	3' maximum soil cover, maximum water table at top of lid.	

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Berg Vault Company (continued)	1250A S-T	1274	Two	Septic Tank	5-15-2014 / 12-31-2016	3' maximum soil cover, maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lids.
	1250A P	1274	One	Pump Tank	5-15-2014 / 12-31-2016	3' maximum soil cover, maximum water table at top of lid. Locate pumps in center of tank below access.
	1250A P-T	1274	One	Pump Tank	5-15-2014 / 12-31-2016	3' maximum soil cover, maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lids. Locate pumps in center of tank below access.
	500 P / 500 Trash	509	One	Pump Tank and Trash Tank	5-15-2014 / 12-31-2016	3' maximum soil cover, maximum water table at top of lid.
	500 P-T / 500 Trash-T	509	One	Pump Tank and Trash Tank	5-15-2014 / 12-31-2016	3' maximum soil cover, maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lids.
	1250S / 1250P	1228	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1250S-HW 1250P-HW	1228	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table at ground level.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Berts Excavating And Precast P.O. Box 73 Sunnyside, WA 98944 509-837-2117 509-837-6282 (fax)	1000	1000	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	6-26-2012 / 12-31-2017	3' of soil cover. Water table must be three feet below top of tank, otherwise tank will be susceptible to buoyancy effects.
	1250	1250	One / Two	Septic Tank, Pump Tank, Holding Tank	12-4-2012 / 12-31-2017	12" minimum and 36" maximum soil cover. Water table must be three feet below top of tank, otherwise tank will be susceptible to buoyancy effects.
	1500	1500`	One / Two / Three	Septic Tank, Pump Tank, Holding Tank	12-4-2012 / 12-31-2017	Maximum 3' of soil cover. Water table must be three feet below top of tank, otherwise tank will be susceptible to buoyancy effects.
Bob Humbert & Son, Inc. 1560 ½ Main Milton-Freewater, OR 97862 541-938-3488 541-938-7739 (fax) bmp@bmi.net	HUM1000-1P	1043	One	Pump Tank	5-6-2013 / 12-31-2018	Maximum water table at ground level. 4' maximum depth of burial.
	HUM1000-2S	1003	Two	Septic Tank	5-6-2013 / 12-31-2018	Maximum water table at ground level. 4' maximum depth of burial.
	HUM1500-1P	1587	One	Pump Tank	5-6-2013 / 12-31-2018	Maximum water table at ground level. 4' maximum depth of burial.
	HUM1500-2S	1527	Two	Septic Tank	5-6-2013 / 12-31-2018	Maximum water table at ground level. 4' maximum depth of burial.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Bode's Precast, Inc. 1861 E. Pole Rd. Everson, WA 98247 360-354-3912 360-354-0360 (fax) www.BodesPrecast.com	300 S / 300 P	324 (septic) 338 (pump)	One	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, water table at ground level.
	500 S / 500 P	471	One	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, water table at ground level.
	750 S / 750 P	761(septic) 797 (pump)	Two (septic) One (pump)	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, water table at ground level.
	1000 S / 1000 GI	998	Two	Septic Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000 S-T / 1000 GI-T	998	Two	Septic Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1000 P	1033	One	Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000 P-T	1033	One	Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 S / 1250 P	1297 (septic) 1316 (pump)	Two (septic) One (pump)	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1250 S-T / 1250 P-T	1297 (septic) 1316 (pump)	Two (septic) One (pump)	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Bode's Precast, Inc. (continued)	1500 S / 1500 GI	1537	Two	Septic Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500 S-T / 1500 GI-T	1537	Two	Septic Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500 P	1579	One	Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500 P-T	1579	One	Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1750 S / 1750 GI	1840	Two	Septic Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1750 S-T / 1750 GI-T	1840	Two	Septic Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1750 P	1881	One	Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1750 P-T	1881	One	Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1750 PS Combo	1018 (septic) & 788 (pump)	Three	Septic / Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Bode's Precast, Inc. (continued)	1750 PS-T Combo	1018 (septic) & 788 (pump)	Three	Septic / Pump Tank, Holding Tank and Trash Tank	10-5-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	DF50	841	One	Delta Whitewater DF Series	12-10-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	M31 Basin	1993	One	Glendon BioFilter Model M-31 Basin	5-5-2011 / 12-31-2018	Follow installation instructions.
Cascade Concrete Products Company, Inc. P.O. Box 387 54 Horizon Flats Road Winthrop, WA 98862 509-996-2435	1000 S & P	1066	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-16-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1000 S-T & P-T	1066	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-16-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 S	1284	Two	Septic Tank, Holding Tank & Trash Tank	8-16-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1250 S-T	1284	Two	Septic Tank, Holding Tank & Trash Tank	8-16-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
Colville Valley Concrete Corporation P.O. Box 343 Colville, WA 99114 509-684-2534 509-684-7635 (fax)	500 P	504	One	Pump Tank, Holding Tank & Trash Tank	9-13-2011 / 12-31-2016	3' of soil cover, maximum water table at ground level.
	1000 S, P & G	1022	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	9-13-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Colville Valley Concrete Corporation (continued)	1000 S-T, P-T & G-T	1022	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	9-13-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500 S, P, G & SP	1561 1538 (SP)	One / Two Three (SP)	Septic Tank, Pump Tank, Grease Interceptor Tank, Septic / Pump Tank, Holding Tank & Trash Tank	9-13-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1500 S-T, P-T, G-T & SP-T	1561 1538 (SP)	One / Two Three (SP)	Septic Tank, Pump Tank, Grease Interceptor Tank, Septic / Pump Tank, Holding Tank & Trash Tank	9-13-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
Cotton Redi-Mix P.O. Box 179 Port Hadlock, WA 98339 360-385-0480 360-379-6892 (fax) cottonshold@yahoo.com	Cotton 1000	1060 / 1008	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	3-8-2011 / 12-31-2016	3' of soil cover, maximum water table at ground level.
	Cotton 1500	1620 / 1563	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	3-8-2011 / 12-31-2016	3' of soil cover, maximum water table at ground level.
	Cotton Glendon M-31	1998	One	Glendon BioFilter Model M-31 Basin	3-8-2011 / 12-31-2016	Follow installation instructions.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Cuz Concrete Products, Inc. 19604 67 th Ave. NE Arlington, WA 98223 360-435-5531 360-435-8575 (fax)	818	5085	Two or Three	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	7-13-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	500P	542	One	Pump Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.
	500P-T	542	One	Pump Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	750P	781	One	Pump Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.
	750P-T	781	One	Pump Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1000S / 1000GI	1021	Two	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.
	1000S-T / 1000GI-T	1021	Two	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1000P	1059	One	Pump Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.
	1000P-T	1059	One	Pump Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Cuz Concrete Products, Inc. (continued)	1250S / 1250GI	1257	Two	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.
	1250S-T / 1250GI-T	1257	Two	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250P	1304	One	Pump Tank, Holding Tank, Trash Tank, & MicroFAST 0.9 & 1.5. For MicroFAST usage must be preceded by a settling tank sized to ensure a ½ to 1 day retention time and outlet must be added per tank engineer's specification.	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Cuz Concrete Products, Inc. (continued)	1250P-T	1304	One	Pump Tank, Holding Tank, Trash Tank, & MicroFAST 0.9 & 1.5. For MicroFAST usage must be preceded by a settling tank sized to ensure a ½ to 1 day retention time and outlet must be added per tank engineer's specification.	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1750S / 1750GI	1814	Two	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.
	1750S-T / 1750GI-T	1814	Two	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Cuz Concrete Products, Inc. (continued)	1750P	1874	One	Pump Tank, Holding Tank, Trash Tank, & MicroFast 1.5. For MicroFAST usage must be preceded by a settling tank sized to ensure a ½ to 1 day retention time and outlet must be added per tank engineer's specification.	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.
	1750P-T	1874	One	Pump Tank, Holding Tank, Trash Tank, & MicroFast 1.5. For MicroFAST usage must be preceded by a settling tank sized to ensure a ½ to 1 day retention time and outlet must be added per tank engineer's specification.	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	3000S / 3000GI	3042	Two	Septic Tank, Grease Interceptor Tank, Holding Tank, Trash Tank & ECOPOD System	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Cuz Concrete Products, Inc. (continued)	3000S-T / 3000GI-T	3042	Two	Septic Tank, Grease Interceptor Tank, Holding Tank, Trash Tank & ECOPOD System	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	3000P	3105	One	Pump Tank, Holding Tank, Trash Tank, ECOPOD System & MicroFast 3.0. For MicroFAST usage must be preceded by a settling tank sized to ensure a ½ to 1 day retention time and outlet must be added per tank engineer's specification.	7-19-2010 / 12-31-2018	4' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Cuz Concrete Products, Inc. (continued)	3000P-T	3105	One	Pump Tank, Holding Tank, Trash Tank, ECOPOD System & MicroFast 3.0. For MicroFAST usage must be preceded by a settling tank sized to ensure a ½ to 1 day retention time and outlet must be added per tank engineer's specification.	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	Fast ATU	1653	Two	Fast 0.5 ATU Tank Fast 0.75 ATU Tank Micro FAST Bio-Barrier	7-19-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	Fast ATU-T	1653	Two	Fast 0.5 ATU Tank Fast 0.75 ATU Tank Micro FAST Bio-Barrier	7-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500S / 1500GI	1500	Two	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	8-14-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500S-T / 1500GI-T	1500	Two	Septic Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	8-14-2012 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Cuz Concrete Products, Inc. (continued)	1500P	1500	One	Pump Tank, Holding Tank & Trash Tank	8-14-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500P-T	1500	One	Pump Tank, Holding Tank & Trash Tank	8-14-2012 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	BNR-500	1097	Three	NuWater BNR-500	5-23-2013 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	BNR-600	1264	Three	NuWater BNR-600	5-23-2013 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
Ecological Tanks, Inc. 2247 Hwy. 151 North Downsville, LA 71234 318-644-0397 318-644-7257 (fax) aquasafe@bayou.com www.etiaquasafe.com	AS500-C	1000		Aqua Safe AS500	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS600-C	1190		Aqua Safe AS600	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS750-C	1516		Aqua Safe AS750	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS1000-C	2008		Aqua Safe AS1000	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS500L-C	908		Aqua Safe AS500L	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS600L-C	1058		Aqua Safe AS600L	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS800L-C	1516		Aqua Safe AS800L	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Ecological Tanks, Inc. (continued)	AS1100L-C	2008		Aqua Safe AS1100L	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS600+5NR-C	1000		Aqua Safe AS600+4NR	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
Evergreen Precast P. O. Box 58 Sumner, WA 98390 253-863-6510 253-863-2901 (fax)	1250 SDC	1260	Two	Septic Tank, Holding Tank and Trash Tank	6-22-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1250 SDC-T	1260	Two	Septic Tank, Holding Tank and Trash Tank	6-22-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 SSC	1236	One	Septic Tank, Holding Tank and Trash Tank	6-22-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1250 SSC-T	1236	One	Septic Tank, Holding Tank and Trash Tank	6-22-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500P	1569	One	Pump Tank	6-22-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500P-T	1569	One	Pump Tank	6-22-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1600 SDC	1595	Two	Septic Tank, Holding Tank, Trash Tank & MicroFAST Models 0.5 and 0.75 Tanks	6-22-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1600 SDC-T	1595	Two	Septic Tank, Holding Tank, Trash Tank & MicroFAST Models 0.5 and 0.75 Tanks	6-22-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Evergreen Precast (continued)	1600SSC	1637	One	Septic Tank, Holding Tank and Trash Tank	6-22-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1600SSC-T	1637	One	Septic Tank, Holding Tank and Trash Tank	6-22-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1900P	1951	One	Pump Tank	6-22-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1900P-T	1951	One	Pump Tank	6-22-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	DF50	909	One	Delta Whitewater DF Series	12-10-2010 / 12-31-2018	3' of soil cover. Maximum water table at ground level.
	DF60	1070	One	Delta Whitewater DF Series	12-10-2010 / 12-31-2018	3' of soil cover. Maximum water table at ground level.
	DF50-2	1466	Two	Delta Whitewater DF Series with Pump Chamber	04/08/2014 / 12-31-2018	3' of soil cover. Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	DF50-2-HW	1466	Two	Delta Whitewater DF Series with Pump Chamber	12-10-2010 / 12-31-2018	3' of soil cover. Maximum water table at ground level.
	EP 300-1 / EP 300-2	3000	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank, and AdvanTex Processing Tank	4-13-2012 / 12-31-2017	3' of cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Evergreen Precast (continued)	EP 300-1T / EP 300-2T	3000	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank, Trash Tank, and AdvanTex Processing Tank	4-13-2012 / 12-31-2017	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1000SDC	1000	Two	Septic Tank, Holding Tank and Trash Tank	5-30-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000SDC-T	1000	Two	Septic Tank, Holding Tank and Trash Tank	5-30-2012 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1000SSC	1000	One	Septic Tank, Holding Tank and Trash Tank	5-30-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000SSC-T	1000	One	Septic Tank, Holding Tank and Trash Tank	5-30-2012 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1100P	1100	One	Pump Tank	5-30-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1100P-T	1100	One	Pump Tank	5-30-2012 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500SDC	1500	Two	Septic Tank, Holding Tank and Trash Tank	5-30-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500SDC-T	1500	Two	Septic Tank, Holding Tank and Trash Tank	5-30-2012 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500SSC	1500	One	Septic Tank, Holding Tank and Trash Tank	5-30-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Evergreen Precast (continued)	1500SSC-T	1500	One	Septic Tank, Holding Tank and Trash Tank	5-30-2012 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1600P	1600	One	Pump Tank	5-30-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1600P-T	1600	One	Pump Tank	5-30-2012 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	BNR-600	1264	Three	NuWater BNR-600	4-5-2016 / 12-31-2019	3' of soil cover, maximum high water table to top of lid.
Godbey Red-E-Mix Concrete P.O. Box 505 Brewster, WA 98812 509-689-2415 509-689-2041 (fax)	1000	1013	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	4-27-2012 / 12-31-2017	3' of soil cover, water table at lid.
	1250	1258	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	4-27-2012 / 12-31-2017	3' of soil cover, water table at lid.
Granite Precast 4116 Bakerview Spur Bellingham, WA 98226 360-671-2251 360-671-0780 (fax)	8 X 16	6,000	One/Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	1/31/2016 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid if used in traffic area.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
H2 Precast Inc. 3835 N. Clemons Street East Wenatchee, WA 98802 509-884-6644 509-884-4567 (fax) H2precast.com cprewitt@h2precast.com	H2PC-3000, 3500, 4000	3000 3500 4000	One / Two	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-19-2010 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial.
	H2PC-3000T, 3500T, 4000T	3000 3500 4000	One / Two	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-19-2010 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial. HS20-44 traffic rating. Must have traffic rated risers and lid.
	H2PC-4500, 5000, 6000	4500 5000 6000	One / Two	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-19-2010 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial.
	H2PC-4500T, 5000T, 6000T	4500 5000 6000	One / Two	Septic Tank, Pump Tank, Holding Tank and Trash Tank	10-19-2010 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial. HS20-44 traffic rating. Must have traffic rated risers and lid.
	H2PC – 750/ 750T	780	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	2-27-2012 / 12-31-2017	3' of soil cover, water table at lid. Traffic rated models must have traffic rated risers and lid.
	H2PC – 1000/ 1000T	1000	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	2-27-2012 / 12-31-2017	3' of soil cover, water table at lid. Traffic rated models must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
H2 Precast Inc. (continued)	H2PC – 1500/ 1500T	1500	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	2-27-2012 / 12-31-2017	3' of soil cover, water table at lid. Traffic rated models must have traffic rated risers and lid.
	H2PC – 2000 / 2500	2000, 2500	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	2-27-2012 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial.
	H2PC – 2000T/2500T	2000, 2500	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	2-27-2012 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial. HS20-44 traffic rating. Must have traffic rated risers and lid.
	H2PC-7000		One/Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	4-16-2013 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial.
	H2PC-7000T		One/Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	4-16-2013 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial. HS20-44 traffic rating. Must have traffic rated risers and lid.
Hagerman Pre Cast P.O. Box 2842 Poulsbo, WA 98370 360-598-6121 360-394-9544 (fax)	B-500	1097	Three	Nu-Water ATU	3-7-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	B-500-HW	1097	Three	Nu-Water ATU	3-7-2011 / 12-31-2016	3' of soil cover, groundwater to surface.
	500 Trash	511	One	Pump Tank, Holding Tank & Trash Tank	8-22-2011 / 12-31-2016	3' of soil cover, maximum water table at ground level.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Hagerman Pre Cast (continued)	1000 S, P & G	1000	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	8-22-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1000 S-T, P-T & G-T	1000	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	8-22-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 S, P & G	1261	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	8-22-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1250 S-T, P-T & G-T	1261	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	8-22-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 FAST	1261	Two	MicroFAST 0.5	8-22-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1250 FAST – T	1261	Two	MicroFAST 0.5	8-22-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500 S, P & G	1512	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	8-22-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Hagerman Pre Cast (continued)	1500 S-T, P-T & G-T	1512	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	8-22-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500 FAST	1512	Two	MicroFAST 0.5 & MicroFAST 0.75	8-22-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1500 FAST – T	1512	Two	MicroFAST 0.5 & MicroFAST 0.75	8-22-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	M 31	1888	One	Glendon BioFilter Model M-31 Basin	8-22-2011 / 12-31-2016	Follow installation instructions.
	BNR-600	1264	Three	NuWater BNR-600	10-3-2013 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	B-500 T	1097	Three	NuWater BNR-500	11-15-2013 / 12-31-2018	12" minimum soil cover. Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
Hayes Concrete Products, Inc 19401 State Route 203 Monroe, WA 98272 425-788-5686 360-794-1468 (fax) hayesconcrete@earthlink.net	750P-HW	775	One	Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table at ground level.
	1000S / 1000P	990	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000S-HW 1000P-HW	990	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table at ground level.
	1500S / 1500P	1539	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Hayes Concrete Products, Inc (continued)	1500S-HW 1500P-HW	1539	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table at ground level.
Koncrete Industries, Inc. P.O. Box 911 Walla Walla, WA 99362 509-525-9143 509-525-4031 (fax) www.koncreteindustries.com	1250	1252	Two	Septic Tank	3-14-2012 / 12-31-2017	4' of soil cover, maximum water table at ground level.
Lowridge Onsite Technologies, LLC. PO Box 1179 Lake Stevens, WA 98258 877-476-8823 425-335-3622 (fax) www.lowridgetech.com	LOT-LFB500		One	LOWeFLOW system	6-3-2014 / 12-31-2016	Containment vessel for the LOWeFLOW system filter basin (60.9" diameter). Follow installation instructions.
M-1 Tanks, Inc. 13058 N. Frontage Rd. E. Moses Lake, WA 98837 509-766-2914 509-764-0905 (fax) m1production@yahoo.com	670P	681	One	Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table at ground level.
	1000S / 1000P	1021 (Septic) 1039 (Pump)	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1000S-T 1000P-T	1021 (Septic) 1039 (Pump)	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250S / 1250P	1311 (Septic) 1333 (Pump)	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
M-1 Tanks, Inc. (continued)	1250S-T 1250P-T	1311 (Septic) 1333 (Pump)	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500S / 1500P	1573 (Septic) 1602 (Pump)	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500S-T 1500P-T	1573 (Septic) 1602 (Pump)	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank & Trash Tank	8-4-2010 / 12-31-2018	3' of soil cover, maximum high water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
Miles Sand & Gravel Company, Inc. 400 Valley Avenue NE Puyallup, WA 98372-2516 253-833-3705 253-833-3746 (fax)	JET 500		Two	Jet Inc. J-500 Treatment System	7-6-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	JET 500-HW		Two	Jet Inc. J-500 Treatment System	7-6-2010 / 12-31-2018	3' of soil cover, maximum water table at ground level.
	1150S	1165	Two	Septic Tank, Holding Tank & Trash Tank	7-6-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1150S-HW	1165	Two	Septic Tank, Holding Tank & Trash Tank	7-6-2010 / 12-31-2018	3' of soil cover, maximum water table at ground level.
	1200P	1282	One	Pump Tank	7-6-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1200P-HW	1282	One	Pump Tank	7-6-2010 / 12-31-2018	3' of soil cover, maximum water table at ground level.
Northwest Cascade, Inc. P.O. Box 73399 Puyallup, WA 98373 253-848-2371 253-840-0877 (fax)	BZ2-1000	1015	Two	Septic Tank, Holding Tank & Trash Tank	7-21-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	BZ2-1000T	1015	Two	Septic Tank, Holding Tank & Trash Tank	7-21-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Northwest Cascade, Inc. (continued)	BZP-1000	1060	One	Pump Tank, Holding Tank, Trash Tank & MicroFAST Tank	7-21-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid. MicroFAST Tank must follow a 500 gallon settling tank.
	BZP-1000T	1060	One	Pump Tank, Holding Tank, Trash Tank & MicroFAST Tank	7-21-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid. MicroFAST Tank must follow a 500 gallon settling tank.
	BZ2-1200	1133	Two	Septic Tank, Holding Tank & Trash Tank	7-21-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	BZ2-1200T	1133	Two	Septic Tank, Holding Tank & Trash Tank	7-21-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	BZP-1200	1183	One	Pump Tank, Holding Tank, Trash Tank & MicroFAST Tank	7-21-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid. MicroFAST Tank must follow a 500 gallon settling tank.
	BZP-1200T	1183	One	Pump Tank, Holding Tank, Trash Tank & MicroFAST Tank	7-21-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid. MicroFAST Tank must follow a 500 gallon settling tank.
	BZ2-1500	1574	Two	Septic Tank, Holding Tank, Trash Tank & MicroFAST Tank	7-21-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Northwest Cascade, Inc. (continued)	BZ2-1500T	1574	Two	Septic Tank, Holding Tank, Trash Tank & MicroFAST Tank	7-21-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	BZP-1500	1610	One	Pump Tank, Holding Tank & Trash Tank	7-21-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	BZP-1500T	1610	One	Pump Tank, Holding Tank & Trash Tank	7-21-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	DF50	909	One	Delta Whitewater DF Series	12-10-2010 / 12-31-2018	3' of soil cover. Maximum water table at ground level.
	B-500	1097	Three	BioRobix ATU	2-15-2012 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	B-500-HW	1097	Three	BioRobix ATU	2-15-2012 / 12-31-2018	3' of soil cover, groundwater to surface.
	BNR-600	1264	Three	NuWater BNR-600	5-23-2013 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
Okanogan Valley Concrete, Inc. P.O. Box 1296 Okanogan, WA 98840 509-422-3211	1000 S & P	1066	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	9-01-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1000 S-T & P-T	1066	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	9-01-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250 S	1284	Two	Septic Tank, Holding Tank & Trash Tank	9-01-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
Okanogan Valley Concrete,						

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Inc. (continued)	1250 S-T	1284	Two	Septic Tank, Holding Tank & Trash Tank	9-01-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
Peninsula Tanks Inc. 1370 Woodcock Road Sequim, WA 98382 360-683-4714 360-681-8804 (fax)	1000	1022	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank, Grease Interceptor Tank & Trash Tank	1-13-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1000-T	1022	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank, Grease Interceptor Tank & Trash Tank	1-13-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1250	1259	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank, Grease Interceptor Tank, Trash Tank & MicroFAST 0.5	1-13-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	1250-T	1259	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank, Grease Interceptor Tank, Trash Tank & MicroFAST 0.5	1-13-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500	1561	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank, Grease Interceptor Tank, Trash Tank, MicroFAST 0.5 & 0.75 and BioBarrier 0.5	1-13-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Peninsula Tanks Inc. (continued)	1500-T	1561	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank, Grease Interceptor Tank, Trash Tank, MicroFAST 0.5 & 0.75 and BioBarrier 0.5	1-13-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	2000	2083	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank, Grease Interceptor Tank & Trash Tank	1-13-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	2000-T	2083	One (Pump) Two (Septic)	Septic Tank, Pump Tank, Holding Tank, Grease Interceptor Tank & Trash Tank	1-13-2011 / 12-31-2016	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	1500 M31 Basin	1561	One	Glendon BioFilter Model M-31 Basin	1-11-2012 / 12-31-2016	Follow installation instructions.
Rada Inc. 2707 E. Lewis Pl Pasco, WA 99301 509-547-3974 509-547-9066 (fax)	625	625	One	Pump Tank, Holding Tank & Trash Tank	10-9-2012 / 12-13-2017	3' of soil cover, maximum water table at ground level.
	1100	1108	Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	5-7-2012 / 12-31-2017	4' of soil cover, maximum water table at ground level.
	1600	1625	Two / Three	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	5-7-2012 / 12-31-2017	4' of soil cover, maximum water table at ground level.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Rapid Readymix Co. P.O. Box 1050 Goldendale, WA 98620 509-773-5919 509-773-7868 (fax)	R1000	1017	Two	Septic Tank, Holding Tank & Trash Tank	5-31-2012 / 12-31-2017	3' of soil cover, maximum water table to top of lid.
	R1250	1237	Two	Septic Tank, Holding Tank & Trash Tank	5-31-2012 / 12-31-2017	3' of soil cover, maximum water table to top of lid.
Reese Concrete Products Mfg. Inc., 1606 S. Ely Kennewich, WA 99337 (509) 586-3704 (509) 586-3341 (fax)	RCP 1000	1043	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	5-11-2012 / 12-31-2017	3' of soil cover, maximum water table at ground level.
	RCP 1500	1592	One / Two / Three	Septic Tank, Pump Tank, Holding Tank & Trash Tank	5-11-2012 / 12-31-2017	3' of soil cover, maximum water table at ground level.
Shope Concrete Products 1618 East Main Avenue Puyallup, WA 98372-3142 253-848-1551 253-845-0292 (fax) support@shopeconcrete.com	48" – 96" MH	Depends on Depth	One	Pump Tank	4-14-2011 / 12-31-2016	Follow installation instructions.
Sound Placement Services PO Box 1649 Castle Rock, WA 98611 360-274-7675 360-274-7391 (fax)	NuWater B-500	1097	Three	NuWater (BioRobix) ATU	2-22-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	NuWater B-500-HW	1097	Three	NuWater (BioRobix) ATU	2-22-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	NuWater B-500-P	1997	Four	NuWater (BioRobix) ATU /pump chamber	2-22-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	NuWater B-500-PHW	1997	Four	NuWater (BioRobix) ATU /pump chamber	2-22-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	1500SR-T	1690	Two	Septic Tank	4-19-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Sound Placement Services (continued)	660P	803	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	660P-HW	803	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	1050SR	1026	Two	Septic Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1050SR-HW	1026	Two	Septic Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	1250P	1275	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1250P-HW	1275	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	2250SPR	2250	Three	Septic/Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	2250SPR-HW	2250	Three	Septic/Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	1250SR	1250	Two	Septic Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1250SR-HW	1250	Two	Septic Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	1500P	1585	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500P-HW	1585	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	1500SR	1500	Two	Septic Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	1500SR-HW	1500	Two	Septic Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	1800P	1912	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
1800P-HW	1912	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.	

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Sound Placement Services (continued)	12-2633	2250	Three	Septic/Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	12-2633 P-HW	2250	Three	Septic/Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	2250SR	2264	Two	Septic Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	2250SR-HW	2264	Two	Septic Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	2700P	2766	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	2700P-HW	2766	One	Pump Tank	4-28-2010 / 12-31-2018	3' of soil cover, groundwater to surface.
	2700P-T	2766	One	Pump Tank	4-28-2010 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	2633 Whitewater	2061	Three	Septic / Whitewater / Pump Tank	12-10-2010 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	2633 Whitewater – HW	2061	Three	Septic / Whitewater / Pump Tank	12-10-2010 / 12-31-2018	3' of soil cover. Maximum water table at ground level.
	BNR-600	1264	Three	NuWater BNR-600	4-9-2013 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	M31	1976	One	Glendon Basin	08-18-2011 / 12-31-2018	Containment vessel / membrane for the M31 Glendon BioFilter treatment unit (120 GPD). Follow installation instructions.
	2250GI	2264	Two	Grease Interceptor	6-17-2013 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	2250GI-HW	2264	Two	Grease Interceptor	6-17-2013 / 12-31-2018	3' of soil cover, groundwater to surface.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Sound Placement Services (continued)	2700SR	2766	One	Septic Tank	6-17-2013 / 12-31-2018	3' of soil cover, maximum high water table to top of lid.
	2700SR-HW	2766	One	Septic Tank	6-17-2013 / 12-31-2018	3' of soil cover, groundwater to surface.
	12-2633-T	2250	Three	Septic / Pump Tank	12-24-2014 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	2250GI-T	2264	Two	Grease Interceptor	12-24-2014 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
	2250SR-T	2264	Two	Septic Tank	12-24-2014 / 12-31-2018	Maximum water table at ground level. HS20-44 traffic rating. Must have traffic rated risers and lid.
Toners Excavating 4321 E Eloika Road Chattaroy, WA 99003 509-292-2360 509-292-8990 (fax)	1000	1000	One / Two	Septic Tank, Pump Tank, Holding Tank and Trash Tank	6-7-2012 / 12-31-2017	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial.
	1500	1500	One / Two	Septic Tank, Pump Tank	5-30-2013 / 12-31-2018	Anti-Buoyancy measures required if water table above mid tank. 3' maximum depth of burial.
White Block Company, Inc. 6219 East Trent Avenue Spokane Valley, WA 99212 509-534-0651 509-534-0654 (fax) whiteblockcompany.com	B-500	1097	Three	Nu-Water ATU	6-2-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	B-500-HW	1097	Three	Nu-Water ATU	6-2-2011 / 12-31-2016	3' of soil cover, groundwater to surface.
	B-500-P	1997	Four	Nu-Water ATU / pump chamber	6-2-2011 / 12-31-2016	3' of soil cover, maximum high water table to top of lid.
	B-500-PHW	1997	Four	Nu-Water ATU / pump chamber	6-2-2011 / 12-31-2016	3' of soil cover, groundwater to surface.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
White Block Company, Inc. (continued)	500	500	One	Pump Tank	2-9-2012 / 12-31-2017	3' of soil cover, water table at ground level. Traffic rated models must have traffic rated risers and lid.
	1000	1000	One/Two	Septic Tank, Pump Tank, Grease Interceptor Tank and Holding Tank	2-9-2012 / 12-31-2017	3' of soil cover, water table at ground level. Traffic rated models must have traffic rated risers and lid.
	1500	1500	One/Two/Three	Septic Tank, Pump Tank, Grease Interceptor Tank and Holding Tank	2-9-2012 / 12-31-2017	3' of soil cover, water table at ground level. Traffic rated models must have traffic rated risers and lid.
	2000	2000	One/Two	Septic Tank, Pump Tank, Grease Interceptor Tank and Holding Tank	2-9-2012 / 12-31-2017	3' of soil cover, water table at ground level. Traffic rated models must have traffic rated risers and lid.
	2500	2500	One/Two	Septic Tank, Pump Tank, Grease Interceptor Tank and Holding Tank	2-9-2012 / 12-31-2017	3' of soil cover, water table at ground level. Traffic rated models must have traffic rated risers and lid.
	5000	5000	One	Septic Tank, Pump Tank and Holding Tank	2-9-2012 / 12-31-2017	3' of soil cover, water table at ground level. Traffic rated models must have traffic rated risers and lid.
Wilbert Precast Inc. E 2215 Brooklyn Spokane, WA 99217 509-325-4573 509-325-5098 (fax)	48" MH	Depends On Depth	One	Pump Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic riser and cover required. 10' maximum bury depth.
	JET 500	1185	Three	J-500 BAT Media systems	12-28-11 / 12-31-2016	Anchor is required when installed in saturated soil.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Wilbert Precast Inc. (continued)	500 Monolithic	516	One	Septic Tank, Pump Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic risers and covers required for TB models (traffic rated).
	1000 Monolithic	1084 (single) 1047 (double)	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic risers and covers required for TB models (traffic rated).
	1250 Monolithic	1297 (single) 1258 (double)	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic risers and covers required for TB models (traffic rated).
	1500 Monolithic	1646	Multiple	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic risers and covers required for TB models (traffic rated).
	1000 2 Piece Tank	1047 (single) 1012 (double)	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic risers and covers required for TB models (traffic rated).
	1500 2 Piece Tank	1612 (single) 1577 (double)	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic risers and covers required for TB models (traffic rated).

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Wilbert Precast Inc. (continued)	2000 2 Piece Tank	2150 (single) 2103 (double)	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic risers and covers required for TB models (traffic rated).
	2500 2 Piece Tank	2688 (single) 2629 (double)	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Uplift ring depends on depth of bury and location of water table. Traffic risers and covers required for TB models (traffic rated).
	916 Tanks	3000, 4000, 5000, 6000, 7000, 7800 & 8000	Multiple	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-28-11 / 12-31-2016	Check with tank manufacturer regarding additional reinforcement. Uplift ring and wide flange installation depends on bury depth, water table location and traffic loadings. Traffic risers and covers are required in traffic areas.
	600P	Depends on Depth	One	Pump Tank	7-24-2013 / 12-31-2018	3' maximum bury depth. HS20-44 traffic rating. Must have traffic rated riser and lid. Uplift ring required when water table is above the mid tank and there is less than 24" of soil on the top of the lid.
	720P	Depends on Depth	One	Pump Tank	7-24-2013 / 12-31-2018	3' maximum bury depth. HS20-44 traffic rating. Must have traffic rated riser and lid. Uplift ring required when water table is above the mid tank and there is less than 24" of soil on the top of the lid.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Wilbert Precast Inc. (continued)	960P	Depends on Depth	One	Pump Tank	7-24-2013 / 12-31-2018	3' maximum bury depth. HS20-44 traffic rating. Must have traffic rated riser and lid. Uplift ring required when water table is above the mid tank and there is less than 24" of soil on the top of the lid.
Willamette Graystone, Inc. 3700 Franklin Blvd Eugene, OR 97403 (541) 726-7666 (541) 744-8953 (fax)	500	500	One	Pump Tank, Holding Tank & Trash Tank	6-21-2012 / 12-31-2017	4' of soil cover, maximum water table at ground level. 30" or less of ground cover may require additional buoyancy consideration.
	1000	1000	One / Two	Septic Tank, Holding Tank & Trash Tank	6-21-2012 / 12-31-2017	4' of soil cover, maximum water table at ground level. 30" or less of ground cover may require additional buoyancy consideration.
	1500	1500	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	6-21-2012 / 12-31-2017	4' of soil cover, maximum water table at ground level. 30" or less of ground cover may require additional buoyancy consideration.
	2000	2000	One / Two	Septic Tank, Holding Tank & Trash Tank	6-21-2012 / 12-31-2017	4' of soil cover, maximum water table at ground level. 30" or less of ground cover may require additional buoyancy consideration.
	3000	3000	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	6-21-2012 / 12-31-2017	4' of soil cover, maximum water table at ground level. 30" or less of ground cover may require additional buoyancy consideration.

List of Manufacturers of Registered Sewage Tanks – Non-Concrete Tanks

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Clarus Environmental 3649 Cane Run Road Louisville, KY 40211 800-928-7867 502-774-3624 (fax) www.clarusenvironmental.com Tank Material: Fiberglass	ZF-450	450	Three	Fusion Wastewater Treatment System	9-10-2012 / 12-31-2017	Follow installation instructions.
	ZF-600	600	Three	Fusion Wastewater Treatment System	9-10-2012 / 12-31-2017	Follow installation instructions.
	ZF-800	800	Three	Fusion Wastewater Treatment System	9-10-2012 / 12-31-2017	Follow installation instructions.
Containment Solutions, Inc. 5150 Jefferson Chemical Road Conroe, TX 77301 800-537-4730 800-839-4272 (fax) www.containmentsolutions.com Tank Material: Fiberglass	SWT D6 (6')	2000 to 6000	Multiple	Septic Tank, Pump Tank and Holding Tank	5-1-2012 / 12-31-2017	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	SWT G6 (8')	4000 to 15,000	Multiple	Septic Tank, Pump Tank and Holding Tank	5-1-2012 / 12-31-2017	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	SWT D6 (10')	10,000 to 40,000	Multiple	Septic Tank, Pump Tank and Holding Tank	5-1-2012 / 12-31-2017	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	SWT D7 (12')	25,000 to 40,000	Multiple	Septic Tank, Pump Tank and Holding Tank	5-1-2012 / 12-31-2017	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Contech Engineering Solutions LLC 9025 Centre Pointe Drive, Suite 400 West Chester, OH 45069 513-645-7000 513-645-7993 (fax) www.conteches.com Tank Material: Steel Reinforced Polyethylene	10' SPRE/ Magellan	Varies	Two	Treatment Tank, Holding Tank, and Trash Tank	8-7-2013 / 12-31-2018	Follow installation instructions and design criteria. Minimum cover 3'. Maximum cover 8'. Water table at or below crown of tank.
	8' SPRE/ Magellan	Varies	Varies	Treatment Tank, Holding Tank, and Trash Tank	4-30-2015 / 12-31-2018	Follow installation instructions and design criteria. Minimum cover 3'. Maximum cover 8'. Water table at or below crown of tank.
Ecological Tanks, Inc. 2247 Hwy. 151 North Downsville, LA 71234 318-644-0397 318-644-7257 (fax) aquasafe@bayou.com Tank Material: Fiberglass	AS500	1000		Aqua Safe AS500	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS600	1190		Aqua Safe AS600	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS750	1516		Aqua Safe AS750	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS1000	2008		Aqua Safe AS1000	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS1500	2918		Aqua Safe AS1500	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS500L	908		Aqua Safe AS500L	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Ecological Tanks, Inc. (continued)	AS600L	1058		Aqua Safe AS600L	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS800L	1516		Aqua Safe AS800L	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS1100L	2008		Aqua Safe AS1100L	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS600+4NR	908		Aqua Safe AS600+4NR	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
	AS600+5NR	1000		Aqua Safe AS600+4NR	9-27-2010 / 12-31-2018	Maximum amount of cover should be no greater than 18". No ground water.
Environment One Corporation 2773 Balltown Road Niskayuna, NY 12309-1090 518-346-6161(P) 518-346-6188 (F) www.eone.com Tank Material: Polyethylene/HDPE	WH48 Series	486	One	Grinder Pump Tank	8-17-2016 / 12-31-2018	Follow installation instructions and design criteria. Concrete Ballast may be required when groundwater is present. Final grade line must be 1" to 2" below tank lid and slope away from the tank.
	DH071	70	One	Grinder Pump Tank	8-5-2016 / 12-31-2018	Follow installation instructions and design criteria. Maximum burial depth 160".

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Glendon Biofilter Technologies, Inc. P.O. Box 2585 Gig Harbor, WA 98335 (206) 819-8803 (206) 858-9017 (fax) www.glendon.com Tank Material: Polyethylene	M32		One	Glendon Basin	11-26-2014 / 12-31-2016	Containment vessel / membrane for the M32 Glendon Biofilter treatment unit (120 GPD). Follow installation instructions.
HD Fowler Co. 13440 SE 30 th Street Bellevue WA 98005 425-746-8400 425-641-8885 (fax) www.hdfowler.com Tank Material: Polyethylene	PM-120		One	Glendon Basin	2-18-2011 / 12-31-2016	Containment vessel / membrane for the M31 Glendon BioFilter treatment unit (120 GPD). Follow installation instructions.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Infiltrator Water Technologies, LLC PO Box 768 4 Business Park Road Old Saybrook, CT 06475 1-800-221-4436 1-860-577-7793 (fax) www.infiltratorsystems.com dlentz@infiltratorsystems.net Tank Material: Polyethylene Polypropylene	IM-540	540	One	Septic Tank (single compartment to be used in series), Pump Tank, Holding Tank, and Trash Tank	8-13-2013 / 12-31-2018	Anti-buoyancy measures required if <12" soil cover over tank and water table has the potential to rise 36" or more above bottom of tank. The tank shall not be installed where the water level outside the tank exceeds the height of the outlet pipe saddle. 4' maximum depth of burial.
	IM-1060	1070	One / Two	Septic Tank, Pump Tank, Holding Tank, and Trash Tank. Also MicroFast & NuWater BNR-600 Treatment Units, and Bio- Microbics BioBarrier 0.5 (only with single compartment IM-1060 preceded by an IM-540 tank for settling)	1-23-2014 / 12-31-2016	Anti-buoyancy measures required if <12" soil cover over tank and water table has the potential to rise 30" or more above bottom of tank. The tank shall not be installed where the water level outside the tank exceeds the height of the outlet pipe saddle. 4' maximum depth of burial.
	TW-300	313	One	Pump Tank, Trash Tank, Holding Tank	10-13-2010 / 12-31-2018	Anti-buoyancy measures required if <18" soil cover over tank and water table has the potential to rise 30" or more above bottom of tank OR if <12" soil cover over tank and water table has the potential to rise 24" or more above bottom of the tank. 4' maximum depth of burial.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Infiltrator Water Technologies, LLC (continued)	TW-500	503	One	Pump Tank, Trash Tank, Holding Tank	10-13-2010 / 12-31-2018	Anti-buoyancy measures required if <18" soil cover over tank and water table has the potential to rise 30" or more above bottom of tank OR if <12" soil cover over tank and water table has the potential to rise 24" or more above bottom of the tank. 4' maximum depth of burial.
	TW-900	915	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	10-13-2010 / 12-31-2018	Anti-buoyancy measures required if <12" soil cover over tank and water table has the potential to rise 30" or more above bottom of tank. 4' maximum depth of burial.
	TW-1050	1052	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	10-13-2010 / 12-31-2018	Anti-buoyancy measures required if <12" soil cover over tank and water table has the potential to rise 30" or more above bottom of tank. 4' maximum depth of burial.
	TW-1250	1254	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	10-13-2010 / 12-31-2018	Anti-buoyancy measures required if <12" soil cover over tank and water table has the potential to rise 30" or more above bottom of tank. 4' maximum depth of burial.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Infiltrator Water Technologies, LLC (continued)	TW-1500	1523	One / Two	Septic Tank, Pump Tank, Holding Tank & Trash Tank	10-13-2010 / 12-31-2018	Anti-buoyancy measures required if <12" soil cover over tank and water table has the potential to rise 30" or more above bottom of tank. 4' maximum depth of burial.
	IM-1530	1509 (septic) 1765 (pump)	One / Two	Septic Tank (single compartment to be used in series), Pump Tank, Holding Tank & Trash Tank	1-23-2014 / 12-31-2016	Anti-buoyancy measures required if <12" soil cover over tank and water table has the potential to rise 30" or more above bottom of tank. The tank shall not be installed where the water level outside the tank exceeds the height of the outlet pipe saddle. 4' maximum depth of burial.
Norweco, Inc. 220 Republic Street Norwalk, OH 44857-1196 419-668-4471 419-663-5440 (fax) www.norweco.com Tank Material: Polyethylene	Singulair Green	1300	Three	Singulair Wastewater Treatment System 960-500 & TNT-500	2-23-2011 / 12-31-2016	Follow installation instructions.
	Singular 7006	1300	Three	Singular Wastewater Treatment System 960-500 & TNT-500	8-16-2013 / 12-31-2018	Follow installation instructions.

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Norwesco, Inc. 4365 Steiner Street PO Box 439 St. Bonifacius, MN 55375-0439 800-446-8817 800-874-2371 (fax) www.norwesco.com Tank Material: Polyethylene	300 Sphere	311	One	Pump Tank, Holding Tank, and Trash Tank	4-30-2012 / 12-31-2017	6" minimum cover and 30" maximum cover. Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	500 Sphere	513	One	Pump Tank, Holding Tank, and Trash Tank	4-30-2012 / 12-31-2017	6" minimum cover and 30" maximum cover. Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1000 Legacy	1031	Two	Septic Tank	4-30-2012 / 12-31-2017	6" minimum cover and 30" maximum cover. Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1250 Legacy	1250	Two	Septic Tank	4-30-2012 / 12-31-2017	6" minimum cover and 30" maximum cover. Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Norwesco, Inc. (continued)	1500 Legacy	1500	Two	Septic Tank	4-30-2012 / 12-31-2017	6" minimum cover and 30" maximum cover. Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1000 Bruiser	1031	One / Two	Septic Tank, Pump Tank, Holding Tank, and Trash Tank	4-30-2012 / 12-31-2017	6" minimum cover and 30" maximum cover. Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1250 Bruiser	1250	One / Two	Septic Tank, Pump Tank and Holding Tank	4-30-2012 / 12-31-2017	6" minimum cover and 30" maximum cover. Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1500 Bruiser	1500	One / Two	Septic Tank, Pump Tank and Holding Tank	4-30-2012 / 12-31-2017	6" minimum cover and 30" maximum cover. Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Norwesco, Inc. and Snyder Industries 4365 Steiner Street PO Box 439 St. Bonifacius, MN 55375-0439 800-446-8817 800-874-2371 (fax) www.norwesco.com Tank Material: Polyethylene	1000 Low Profile	1002	Two	Septic Tank, Holding Tank, and Trash Tank	7-8-2011 / 12-31-2016	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1000 Low Profile	1002	One	Trash Tank	6-12-2014 / 12-31-2016	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1250 Low Profile	1263	Two	Septic Tank, Holding Tank, and Trash Tank	7-8-2011 / 12-31-2016	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1250 Low Profile	1263	One	Trash Tank	6-12-2014 / 12-31-2016	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1500 Low Profile	1504	Two	Septic Tank, Holding Tank, and Trash Tank	7-8-2011 / 12-31-2016	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.
	1500 Low Profile	1504	One	Trash Tank	6-12-2014 / 12-31-2016	Follow installation instructions and design criteria. Anti-Buoyancy measures required if tank is submerged under water.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Orenco Systems, Inc. 814 Airway Avenue Sutherlin, OR 97479-9012 541-459-4449 541-459-2884 (fax) www.orenco.com Tank Material: Fiberglass	AX-MAX	Depends on Length	Multiple	AdvanTex AX-MAX Treatment System	5-16-2011 / 12-31-2016	Follow installation instructions and design criteria.
	1000	1050	Multiple	Septic Tank, Pump Tank, Grease Interceptor Tank, Trash Tank & Holding Tank	1-25-2012 / 12-31-2016	4' maximum burial depth. Follow installation instructions and design criteria. Antibuoyancy measures may be required.
	1500	1570	Multiple	Septic Tank, Pump Tank, Grease Interceptor Tank, Trash Tank & Holding Tank	1-25-2012 / 12-31-2016	4' maximum burial depth. Follow installation instructions and design criteria. Antibuoyancy measures may be required.
	2000	2078	Multiple	Septic Tank, Pump Tank, Grease Interceptor Tank, Trash Tank & Holding Tank	1-25-2012 / 12-31-2016	4' maximum burial depth. Follow installation instructions and design criteria. Antibuoyancy measures may be required.
	AX-RT Treatment Tank	1000	Multiple	AdvanTex AX-RT Treatment Tank	1-25-2012 / 12-31-2016	4' maximum burial depth. Follow installation instructions and design criteria. Antibuoyancy measures may be required.
	24 & 30 Inch Pump Basins	Varies	One	Pump Tank (tank material = PVC)	11-1-2012 / 12-31-2016	12' maximum burial depth. Follow installation instructions and design criteria. Antibuoyancy measures may be required.
	60 & 72 Inch Pump Basins	Varies	One	Pump and Lift Station Basin	7-30-2015 / 12/31/2017	Follow installation instructions and design criteria.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Premier Plastics Inc. 8328 River Way Delta B.C. Canada V4G 1C4 1-800-661-4473 604-952-6686 604-952-6696 (fax) www.premierplastics.com office@premierplastics.com Tank Material: Polyethylene	STSU1500EH (formerly 1500 EH)	1500	Two	Septic Tank, Grease Interceptor, Pump Tank, Trash Tank, Holding Tank	4-27-2010 / 12-31-2018	Anti-buoyancy measures required if water table submerges tank bottom >24". 4' maximum depth of burial.
	STSU1000EH (formerly 1000 MDPE)	1000	One / Two	Septic Tank, Grease Interceptor, Pump Tank, Trash Tank, Holding Tank	8-19-2010 / 12-31-2018	Anti-Buoyancy measures required if water table above tank bottom. 4' maximum depth of burial.
	STSU1300 (formerly 1300 MDPE)	1300	One / Two	Septic Tank, Grease Interceptor, Pump Tank, Trash Tank, Holding Tank	8-19-2010 / 12-31-2018	Anti-Buoyancy measures required if water table above tank bottom. 4' maximum depth of burial.
	FLTU155	90 (max dose)	One	Flout Dosing Tank	10-1-2013 / 12-31-2018	Must be preceded by 2-compartment septic tank with effluent filter. 4' maximum depth of burial. Anti-buoyancy measures may be required for <4' cover and high water table.
	FLTU210	138 (max dose)	One	Flout Dosing Tank	10-1-2013 / 12-31-2018	Must be preceded by 2-compartment septic tank with effluent filter. 4' maximum depth of burial. Anti-buoyancy measures may be required for <4' cover and high water table.

List of Registered Sewage Tanks
 Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Premier Plastics Inc. (continued)	FLTU275	192 (max dose)	One	Flout Dosing Tank	10-1-2013 / 12-31-2018	Must be preceded by 2-compartment septic tank with effluent filter. 4' maximum depth of burial. Anti-buoyancy measures may be required for <4' cover and high water table.
	FLTU455	330 (max dose)	One	Flout Dosing Tank	10-1-2013 / 12-31-2018	Must be preceded by 2-compartment septic tank with effluent filter. 4' maximum depth of burial. Anti-buoyancy measures may be required for <4' cover and high water table.
	PCU575 Fat Albert	575	One	Pump Tank	3-19-2014 / 12-31-2018	Anti-Buoyancy measures required if evidence of a water table is present and soil cover is less than 3 feet. 3' maximum burial depth
	PCU575 EH Fat Albert	575	One	Pump Tank	3-19-2014 / 12-31-2018	Anti-Buoyancy measures required if evidence of a water table is present and soil cover is less than 3 feet. 5' maximum burial depth

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
Roth Global Plastics, Inc. P. O. Box 245 Syracuse, NY 13211 (315) 579-3338 (315) 475-0200 (F) www.roth-usa.com Tank Material: Polyethylene	RMT-1060	1060	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	8-26-2013 / 12-31-2018	Maximum burial depth is 36". Buoyancy design assumes the tank is empty with the water table at the ground surface.
	RMT-1250	1250	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	8-26-2013 / 12-31-2018	Maximum burial depth is 36". Buoyancy design assumes the tank is empty with the water table at the ground surface.
	RMT-1500	1500	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	8-26-2013 / 12-31-2018	Maximum burial depth is 36". Buoyancy design assumes the tank is empty with the water table at the ground surface.
	RMT-1000E	1000	One / Two	Septic Tank, Pump Tank, Grease Interceptor Tank, Holding Tank and Trash Tank	5-21-2015 / 12-31-2018	Maximum burial depth is 36". Buoyancy design assumes the tank is empty with the water table at the ground surface.
	DWT-1000L	275	One	Busse Green Technologies Treatment Tank	9-21-2016 / 12-31-2018	Follow installation instructions and design criteria.

List of Registered Sewage Tanks
Effective Date: November 2016

Manufacturer	Model Number	Tank Size (gallons)	Number of Compartments	Usage	Approved / Renewal	Limitations
<p>Xerxes Corporation 7901 Xerxes Avenue South Minneapolis, MN 55431 952-887-1890 952-887-1870 (fax) www.xerxes.com</p> <p>Tank Material: Fiberglass</p>	10' SWT	25,000 (Nominal)	Multiple	Septic / Pump Tank	6-16-2011 / 12-31-2016	Follow installation instructions and design criteria.
	SWT6'	1,500 – 6,000	Multiple	Septic tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-29-2011 / 12-31-2016	Follow installation instructions and design criteria. Anti-Flotation calculations are required when groundwater is present.
	SWT8'	2,000 – 15,000	Multiple	Septic tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-29-2011 / 12-31-2016	Follow installation instructions and design criteria. Anti-Flotation calculations are required when groundwater is present.
	SWT10'	10,000 – 40,000	Multiple	Septic tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-29-2011 / 12-31-2016	Follow installation instructions and design criteria. Anti-Flotation calculations are required when groundwater is present.
	SWT12'	20,000 – 50,000	Multiple	Septic tank, Pump Tank, Grease Interceptor Tank, Holding Tank & Trash Tank	12-29-2011 / 12-31-2016	Follow installation instructions and design criteria. Anti-Flotation calculations are required when groundwater is present.
<p>Xylem Water Solutions – Flygt 14125 South Bridge Circle Charlotte, North Carolina 28273 704-409-9700 704-295-9080 (fax)</p> <p>Tank Material: Fiberglass</p>	TOP6	2110 (liquid capacity)	One	Pump Tank	12-11-2015 / 12-31-2017	Follow installation instructions and design criteria. Maximum burial within 1" of structure rim.