							_		,				_				_	^	,					_										<u>S</u>	ec	ti	on	1	5,	Α	tt	ac	hr	ne	nt	
							1MN						BHT				-	TS					_	GS						_	_	_	_	_	_	Ş	<u> </u>	_	_	_	_	_		_	₽	Segment
			Submitter Name					1000A - SUBMITTER NAME					Transaction	Beginning of Hierarchical			I all saction Get Header	Transaction Set Header					בותאטוני	LEADER CLOCK	FUNCTIONAL GROUP											CONTROL HEADER	INTERCHANGE								Loop/Seg. Name	
							R	R							ZD			π	7								7	Z D																Ŋ	Usage	
							1	1							_			د									_	1																_	Repeat	ment
Identification code Qualifier Identification code	Name Middle	Name Middle	Name First	Name Last / Organization Name	Limy Typo wadiiio	Entity Type Qualifier	Entity Identifier Code			Transaction Type Code	Time	Date	Reference Identification	I ransaction Set Purpose Code	Hierarchical Structure Code	Implementation Convention Reference		Transaction Set Control Number	T	Version / Release / Industry Identifier Code	Responsible Agency Code	Group Control Number	Time	Date	Application Receiver's Code	Application Sender's Code	rulcuolidi idellillei Code	Functional Identifier Code	Component Element Separator	Usage Indicator	Acknowledgment Requested	Interchange Control Number	Interchange Control Version Number	Interchange Control Standards Identifier	Interchange Time	Interchange Date	Interchange Receiver ID	Interchange ID Qualifier	Interchange Sender ID	Interchange ID Qualifier	Security Information	Security Information Qualifier	Authorization Information	Authorization Information Qualifier	Element Name	
Req Req	SI	<u>.</u>	Sit	Req	100	Ren	Req			Req	Req	Req	Req	Req	Req	Req	-	Req	Ŧ		Reg .	Req	Req	Req	Req	Req	Keq	Rec	Req	Req	Req	Req	Req	Req	Req	Req	Req	Req	Req	Req	Req	Req	Req	Req	Usage	
				CLINIC*****46*022 ~	NIM1*41*3*COMMI INITY DOVOLINTDIO										BH1~0019~00~02216749~20020920~0932~RP~		01 001 000001 00001000010000010000001000000	\$T*\$37*000001*005010X33341~								X*005010X222A1~	00 110 022 411 20020320 1330 700000001	*1000000002*0261*02602002*11*220*20#30#3														020920*1930*U* 00501 *900000001*0*P*:~	022 *ZZ*411 *	00*012		
46 <ruid></ruid>										RP						005010X222A1	001000000000000000000000000000000000000			005010X222A1					411	ARCIU>	5			ס	0		00501				411	ZZ	UID>	ZZ		00		00	Recomm. Values	:
3 digit Reporting Unit ID (019, 022, etc)										Use RP since ST-SE envelope only contains encounters.	The recommended format is HHMM		The value will be used as a Batch Number										The recommended format is HHMM		Reporting Unit ID for KCMHCADSD	3 digit Reporting Unit ID (019, 022, etc)				Use P in production and test							Reporting Unit ID for KCMHCADSD		3 digit Reporting Unit ID (019, 022, etc)						Comments	

	Z)				Z	1	N ₃	:I							Z	:	T				_	,	1			Ŧ	1						<u>S</u>	ecti	ion	<u>1</u>	5,	, <i>P</i>	\t1	tac	ch		nt]	
	REF				4		ω								NM1						אַר					_							NM1									PER	٥	Segment
	Billing Provider Secondary Identification		City/State/Zip Code	Billing Provider			Billing Provider Address								Billing Provider Name			2010AA — BILLING PROVIDER NAME				Billing/Pay-To Provider Specialty Information	; ;			Hierarchical Level		2000A - BILLING/PAY-TO PROVIDER HIERARCHICAL LEVEL					Receiver Name	'ER NAME				Information	Subrillier EDI Contact	Outposition IDI Contact			Loop/Seg. Name	
	χ,				R		Z								Z		_	T)			0	ס				ZI		R					70	Z)								70	Usage	
	_				_		_								_		-	٠.			-	`				_		<u>7</u>					_	1								2	Repeat	ment
Reference Identification	Reference Identification Qualifier	Country Code	Postal Code	State or Providence Code	City Name	Address Information	Address Information	Identification code	Identification code Qualifier	Name Sumx	Name Middle	Name First	Name Last / Organization Name	Entity Type Qualifier	1	Entity Identifier Code			Reference Identification	Reference Identification Qualifier	TRV Trovider Code		Tierai criicai Criiia Code	Hierarchical Child Code	Hierarchical Level Code	Hierarchical Id Number			Identification code	Identification code Qualifier	Name Last / Organization Name	Entity Type Qualifier	Entity Identifier Code		Communication Number	Communication Number Qualifier	Communication Number	Communication Number Qualifier	Communication Number	Communication Number Qualifier	Name	Contact Function Code	Element Name	
Req	Req	Sit	Req	Req	Req	Sit	Req	Req	Req	ğ	S S	Sit	Req	Req		Req			Req	Req	Req	j	Ned	D A	Reg	Rea			Req	Req	Req	Req	Req		Sit	St	Sit	Sit	Γ		Req	Req	Usage	
	REF*E1*91-2223456			N4*SEATTLE*WA*98103~			N3*4319 STONE WAY NORTH~					CLINIC*****XX*1112223444 ~	NM1*85*2*COMMUNITY PSYCHIATRIC								TRY DI TAC 23 14000000 ~	DD(*DI*J<)*074 A0000000				HL*1**20*1~					NM1°40°2°RC MHCAUSU IS*****46°411~								PER "IC" LISA" E" 2065452384~	DUD*!O*! 100*TU*2005 A52204			Example	
	EI								3	YY										PXC	0	0							411											П	1		Recomm. Values	
	Employer's Identification Number							National Provider Identifier							provider must be carried in this REF	If "code XX - NPI" is used in the NM108/09 of this loop, then either the Employer's Identification Number or the Social Security Number of the			Provider Taxonomy Code		Billing and/or Pay-to Provider.	taxonomy code, and the Rendering Provider is the same entity as the	Required when adjudication is known to be impacted by the provider						Reporting Unit ID for KCMHCADSD														Comments	

King County BHO
Provider Trading Partner Agreement
837 HEALTH CARE CLAIM PROFESSIONAL TRANSACTION

NM1			=	5			DMG				N4	Ñ		N3									NM1								SBR		- /		H				Segment ID			
•	Payer Name			2010BB - PAYER NAME		Demographic						Subscriber City/State/Zip		Subscriber Address									Subscriber Name	NAME	2010BA - KIIBKEBIBEB						Subscriber Information				Level	Subscriber Hierarchical	2000B - SUBSCRIBER HIERARCHICAL LEVEL		Loop/Seg. Name			
	ZV			R		(; ,	S(R)				S(R)			S(R)									R								Z				Z		R	ď	Usage			
	<u> </u>			1			_`				_			_									1	4							٦				_		<u>7</u>	ŀ	ment Repeat	oon/sea		
Identification code Qualifier	Name Last / Organization Name	Entity Type Qualifier	Entity Identifier Code		Gender Code	Date Time Period (DOB)	Date Time Period format Oualifier	County Code	Postal Code	State or Province Code	City Name		Address Information	Address Information	Identification code	Identification Code Qualifier	Name suffix	Name Middle	Name First	Name Last / Organization Name	Entity Type Qualifier	Entity Identifier Code		Claim Filing Indicator Code		Claim Filing Indicator Code	Name	Reference Identification	Individual Relationship Code	Payer Responsibility Sequence # Code		Hierarchical Child Code	Hierarchical Level Code	Hierarchical Parent ID Number	Hierarchical Id Number				Element Name		Prov 837 HEALTH CAF	
Req	Req	Req	Req	Req	Req	Req	Ren	Sit	Req	Req	Req		Sit	Req	Req	Req	Sit	Sit	Sit	Req	Req	Req	Req		on(N)	Ci+(D)	Sit	Sit	Sit	Req		Req	Req	Req				Coago	llsage		rider Trac	X j
	NM1*PR*2*KC MHCADSD IS*****PI*411~						DMG*D8*19430501*M~				N4*SEATTLE*WA*98101~			N3*UNKNOWN~					NM1*IL*1*DOE*JOHN*T**SR*MI*23097~									CDIVI TO MICH	\(\text{\tinc{\text{\tin}\text{\tex				HL*2*1*22*0~					Example	Example		Provider Trading Partner Agreement 837 HEALTH CARE CLAIM PROFESSIONAL TRANSACTION	County REO
PI		2	PR		F, M										<kcid></kcid>	MI										MC. ZZ				ס		0							Recomm. Values			
	KC MHCADSD IS					(Required when Loop ID-2000B, SBR02=18 (self)).	Required if the patient is the same person as the subscriber.				Required if the patient is the same person as the subscriber.		Required if a second address line exists.	Required if the patient is the same person as the subscriber.	Number	Required it NM102=1 (person).				Required if NM102=1 (person).						Required prior to mandated use of PlanID. Use MC for Medicaid clients. ZZ for others.				Required when the subscriber is the same person as the patient		Use 0 since patient is always a subscriber						Comments	Comments		Covidi 10, Augument D	Section 15 Attachment D

Section 15, Attachment D

Section 15, Attachment D

King County BHO Provider Trading Partner Agreement 837 HEALTH CARE CLAIM PROFESSIONAL TRANSACTION

	REF				Z	l		N ₃	Ī			Z						Ξ		R F					<u> </u>		Ω ≤	111	13	, <i>I</i>	1 11a	I	IIIIC	nt D
(0.(0	"				0.6			> 0										0.7			L						<u> </u>					<u> </u>		Segment ID
Service Facility Location Secondary Identification					Service Facility Location City/State/Zip code	1		Address				Service Facility Location	1		2310C SERVICE FACILITY LOCATION			Health Care Diagnosis Code		Prior Authorization												Claim Information	2300 - CLAIM INFORMATION	Loop/Seg. Name
	Z				ZJ			ZI				C.)		S			S(R)													;	R	ZJ	Usage
	_				<u> </u>			_				ت			<u> </u>			<u> </u>		_												_	100	ment Repeat
Reference Identification	Reference Identification Qualifier	County Code	Postal Code	State or Province Code	City Name		Address Information	Address Information	Identification Code	Identification code Qualifier	Name Last / Organization Name	Entity Type Qualifier	Entity Identifier Code			Industry Code (Diagnosis Code)	Code List Qualifier Code (Diagnosis Ty	Health Care Code Information	Prior Authorization	Reference Identification Qualifier	Patient Signature Source Code	Release of Information Code	Yes/No Condition or Response Code	res/No Condition or Response Code	Claim Frequency Type Code	Facility Code Qualifier	Facility Code Value	Health Care Service Location Information	Not Used	Monetary Amount	Claim Submitter's Identifier			Element Name
Req	Req	Si	S St	Sit	Req	Sit		Req	Keq	Req	Req	Req	Req		Req	Req	Req	Req	Req	Req	Req	Rec	Rea	Req	Req	Req	Req	Rea		Req	j	Req		Usage
REF*G2*123456~					N4*SEATTLE *WA*98121~			N3*2119 2ND AVENUE ~					NM1*77*2*EL REY TREATMENT FACILITY*****XX*1112223444~				HI"BK:29530~			REF* G1 *422813~							CLM*3*0***56: B :1*Y*A*Y*Y* P ~							Example
	G2																BK		<authoriz. #=""></authoriz.>			~	<)	> ~										Recomm. Values
submit the Agency ID for the rendering provider's main location. Note that this may or may not be where the service took place it's the location associated with the practitioner's home site. A spreadsheet with valid Agency ID's is located in the ISAC Notebook.	DBHR licensing system site specific agency ID. Please								National Provider Identifier	Pottogo I Dogitico			Employer's Identification Number or the Social Security Number of the provider must be carried in this REF	If "code XX - NPI" is used in the NM108/09 of this loop, then either the	Must submit 2310C or 2420C.	Only primary diagnosis is required.	Health CareCode Information data element can be repeated 8 times	Required on all claims/encounters except claims for which there are no diagnoses (e.g., taxi claims).	Use Authorization Number						1 = Add; 6 = Change; 7 = Change; 8 = Delete									Comments

					-		-													<u>S</u>	Section	n 15	, <i>P</i>	\tta	acl	ın	<u>1e</u> 1	nt D
		N M				REF		REF		7	7							:	SV1							X		Segment ID
	Q	Rendering Provider		2420A - RENDERING PROVIDER NAME		Referral Number		Line Item Control Number		Dale - Service Dale									Professional Service							Service Line	2400 - SERVICE LINE	Loop/Seg. Name
			Z	S(R)		Ø		7 R		π	,													;	20 7	Z)		Usage
			_	1		_		1		۔															<u>.</u>	١ -	50	ment Repeat
Identification Code	Identification Code Qualifier	Entity Type Qualifier Name Last or Organization Name	Entity Identifier Code		Reference Identification	Reference Identification Qualifier	Reference Identification	Reference Identification Qualifier	Date Time Period	Date/time Qualifier Date Time Period Format Qualifier	Tes/No Condition of Resp. Code	Yes/No Condition or Resp. Code (Emerge	Composite Diagnosis Code Pointer	Facility Code Value	Quantity	Unit or Basis for Measurement Code	Monetary Amount	Description	Procedure Modifier	Procedure Modifier	Procedure Modifier	Procedure Modifier	Product/Service ID	Product/Service ID Qualifier	Composite Medical Procedure Identifier	Assigned Number		Element Name
Req	Zed	Req	Req		Req	Req	Req	Req		Req) K	7	Req	Sit	Req	Req	Req	Sit	Sit	Sit	Sit	Sit	Req	Req	Rea	Rea	Req	Usage
	CEITING XX III ELECTRICATE	NM1*82*2*COMMUNITY PSYCHIATRIC				REF*9F*683740		REF*6R*683741		DTP*472*D8*2002091~								~~************************************			SV1*HC:90804;UC*0*MJ*90***1****Y~					LX*1~		Example
	X	2	82			9F		6R		D8	, 100	Y, NULL				M	0	·				HE, HH, HK, UA, UC		동				Recomm. Values
National Provider Identifier				The loop is used to identify the staff person providing the service	primary service.	Systems that submit multiple encounters per claim must use this segment to associate add-on codes with the primary service. The language of the code o	each service line.	The Reference Identification element contains the Service Transaction ID which is a unique reference number generated by your system for			Required if Medicald services are the result of a screening referral.	Required if Medicaid services are the result of emergency services	Required it HI segment in Loop ID-2300 is used. Only one pointer (for primary diagnosis) is required		Required if value is different than value carried in CI M05-1 in			Use this to report Evidence Based Practices that were employed in delivery of this service. Multiple codes should be delimited with a pipe (") symbol. See the DBHR Service Encounter Reporting Instructions (SER)) "Evidence Based Practice - Children's Mental Health" section for instructions and valid codes.	Use this modifier for the fourth procedure code modifier. Required when a modifier clarifies/improves the reporting accuracy of the associated procedure code.	Use this modifier for the third procedure code modifier. Required when a modifier clarifies/improves the reporting accuracy of the associated procedure code.	Use this modifier for the second procedure code modifier. Required when a modifier clarifies/improves the reporting accuracy of the associated procedure code.	Use this modifier for the hist procedure code modifier. Required when a modifier clarifies/improves the reporting accuracy of the associated procedure code.	Any valid CPT/HCPCS code					Comments

				4.5			_				_					<u>S</u>	ect	ior	ı 15	, <i>I</i>	\tt	ac	hr	ne		<u>D</u>
IEA	ľ	E E		SE			REF				N4		N3					NM1			REF			PRV	ID	Segment
INTERCHANGE CONTROL TRAILER		FUNCTIONAL GROUP TRAII ER		Transaction Set Trailer		Service Facility Location Secondary Identification			City/State/Zip code	Service Facility Location		Address	Service Facility Location			Name Information	Service Facility Location		2420C SERVICE FACILITY LOCATION	Secondary Identification			Specialty Information	Rendering Provider	Loop/Seg. Name	
R	7	D		ZJ			S				R		R					S	S		R			S	Usage	
->	-	٠		_			1				٦		1				::	1	<u> </u>		5			1	Repeat	ment
Interchange Control Number	Group Control Number	Number of Included Eurotional Groups	Transaction Set Control Number	Number of Included Segments	Reference Identification		Reference Identification Qualifier	County code	Postal Code	State or Province Code	City Name	Address Information	Address Information	Identification code	Identification code Qualifier	Name Last / Organization Name	Entity Type Qualifier	Entity Identifier Code		Secondary Identifier	Reference Identification Qualifier	Reference Identification	Reference Identification Qualifier	Provider Code	Element Name	
Req	Req	0	Req	Req	Req		Req	Req	Req	Req	Req	Sit	Req	Req	Req	Req	Req	Req			Req	Req	Req	Req	Usage	
IEA*1*90000001~	GE 70 700000001~	GE*76*70000001		SE*74*000001~		REF*G2*123456~			14 CFC	NA*SEATTI			N2*2110 2ND AVENI IE ~			FACILITY*****XX*1112223444~	NM1*77*2*EL REY TREATMENT				REF* G2 *159570 ~		PRV*PE* PXC *261QM0801X		Example	
							G2								×			77			G2		PXC		Recomm. Values	
					information see the comments for 2310C.	DBHR licensing system site specific agency ID. Required if different than what is reported in 2310C. For more								National Provider Identifier			ldentifier must be carried in this REF		Required when the location of health care service for this service line is different than that carried in the 2310C loop.	Staff Person KCID	Provider Commercial Number		The segment became Situational accordind to Adenda		Comments	

King County BHO
Provider Trading Partner Agreement
837 HEALTH CARE CLAIM PROFESSIONAL TRANSACTION