

Bu tene infeson di tuberkulozi (un tipu di tuberkulozi)

You have TB infection (a type of TB)

Kel-li ker dizer ma bu tene jermis (mikróbius) di tuberkulozi na bu korpu, má bu ka ta xinti duenti. Bu infeson di tuberkulozi ka ta pasa (pega) pa bu família o otus algen.

This means you have TB germs in your body, but you don't feel sick. You can't give TB infection to your family or other people.

Bu debe toma ramedí pa infeson di tuberkulozi gosi li.

It is important to take medicine for TB infection now.




Ten infeson di tuberkulozi

Has TB infection



Ta toma ramedí pa tuberkulozi

Takes TB medicine



Ora ki bu toma ramedí pa tuberkulozi, bu pode privini duensa di tuberkulozi y mante bu família saudável!

By taking your TB medicine, you can prevent TB disease and keep your family healthy!

Pamodi ki N debe toma ramedi pa tuberkulozi gosi li?

Why take TB medicine now?

Infeson di tuberkulozi pode bira duensa di tuberkulozi.

TB infection can turn into TB disease.

Duensa di tuberkulozi pode prijudika kualker parti di korpu, má normalmenti el ta prijudika pulmon. Ora ki algen tene duensa di tuberkulozi, normalmenti el ta xinti duenti.

TB disease can hurt any part of the body, but it usually hurts the lungs. When people have TB disease, they usually feel sick.

Si bu fika duenti ku duensa di tuberkulozi, bu pode:

If you become sick with TB disease, you might:



Panha febri
Have fever



Perde pezu
Lose weight



Tosi
Cough



Xinti kansadu
Feel tired



Sua txeu di noti
Sweat at night

Si bu fika duenti ku duensa di tuberkulozi, bu pode tanbe pasa tuberkulozi pa bu família o otus algen.

If you become sick with TB disease, you can also give TB to your family or other people.