WETLAND DELINEATION REPORT

Floyd Property King County, Washington

April 18, 2019

RAEDEKE ASSOCIATES, INC.



Report To:	Jeff Peterson Toll Brothers, Inc. 8851 NE 122th Ave. NE. Suite 200 Kirkland, WA. 98033
Title:	Wetland Delineation Report for Floyd Property King County, Washington
Project Number:	2018-063-002
Prepared by:	RAEDEKE ASSOCIATES, INC. 2111 N. Northgate Way Ste. 219 Seattle, Washington, 98133 (206) 525-8122
Date:	April 18, 2019



Wetland & Aquatic Sciences Wildlife Ecology Landscape Architecture

Project Manager:

Kolten T. Kosters, MS, PWS Wetland Scientist

Project Personnel:

Annamaria Clark, BS, WPIT Wetland Technician

Anne Cline, PLA Landscape Architect

Submitted by:

that 7 that

Signature

Kolten T. Kosters Printed Name

<u>April 18, 2019</u> Date

TABLE OF CONTENTS

1 "5	, ·
LIST OF FIGURES	V
1.0 INTRODUCTION	.1
1.1 Purpose1.2 Project Location	
2.0 METHODS	.2
2.1 Definitions and Methodologies.2.2 Background Research2.3 Field Sampling Procedures .	.3
3.0 EXISTING CONDITIONS	.5
3.1 Results of Background Investigation3.2 Results of Field Investigations	
4.0 REGULATORY CONSIDERATIONS	2
 4.1 Federal Clean Water Act (U.S. Army Corps of Engineers)	2
5.0 LIMITATIONS	.4
6.0 LITERATURE CITED	5
FIGURES1	8
APPENDIX A: Field Survey Data	-1

LIST OF FIGURES

Figur	e	Page
1.	Regional and Vicinity Map	19
2.	U.S.D.A. Soil Conservation Service Soil Survey Map	20
3.	U.S. Fish and Wildlife National Wetland Inventory	21
4.	King County iMap	22
5.	WDFW Priority Habitat and Species Map	23
6.	Existing Conditions	24

1.0 INTRODUCTION

1.1 PURPOSE

Raedeke Associates, Inc. was retained by Toll Brothers, Inc. to verify the wetland and stream delineations completed by Sewall Wetland Consulting, Inc. (2014) for the Floyd property located in unincorporated King County, Washington. As part of our assessment, we collected sufficient information to characterize and describe the onsite wetlands, and rate them using 2004 Washington Department of Ecology (Hruby 2004, as revised 2006, WDOE 2008) wetland rating form as required by King County (2019) code. In addition, we conducted hydrologic monitoring between March 1 and April 11, 2019 to verify if wetland hydrology were present in the onsite wetlands.

This report presents the findings of our background information review and our June 7, December 15, 2018 and January 22, 2019 site investigations of the project site, and our weekly hydrologic monitoring from March 1 to April 11, 2019. This report follows the King County (2019) wetland reporting requirements.

1.2 PROJECT LOCATION

The Floyd King County project site consists of an approximately 4.66-acre parcel located at 24649 NE 18th Street in unincorporated King County, Washington (Figure 1). The property is identified as King County Parcel No. 2625069029. This places the project site in a portion of Section 26, Township 25 North, Range 6 East, W.M. Parcel maps retrieved on-line from King County depict the property boundaries.

The project site is bordered to the north by 18th Street, and single-family residential developments, to the east and west by single-family homes, and to the south by a residential development. The project site is accessed from a private driveway located along NE 18th Street.

2.0 METHODS

2.1 DEFINITIONS AND METHODOLOGIES

Wetlands and streams are protected by federal law as well as by state and local regulations. Federal law (Section 404 of the Clean Water Act) prohibits the discharge of dredged or fill material into "Waters of the United States", including certain wetlands, without a permit from the U.S. Army Corps of Engineers (COE 2017). The COE makes the final determination as to whether an area meets the definition of a wetland and whether the wetland is under their jurisdiction.

The COE wetland definition was used to determine if any portions of the project area could be classified as wetland. A wetland is defined as an area "inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances does support, a prevalence of vegetation typically adapted for life in saturated soil conditions" (Federal Register 1986:41251).

We based our investigation upon the guidelines of the U. S. Army Corps of Engineers (COE) Wetlands Delineation Manual (Environmental Laboratory 1987) and subsequent amendments and clarifications provided by the COE (1991a, 1991b, 1992, 1994), as updated for this area by the regional supplement to the COE wetland delineation manual for the Western Mountains, Valleys, and Coast Region (COE 2010). The COE wetlands manual is required by state law (WAC 173-22-035, as revised) for all local jurisdictions.

Hydrophytic vegetation is defined as "macrophytic plant life growing in water, soil or substrate that is at least periodically deficient in oxygen as a result of excessive water content" (Environmental Laboratory 1987). The U.S. Army Corps of Engineers National Wetland Plant List wetland indicator status (WIS) ratings were used to make this determination (Lichvar et al. 2016). The WIS ratings "reflect the range of estimated probabilities (expressed as a frequency of occurrence) of a species occurring in wetland versus non-wetland across the entire distribution of the species" (Reed 1988:8). Plants are rated, from highest to lowest probability of occurrence in wetlands, as obligate (OBL), facultative wetland (FACW), facultative (FAC), facultative upland (FACU), and upland (UPL), respectively. In general, hydrophytic vegetation is present when the majority of the dominant species are rated OBL, FACW, and FAC.

A hydric soil is defined as "a soil that is formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part" (Federal Register 1995: 35681). The morphological characteristics of the soils in the study area were examined to determine whether any could be classified as hydric.

According to the 1987 methodology, wetland hydrology could be present if the soils were saturated (sufficient to produce anaerobic conditions) within the majority of the rooting zone (usually the upper 12 inches) for at least 5% of the growing season, which in this

area is usually at least 2 weeks (COE 1991a). It should be noted, however, that areas having saturation to the surface between 5% and 12% of the growing season may or may not be wetland (COE 1991b). Depending on soil type and drainage characteristics, saturation to the surface would occur if water tables were shallower than about 12 inches below the soil surface during this time period. Positive indicators of wetland hydrology include direct observation of inundation or soil saturation, as well as indirect evidence such as driftlines, watermarks, surface encrustations, and drainage patterns (Environmental Laboratory 1987). Hydrology was further investigated by noting drainage patterns and surface water connections between wetlands and streams within and adjacent to the project area.

2.2 BACKGROUND RESEARCH

Prior to conducting our site visit, we reviewed existing background maps and information for the project site from the U.S.D.A. Natural Resource Conservation Service (NRCS 2018) Web Soil Survey, the U.S. Fish and Wildlife (USFWS 2018) National Wetland Inventory (NWI) and King County (2018) iMap in order to assist in our determination of whether wetlands were present within the property or its vicinity. We also reviewed the Washington Department of Fish and Wildlife (WDFW 2018) Priority Habitat and Species (PHS) database to determine whether endangered fish and wildlife or their habitats were present within the project site or its vicinity. In addition, we examined current and historical aerial photographs (Google Earth 2018) to assist in the definition of existing plant communities, drainage patterns, and land use.

2.3 FIELD SAMPLING PROCEDURES

We conducted a site visits on June 7 and December 15, 2018 and January 22, 2019 to verify the wetland and stream boundaries previously delineated by Sewall Wetland Consulting, Inc. in March of 2014. During our site visits we collected data to characterize the onsite critical areas and rate them using the 2004 WDOE wetland rating system (Hruby 2004, as revised 2006, WDOE 2008). We also collected sufficient information to describe the general landscape conditions of the non-wetland portions of the site.

In order to assess if wetland hydrology were present during the spring growing season, we installed shallow groundwater wells within the wetland units and in upland areas across the Floyd project site. We conducted weekly site visits over a 30-day period between March 1 and April 11, 2019 to verify if a shallow groundwater table was present in the previously identified wetland units.

Vegetation, soils, and hydrology were examined in representative portions of the study area according to the procedures described in the Regional Supplement (COE 2010). Plant communities were inventoried, classified, and described during our field investigations. We estimated the percent coverage of each species. Plant identifications were made according to standard taxonomic procedures described in Hitchcock and Cronquist (1976), with nomenclature as updated by the U.S. Army Corps of Engineers National Wetland Plant List (Lichvar et al. 2016). Wetland classification follows the USFWS wetland classification system (Cowardin et al. 1992). We determined the presence of a hydrophytic vegetation community using the procedure described in the Regional Supplement (COE 2010), which requires the use of the dominance test, unless positive indicators of hydric soils and wetland hydrology are also present, in which case the prevalence index or the use of other indicators of a hydrophytic vegetation community as described in the Regional Supplement (COE 2010) may also be required.

We excavated pits to at least 18 inches below the soil surface, where possible, in order to describe the soil and hydrologic conditions throughout the study area. We sampled soil at locations that corresponded with vegetation sampling areas and potential wetland areas. Soil colors were determined using the Munsell Soil Color Chart (Munsell Color 2009). We used the indicators described in the Regional Supplement (COE 2010) to determine the presence of hydric soils and wetland hydrology.

During our site investigations, we verified the previously delineated wetland boundaries of three potential onsite wetlands (Wetlands A, B, and C) and the ordinary high-water mark of the Allen Lake outfall channel that were previously delineated by Sewall Wetland Consulting, Inc. in March 2014. We also conducted hydrologic monitoring between March 1 and April 11, 2019 and determined that the area identified as Wetland A did not possess wetland hydrology, and only marginal wetland hydrology was observed in the areas identified as Wetlands B and C.

3.0 EXISTING CONDITIONS

3.1 RESULTS OF BACKGROUND INVESTIGATION

The USDA NRCS (2018) Web Soil Survey (Figure 2) identifies Alderwood gravelly sandy loam and Everett gravelly sandy loams within the project site. Alderwood and Everett soils are not listed as a hydric soil on either the state or national hydric soils list; however, they may contain the following potential hydric soil inclusions: Bellingham, Norma, Shalcar, Seattle, and Tukwila soils (U.S.D.A. NRCS 2018; U.S.D.A. Soil Conservation Service 1991, Federal Register 1995). Soil series boundaries or mapping units are mapped from aerial photographs with limited field verification. Thus, the location and extent of boundaries between mapping units may not be accurate for a given parcel of land within the survey area.

The USFWS (2018) NWI (Figure 3) depicts a riverine wetland located along the east edge of the project site. This wetland appears to correspond with the Allen Lake outlet channel. Wetlands and streams shown on the NWI are general in terms of location and extent, as they are determined primarily from aerial photograph interpretation. Thus, the number and extent of existing wetlands located within the project area may differ from those marked on the NWI map.

The King County (2018) iMap does not depict any wetlands on or in the immediate vicinity of the project site (Figure 4). The iMap does identify a stream channel located along the east property boundary. The stream channel is the Allen Lake outfall and flows from the south to north. In addition, the iMap identifies that the project site has a Sensitive Area Notice on the title for the onsite stream channel (recording no. 20020308000810).

The Washington Department of Fish and Wildlife (2018b) Priority Habitat and Species database does not depict any priority species within the immediate vicinity of the project site (Figure 6). The PHS mapper does show a small freshwater emergent wetland approximately 380 feet northwest of the project site and a group of wetlands approximately 1,200 feet east of the project site.

3.2 RESULTS OF FIELD INVESTIGATIONS

3.2.1 Existing Conditions

The north half of the Floyd King County project site contains a single-family home, with access driveways, landscaped lawns and outbuildings. Portions of the site in the north that are not currently developed contain a partially cleared coniferous forested dominated by an overstory of Douglas-fir (*Pseudotsuga menziesii*, FACU) and western arborvitae (*Thuja plicata*, FAC) trees. The south side of the site contains relatively undisturbed forest consisting of an overstory of Douglas-fir and western arborvitae trees, with an understory of salmon raspberry (*Rubus spectabilis*, FAC), Himalayan blackberry (*Rubus armeniacus*, FAC), salal, (*Gaultheria shallon*, FACU), beaked hazelnut (*Corylus*)

cornuta, FACU), pineland swordfern (*Polystichum munitum*, FACU), and lesser herbrobert (*Geranium robertianum*, FACU) (Sample Plots 1, 2, and 3).

Soils in upland portions of the site typically consisted of up to 6 inches of very dark brown (10YR 2/2) to very dark grayish brown (10YR 3/2) sandy loams over very dark grayish brown (10YR 3/2) to brown (10YR 4/6) sandy loams to a depth greater than 18 inches and lacked indicators of hydric soils (Sample Plots 1, 2, and 3). During our site investigation, we did not observe any primary indicators of wetland hydrology, including a water table or soil saturation in the upper 18 inches of the soil profile, or any secondary indicators of wetland hydrology (e.g. water stained leaves, drift deposits, water marks, etc.) within the upland.

3.2.2 Wetlands

During our June 7, December 15, 2018 and January 22, 2019 site investigations, we verified the boundaries of three onsite wetlands (Wetlands A, B, and C) that were previously delineated by Sewall Wetland Consulting, Inc. in 2014 (Figure 6). Specific data for soils, hydrology, and vegetation for both wetland and upland areas can be found in Appendix A.

Wetland A

Wetland A is located in a very small (approximately 600 square feet) depression in the west central portion of the project site. During our June 7, 2018 site investigation, we verified that the boundary of the wetland was accurately delineated. Vegetation in Wetland A consists of an overstory of red alder (*Alnus rubra*, FAC) and balsam poplar (*Populus balsamifera*, FAC) trees with an understory of salmon raspberry, stinging nettle (*Urtica dioica*, FAC), and lesser herbrobert (Sample Plot A-1).

Soils within the wetland consist of up to 15 inches of very dark brown (10YR 2/2) gravely sandy loam soils. While we did not observe any redoximorphic concentrations within the soil profile, the Sewall Wetland Consulting, Inc. report identified redoximorphic concentrations in the upper 6 inches of the soil matrix (Sample Plot A-1).

Sewall Wetland Consultants, Inc. (2014) found that saturation was present at a depth of between 7 and 12 inches at the time of their March 20, 2014 site investigation. We did not observe any primary indicators of wetland hydrology including a shallow water table or soil saturation within the upper 12 inches of the soil profile during our site investigations. However, we observed water stained leaves, a secondary indicator of wetland hydrology, within the delineated area.

To verify if wetland hydrology was present within Wetland A, we installed a shallow groundwater well (Well 1) on February 26, 2019. We then collected hydrologic data for a 30-day period from March 1 to April 11, 2019. As a result of our hydrologic

monitoring, we did not observe a water table or soil saturation within the upper 12 inches of the soil profile. The well remained dry over the 30-day monitoring period, with no water table to at least 23 inches below the ground surface.

Due to the lack of definitive wetland hydrologic indicators in the assessment unit, we do not agree that the area previously delineated as Wetland A by Sewall Wetland Consulting, Inc. meets the necessary criteria to be regulated as a wetland. Data from our weekly hydrologic monitoring for Wetland A is included in Appendix C.

Wetland B

Wetland B is located in a depression in the central portion of the project site (Figure 6). During our site investigation, we verified that the wetland boundary delineated by Sewall Wetland Consultants, Inc. (2014) in March 2014 was accurate. Vegetation in Wetland B consists of young balsam poplar, western arborvitae, red alder, salmon raspberry, Himalayan blackberry, and lesser herbrobert (Sample Plot B-1).

Soils within the wetland consist of up to 6 inches of very dark brown (10YR 2/2) gravely sandy loam soils over dark gray (10YR 4/1) gravely sandy loam soils with up to 5% dark yellowish brown (10YR 3/4) redoximorphic concentrations in the matrix (Sample Plot B-1). We found that soils throughout the delineated wetland met criteria of the COE wetland delineation manual (Environmental Laboratory 1987) and regional supplement (COE 2010) to be considered hydric.

Sewall Wetland Consultants, Inc. (2014) found that the outer portion of Wetland B was saturated at a depth of 12 inches, while the central portion of the wetland was inundated to a depth of 4 inches during their March 20, 2014 site investigation. During our site investigations during June and December 2018 and January 2019, we did not observe any primary or secondary indicators of wetland hydrology including inundation of the wetland, a shallow water table or saturation within the upper 12 inches of the soil profile, water stained leaves, drift deposits, algal mats, cracked soils surfaces, etc. within the delineated wetland area.

To verify if wetland hydrology was present during the spring growing season, we installed a shallow groundwater well (Well 3) in Wetland B on February 26, 2019. We then collected hydrologic data for the well over a 30-day period from March 1 to April 11, 2019. During our March 1, 2019 site visit, we observed a water table at 13 inches within the monitoring well. From March 8 to April 11, 2019 we did not observe a water table in Wetland B to at least 19 inches below the ground surface.

Wetland B only met the criteria for wetland hydrology as outlined by the COE wetland delineation manual (Environmental Laboratory 1987) and the Regional Supplement (COE 2010) for the week of March 1, 2019. No water table was observed in the shallow groundwater monitoring well from March 8 to April 11, 2019. Therefore, Wetland B

may not meet the criteria to be regulated as wetland because hydrology was not present for 30 consecutive days during the early growing season. Data of our weekly hydrologic monitoring, including a map locating the wells can be found in Appendix C

Classification and Determination

During our site investigation, we found that wetland soils and vegetation were present within the delineated wetland boundary. Hydrologic monitoring of Wetland B confirmed the presence of wetland hydrology on March 1, 2019. From March 8 to April 11, 2019 no water table was observed in Wetland B to a depth of 19 inches below the ground surface.

If the area delineated as Wetland B is determined to be wetland, then it consists of a palustrine, scrub-shrub (PSS) vegetation class according to the USFWS wetland classification system (Cowardin et al. 1992).

Wetland Rating

We rated Wetland B using the 2004 WDOE Wetland Rating System for Western Washington (Hruby 2004, as revised 2006, WDOE 2008) as required by King County (2019) code for determination of wetland buffer widths and mitigation ratios (see the attached completed wetland rating form, Appendix B).

We determined that Wetland B consists of a depressional hydrogeomorphic (HGM) class. Based on our analysis of the rating, Wetland B meets Category III criteria because it scored a total of 39 points (13 points for habitat function) on the attached rating form.

Wetland C

Wetland C is in a depression in the southeast portion of the property and is associated with the Allen Lake outlet channel (Figure 6). During our site investigation, we verified and agreed with the boundary of the wetland accurately delineated by Sewall Wetland Consulting, Inc. (2014). Vegetation in Wetland C is dominated redosier (*Cornus albas*, FACW), creeping buttercup (*Rununculus repens*, FAC), curly doc (*Rumex crispus*, FAC), sticky-willy (*Galium aparine*, FACU), and lesser herbrobert (Sample Plot C-1). Other vegetation observed within Wetland C includes balsam poplar, red alder, western arborvitae, salmon raspberry, Himalayan blackberry, and Dewey's sedge (*Carex deweyana*, FAC).

Soils within the wetland consist of up to 8 inches of very dark gray (10YR 3/1) loam soils with up to 5% dark yellowish brown (10YR 3/4) redoximorphic concentrations in the matrix are dark yellowish brown (10YR 3/4) sandy loam soils to a depth greater than 18 inches (Sample Plot C-1). We found that soils throughout the delineated wetland met criteria of the COE wetland delineation manual (Environmental Laboratory 1987) and regional supplement (COE 2010) to be considered hydric.

Sewall Wetland Consultants, Inc. (2014) found that the outer portion of Wetland C was saturated at a depth of 12 inches, while the central portion of the wetland was inundated to a depth of 2 inches during their March 20, 2014 site investigation. During our site investigations during June and December 2018 and January 2019, we did not observe any primary or secondary indicators of wetland hydrology including inundation of the wetland, a shallow water table or saturation within the upper 12 inches of the soil profile, water stained leaves, drift deposits, algal mats, cracked soils surfaces, etc. within the delineated wetland area.

To verify if wetland hydrology was present during the spring growing season, we installed a shallow groundwater well (Well 6) in Wetland C on February 26, 2019. Due to the rocky nature of the soil profile within Wetland B we could only install our monitoring well to a depth of 11.25 inches before we encountered refusal. Data was then collected over a 30-day period from March 1 to April 11, 2019. During our March 1, 2019 site visit a water table was observed at 9.75 inches within the monitoring well. From March 14 to April 11, 2019 we did not observe a water table in Wetland B to at least 11.25 inches below the ground surface.

Wetland C only met the criteria for wetland hydrology as outlined in the COE wetland delineation manual (Environmental Laboratory 1987) and the Regional Supplement (COE 2010) during the week of March 1, 2019. No water table was observed in the shallow groundwater monitoring well from March 8 to April 11, 2019. Therefore, Wetland C may not meet the criteria to be regulated as wetland because hydrology was not present for 30 consecutive days during the early growing season. Data of our weekly hydrologic monitoring, including a map locating the wells can be found in Appendix C

Classification and Determination

During our site investigation, we found that wetland soils and vegetation were present within the delineated wetland boundary. Hydrologic monitoring of Wetland C confirmed the presence of wetland hydrology only during our first observation on March 1, 2019. From March 8 to April 11, 2019 no water table was observed in Wetland C to a depth of 11.25 inches below the ground surface.

If the area delineated as Wetland C is determined to be wetland, then it consists of a palustrine, forested (PFO) and palustrine, scrub-shrub (PSS) vegetation classes according to the USFWS wetland classification system (Cowardin et al. 1992).

Wetland Rating

We rated Wetland C using the 2004 WDOE Wetland Rating System for Western Washington (Hruby 2004, as revised 2006, WDOE 2008) as required by King County (2019) code for determination of wetland buffer widths and mitigation ratios (see the attached completed wetland rating form, Appendix B). We determined that Wetland C consists of a depressional hydrogeomorphic (HGM) class. Based on our analysis of the rating, Wetland C meets Category III criteria because it scored a total of 46 points (20 points for habitat function) on the attached rating form.

Upland Area Between Wetlands B and C

During our site investigations, we documented the area between the delineated boundaries of Wetlands A, B, and C. In general, the areas between the wetlands are dominated by upland vegetation communities and do not contain wetland soils or hydrology. The area between Wetlands B and C is situated on a subtle topographic rise between the depressions. Vegetation in this area is dominated primarily by a dense thicket of Himalayan blackberry and salmon raspberry (Sample Plots 4, 5, and 6).

We noted that soils between Wetlands B and C varied at each sample plot location, but generally consisted of up to 6 to 12 inches very dark brown (10YR 2/2) sandy loam soils over a 2-to-8-inch layer of dark grayish brown (10YR 4/2) soils with up to 5% dark yellowish brown (10YR 4/4) redoximorphic concentrations in the soil matrix. The lower portion of the soil profile (between 12 and 20 inches) typically consisted of a layer of dark yellowish brown (10YR 3/6 to 10YR 4/3) sandy loam soils (Sample Plots 4, 5, and 6).

During our site investigations, we did not observe any primary or secondary indicators of wetland hydrology, such as a shallow ground water table, soil saturation within the upper 12 inches of the soil profile, evidence of ponding, drift deposits, algal mats, or water stained leaves, in the area between Wetlands B and C.

To verify if that wetland hydrology was not present during the spring growing season, we installed a shallow groundwater wells (Wells 4 and 5) in the upland area between Wetlands B and C. Data was then collected over a 30-day period from March 1 to April 11, 2019. We did not observe a water table to a depth of 16 inches between March 1 and April 11, 2019 hydrologic monitoring visits in Well 4. We did observe a water table in Well 5 during our March 1, 8, 14, and 21, 2019 site visits at a depth of between 15 and 16 inches within the well; however, the depth of groundwater observed in the well is too deep to meet the wetland hydrology criteria outlined in the COE wetland delineation manual (Environmental Laboratory 1987) and the Regional Supplement (COE 2010). Thus, there is no hydrologic connection between wetlands B and C and the wetlands should be regulated as separate discrete assessment units.

Data from our weekly hydrologic monitoring, including a map locating the wells can be found in Appendix C

3.2.3 Streams

During our site investigations, we verified the ordinary high-water mark delineation completed by Sewall Wetland Consulting, Inc. (2014) for the onsite portion of the Allen Lake outlet channel (Figure 6). The channel is located along the east edge of the property and is approximately 4-6 feet wide. We noted that flow in the channel varied from 0.01 cubic feet per second (cfs) to approximately 1 cfs during our 2018 and 2019 site visits. Riparian vegetation along the onsite portion of the channel is relatively sparse with the exception of a few young trees planted along the east bank of the channel.

The Allen Lake outfall channel is considered a Type F stream by King County. King County (2019) code requires a 165-foot-wide buffer for Type F streams that have been designated as high priority on the King County (2004) Basin and Shoreline Conditions map.

4.0 REGULATORY CONSIDERATIONS

Wetlands are protected by Section 404 of the Federal Clean Water Act and other state and local policies and ordinances including King County (2019) code. Regulatory considerations pertinent to wetlands identified within the study area are discussed below; however, this discussion should not be considered comprehensive. Additional information may be obtained from agencies with jurisdictional responsibility for, or interest in, the site. A brief review of the U.S. Army Corps of Engineers regulations and City of Bothell policy, relative to wetlands, is presented below.

4.1 FEDERAL CLEAN WATER ACT (U.S. ARMY CORPS OF ENGINEERS)

Federal law (Section 404 of the Clean Water Act) discourages the discharge of dredged or fill material into the nation's waters, including most wetlands and streams, without a permit from the U.S. Army Corps of Engineers (COE). The COE makes the final determination as to whether an area meets the definition of "Waters of the U.S." as defined by the federal government (Federal Register 1986:41251), and thus, if it is under their jurisdiction.

We should caution that the placement of fill within wetlands or other "Waters of the U.S." without authorization from the COE is not advised, as the COE makes the final determination regarding whether any permits would be required for any proposed alteration (COE 2017). Because the COE makes the final determination regarding permitting under their jurisdiction, a jurisdictional determination from the COE is generally recommended prior to any construction activities, if any modification of wetlands is proposed. A jurisdictional determination would also provide evaluation and confirmation of the wetland delineations by the COE.

4.2 WASHINGTON STATE

4.2.1 Federal Clean Water Act Section 401 Certification

Under Section 401 of the Clean Water Act, an activity involving a discharge in waters of the U.S. and authorized by the COE must also receive certification that the federally permitted activity complies with the federal Clean Water Act, state water quality laws, and any other appropriate state laws (such as the Water Resources Act and Hydraulic Code). In Washington State, the certifying agency is usually the Washington Department of Ecology (WDOE). In addition, if the COE-authorized permit is for actions within the 15 coastal counties, including King County, then the WDOE must confirm that the proposed action complies with the Washington Coastal Zone Management Program.

4.2.2 Non-Federal Jurisdictional Wetlands

The WDOE also regulates activities within isolated wetlands under the state Water Pollution Control Act (90.48 RCW) in instances where a wetland is determined to be

non-jurisdictional under the federal Clean Water Act by the COE. The standards of review for issuance of a permit by the WDOE for activities within non-COE-jurisdictional wetlands are the same as those for Section 401 certifications.

4.2.3 Washington State Hydraulic Code

Prior to construction or other work that will use, divert, obstruct, or change the natural flow or bed of any state waters, approval by the Washington Department of Fish and Wildlife (WDFW), through provisions of the State Hydraulic Code (RCW 75.20.100-140), is required. The WDFW-administered Hydraulic Project Approval (HPA) is intended to protect fish life from damage by construction and other activities in all marine and fresh waters of the state. A maximum of 45 calendar days is specified in the agency rules for a decision by WDFW to grant or deny approval of a complete application (WDFW 2018a).

4.3 KING COUNTY

King County (2019) code regulates wetlands and streams as critical areas. Alterations of wetlands and their buffers are generally prohibited, except as allowed under certain conditions. All direct wetland impacts must be mitigated through creation, restoration, or enhancement. King County (2019) has the final authority to determine ratings, buffers, and allowed uses of wetlands, their buffers, and other sensitive areas that are under their jurisdiction.

King County (2019) provides a range of buffer widths for wetlands depending on the wetland category, quality of habitat functions provided by the wetland, and the land use intensity adjacent to the wetland.

King County (2019) Section 21A.24.318 requires the use of the 2004 Washington Department of Ecology wetland rating system, publication number 04-06-025. We determined that Wetland B meets the criteria to be regulated as a Category III wetland because it scored a total of 39 points (13 points for habitat functions) on the wetland rating form. King County (2019) requires a 75-foot-wide buffer for Category III wetlands that score less than 20 points for habitat functions.

We determined that Wetland C meets the criteria to be regulated as a Category III wetland because it scored a total of 46 points (20 points for habitat functions) on the wetland rating form. King County (2019) requires a 125-foot-wide buffer for Category III wetlands that score between 20 to 28 points for habitat functions.

The onsite portion of the Allen Lake outlet channel along the east end of the project site is a Type F stream. King County (2019) code requires a 165-foot-wide buffer for Type F streams that have been designated as high priority on the King County (2004) Basin and Shoreline Conditions map.

5.0 LIMITATIONS

We have prepared this report for the exclusive use of Toll Brothers, Inc. and their consultants. No other person or agency may rely upon the information, analysis, or conclusions contained herein without permission from Toll Brothers, Inc.

The determination of ecological system classifications, functions, values, and boundaries is an inexact science, and different individuals and agencies may reach different conclusions. With regard to wetlands, the final determination of their boundaries for regulatory purposes is the responsibility of the various agencies that regulate development activities in wetlands. We cannot guarantee the outcome of such determinations. Therefore, the conclusions of this report should be reviewed by the appropriate regulatory agencies.

We warrant that the work performed conforms to standards generally accepted in our field, and prepared substantially in accordance with then-current technical guidelines and criteria. The conclusions of this report represent the results of our analysis of the information provided by the project proponent and their consultants, together with information gathered in the course of the study. No other warranty, expressed or implied, is made.

6.0 LITERATURE CITED

- Cowardin, L., F. Golet, V. Carter, and E. LaRoe. 1992. Classification of wetlands and deepwater habitats of the United States. U.S.D.I. Fish and Wildlife Service Publ. FWS/OBS-79/31. 103 pp.
- Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1, US Army Engineers Waterways Experiment Station, Vicksburg, Mississippi. 100 pp.
- Federal Register. 1986. 40 CFR Parts 320 through 330: Regulatory programs of the Corps of Engineers; final rule. Vol. 51. No. 219. pp. 41206-41260, U.S. Government Printing Office, Washington, D.C.
- Federal Register. 1995. U.S. Department of Agriculture, Soil Conservation Service: Changes in Hydric Soils of the United States. Volume 59, No 133, July 13, 1994. Revised September 15, 1995.
- Google Earth. 2018. Image for 47.768263°N -122.179025°E in Bothell, WA. © 2018 Google. Accessed June 16, 2018.
- Hitchcock, C., and A. Cronquist. 1976. Flora of the Pacific Northwest. Univ. of Washington Press, Seattle, Washington. 730 pp.
- Hruby, T. 2004. Washington State wetlands rating system for western Washington Revised. Washington State Department of Ecology, Publication No. 04-06-025. August 2004. Revised August 2006.
- King County. 2004. King County Basin and Shorelines Conditions map. Available at: <u>https://www.kingcounty.gov/council/issues/environment/~/media/Council/docum</u> <u>ents/Issues/CAO/Attachment_A.ashx</u>
- King County. 2018. iMAP GIS Interactive map center, King County, Washington. http://www.metrokc.gov/gis/iMAP_main.htm#. Accessed June, 2018.
- King County. 2019. Chapter 21A.24: Critical Areas. Title 21A, King County code. Updated February 6, 2019. <u>http://www.kingcounty.gov/council/legislation/kc_code.aspx</u>
- Lichvar, R. W., D.L. Banks, W.N. Kirchner, and N.C. Melvin. 2016. The National Wetland Plant List: 2016 wetland ratings. Phytoneuron 2016-30: 1-17. Published 28 April 2016. ISSN 2153 733X. Available at: <u>http://wetlandplants.usace.army.mil/nwpl_static/home/home.html</u>.

Munsell Color. 2009. Munsell soil color charts. Munsell Color, Grand Rapids, MI.


- Reed, P.B., Jr. 1988. National list of plant species that occur in wetlands: Northwest (Region 9). U.S.D.I. Fish and Wildlife Service. Biological Report 88 (26.9). 89 pp.
- Sewall Wetland Consulting, Inc. 2014. Critical Areas Report Floyd Short Plat Parcel #262506-9029 Unincorporated King County, Washington. Prepared July 30, 2014.
- U.S. Army Corps of Engineers. 1991a. Special notice. Subject: Use of the 1987 wetland delineation manual. U.S. Army Corps of Engineers, Seattle District. August 30, 1991.
- U.S. Army Corps of Engineers. 1991b. Memorandum. Subject: Questions and answers on the 1987 manual. U.S. Army Corps of Engineers, Washington D.C. October 7, 1991. 7 pp. including cover letter by John P. Studt, Chief, Regulatory Branch.
- U.S. Army Corps of Engineers. 1992. Memorandum. Subject: Clarification and interpretation of the 1987 methodology. U.S. Army Corps of Engineers, Washington D.C., March 26, 1992. 4 pp. Arthur E. Williams, Major General, U.S.A. Directorate of Civil Works.
- U.S. Army Corps of Engineers. 1994. Public Notice. Subject: Washington regional guidance on the 1987 wetland delineation manual. May 23, 1994, Seattle District. 8 pp.
- U.S. Army Corps of Engineers. 2010. Regional supplement to the Corps of Engineers wetland delineation manual: western mountains, valleys, and coast region (Version 2.0). Wakeley, J.S., R.W. Lichvar, and C.V. Noble, eds. May 2010. ERDC/EL TR-10-3. U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- U.S. Army Corps of Engineers. 2017. Special Public Notice. Final Seattle District 2017 Nationwide Permit Regional Conditions for Nationwide Permits for the Seattle District Corps of Engineers for the State of Washington. U.S. Army Corps of Engineers, Seattle District. March 17, 2017.
- U.S.D.A., Soil Conservation Service. 1991. Hydric soils of the United States: In cooperation with the National Technical Committee for Hydric Soils. U.S.D.A. Miscellaneous Publication Number 1491.
- U.S.D.A. Natural Resources Conservation Service. 2018. On-line Web Soil Survey. <u>http://websoilsurvey.nrcs.usda.gov</u>. Accessed June, 2018.


April 18, 2018

Raedeke Associates. Inc.

- U.S. Fish and Wildlife Service. 2018. National Wetland Inventory, Wetlands Online Mapper. <u>http://wetlandsfws.er.usgs.gov/wtlnds/launch.html</u>. Accessed June, 2018.
- Washington Department of Ecology. 2008. Wetland rating form western Washington: Version 2. Revised October 2008. [for use with wetland rating system for western Washington, WDOE Pub. #04-06-025.] Olympia, WA.
- Washington Department of Fish and Wildlife. 2018a. Hydraulic Project Approval. <u>http://wdfw.wa.gov/licensing/hpa/</u>.
- Washington Department of Fish and Wildlife. 2018b. Priority Habitat and Species database. <u>http://wdfw.wa.gov/conservation/phs/list/</u>. Accessed June, 2018.

FIGURES









SOURCE INFORMATION: Natural Resource Conservation Service, Soils Mapper. Available at https://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm. Accessed 02/14/2019.


AgC


EvC


Seattle, Washington 98133











February	19, 2019	

PT



AS	MAPPED	


QTR-TWP

/NSHIP

 LN


SECTION

~	ľ		1
	_		
TC)	V	V



SOURCE INFORMATION: Washington Department of Fish and Wildlife, Priority Habitat and Species Available at https://wdfw.wa.gov/mapping/phs/ Accessed on 02/19/2019

Seattle, Washington 98133



T:/2018/2018-063 Floyd King County (Toll)/2018-063 Floyd KC.dwg

APPENDIX A

Field Survey Data

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Floyd King County	City/County:	King County	Samp	ling Date: <u>6/7/2018</u>	
Applicant/Owner: <u>Toll</u>			State: <u>V</u>	<u>/A</u> Samp	ling Point: <u>SP 1</u>
Investigator(s): K. Kosters and A. Clark		S	ection, Township, Rai	nge: <u>S26, T25N, R6E</u>	, W.M.
Landform (hillslope, terrace, etc.): Slope	9	Local relief	(concave, convex, no	ne): <u>Convex</u>	Slope (%): <u>1 - 3</u>
Subregion (LRR): Northwest Forests & 0	Coasts (LRR A)	_at: <u>47.623991</u>	Long: <u>-12</u>	2.009083	Datum: <u>Unknown</u>
Soil Map Unit Name: Everett very grave	lly sandy loam			NWI classification: <u>N</u>	one
Are climatic / hydrologic conditions on th	ne site typical for this tir	ne of year? Yes 🛛	No 🗌 (If no, explain	in Remarks.)	
Are Vegetation, Soil, or Hy	ydrology signific	antly disturbed?	Are "Normal Circun	nstances" present?	Yes 🛛 No 🗌
Are Vegetation, Soil, or Hy	ydrology naturall	y problematic?	(If needed, explain a	any answers in Rema	ırks.)
SUMMARY OF FINDINGS - A	ttach site map sh	owing sampling	point locations,	transects, impo	ortant features, etc.
Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes □ No ⊠ Yes □ No ⊠ Yes □ No ⊠		Sampled Area a Wetland?	Yes 🗌 No 🛛	

Remarks: Sample Plot 1 is located in an upland area west of Wetland C, near flag A-25.

VEGETATION – Use scientific names of plants.

	Absolute		Indicator	Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot size: <u>5 m</u>)		Species?		Number of Dominant Species	
1. Acer macrophyllum (Big-Leaf Maple)				That Are OBL, FACW, or FAC: <u>1</u> (A)	
2				Total Number of Dominant	
3				Species Across All Strata: <u>4</u> (B)	
4				Percent of Dominant Species	
	50	= Total C	over	That Are OBL, FACW, or FAC: <u>25</u> (A/B)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)				`	<i>′</i>
1. <u>Cornus alba (Red Osier)</u>	10	Y	FACW	Prevalence Index worksheet:	
2				Total % Cover of:Multiply by:	
3				OBL species <u>0</u> x 1 = <u>0</u>	
4				FACW species <u>10</u> x 2 = <u>20</u>	
5				FAC species 0 x 3 = 0	
		= Total C		FACU species <u>95</u> x 4 = <u>380</u>	
Herb Stratum (Plot size: <u>1 m</u>)				UPL species 0 x 5 = 0	
1. Geranium robertianum (Lesser Herbrobert)	30	Y	FACU	Column Totals: 105 (A) 400 (B	5)
2. <u>Urtica dioica (Stinging Nettle)</u>	10	Y	FACU		,
3. Polystichum munitum (Pineland Sword Fern)	5	N	FACU	Prevalence Index = $B/A = 3.8$	
4		. <u> </u>		Hydrophytic Vegetation Indicators:	
5				1 - Rapid Test for Hydrophytic Vegetation	
6				□ 2 - Dominance Test is >50%	
7				□ 3 - Prevalence Index is $\leq 3.0^1$	
8				4 - Morphological Adaptations ¹ (Provide supportindata in Remarks or on a separate sheet)	ıg
9				\Box 5 - Wetland Non-Vascular Plants ¹	
10				Problematic Hydrophytic Vegetation ¹ (Explain)	
11					
		= Total C		¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
Woody Vine Stratum (Plot size: <u>3 m</u>)					
1				Hydrophytic	
2				Vegetation	
	0	= Total C	Cover	Present? Yes 🗌 No 🖂	
% Bare Ground in Herb Stratum <u>55</u>					
Remarks:					

SOIL

Sampling Point: SP 1

Profile Desc	cription: (Describe	to the de	pth needec	I to docun	nent the ir	ndicator	or confirm	n the ab	sence	of indicato	ors.)	
Depth	Matrix			Redo	x Features							
(inches)	Color (moist)	%	Color (mo	ist)	%	Type ¹	Loc ²	Textu	re		Remarks	
0 - 18+	10YR 4/4	100						Sandy	Loam			
								-				
	-				· ·							
					· ·		······					
<u> </u>					. <u> </u>		·					
					. <u> </u>							
¹ Tvpe: C=C	oncentration, D=Dep	oletion. RN	I=Reduced	Matrix, CS	S=Covered	or Coate	ed Sand Gr	rains.	² Loc	ation: PL=	Pore Lining	g, M=Matrix.
	Indicators: (Applic											ydric Soils ³ :
Histosol				/ Redox (S				Г	7 2 cm	Muck (A10))	-
	pipedon (A2)			ed Matrix (Parent Mat	,	
Black Hi					, lineral (F1)	(except	MLRA 1)			Shallow Da	. ,	e (TF12)
	n Sulfide (A4)			y Gleyed N		· ·	,	Ē	-	r (Explain ir		
Depleted	Below Dark Surfac	e (A11)		ted Matrix								,
Thick Da	ark Surface (A12)		Redox	k Dark Sur	face (F6)			3	ndicato	rs of hydrop	ohytic vege	tation and
Sandy N	lucky Mineral (S1)		Deple	ted Dark S	Surface (F7)			wetlar	nd hydrolog	y must be	present,
	ileyed Matrix (S4)		Redox	Contraction Contractica Con	ons (F8)				unless	s disturbed	or problem	natic.
Restrictive	Layer (if present):											
Туре:			_									
Depth (in	ches):		_					Hydr	ic Soil	Present?	Yes 🗌	No 🖂
Remarks:												
HYDROLO	GY											
Wetland Hy	drology Indicators	:										
Primary Indi	cators (minimum of o	one require	ed; check al	I that apply	y)				Secon	dary Indica	itors <u>(</u> 2 or r	nore required)
Surface	Water (A1)		□ V	Vater-Staiı	ned Leaves	s (B9) (e :	xcept MLR	RA	🗌 Wa	ater-Staine	d Leaves (B9) (MLRA 1, 2 ,
🗌 High Wa	ter Table (A2)			1, 2, 4A	, and 4B)					4A, and 4	B)	
Saturatio				Salt Crust ((B11)				Dra	ainage Pati	terns (B10))
Water M	arks (B1)		\Box A	Aquatic Inv	ertebrates	(B13)			🗌 Dr	y-Season V	Vater Table	e (C2)
	t Deposits (B2)			•	Sulfide Odd	. ,						rial Imagery (C9)
	oosits (B3)						Living Roo	ts (C3)		eomorphic F		
	it or Crust (B4)				, of Reduced	-	-	()	_	allow Aquit		/
-	osits (B5)					``	d Soils (C6)		C-Neutral	. ,	
	Soil Cracks (B6)						1) (LRR A)			ised Ant M) (I RR A)
	on Visible on Aerial I	magery (F			lain in Rem			,		ost-Heave I		, , ,
	Vegetated Concave					lantoj				5511164761	Tarinitooka	
Field Obser		oundoo	(80)									
		/ 🗖 🔉		the (incluse	١.							
Surface Wat					s):							
Water Table					;):					_	—	
Saturation P		/es 🗌 N	lo 🛛 🛛 Dep	oth (inches	s):		Wetla	and Hy	drology	Present?	Yes 🗋	No 🖂
(includes ca Describe Re	corded Data (stream	n daude m	onitorina w	ell, aerial r	photos pre	vious ing	spections)	if availa	ble:			
2000100110	Data (birdan	. <u>ə</u>		, aonar p								
Domorko: N	o hydrologic indicato	ro woro ch	convod									
Remarks. No			serveu.									

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Floyd King County		City/C	ounty: King County	S	ampling Date: <u>6/7/2018</u>
Applicant/Owner: <u>Toll</u>			State	: <u>WA</u> S	ampling Point: <u>SP 2</u>
Investigator(s): K. Kosters and A. Clark	ζ.		Section, Township, I	Range: <u>S26, T25N,</u>	R6E, W.M.
Landform (hillslope, terrace, etc.): Slop	e	Loca	l relief (concave, convex,	none): <u>Convex</u>	Slope (%): <u>1 - 3</u>
Subregion (LRR): Northwest Forests &	Coasts (LRR A)	Lat: <u>47.624792</u>	Long: -	122.008684	Datum: <u>Unknown</u>
Soil Map Unit Name: Alderwood gravel	ly sandy loams			NWI classificatio	n: None
Are climatic / hydrologic conditions on	the site typical for this	s time of year? Ye	es 🛛 No 🗌 (If no, expl	ain in Remarks.)	
Are Vegetation, Soil, or H	lydrology sigr	nificantly disturbed	? Are "Normal Circ	umstances" preser	t? Yes 🛛 No 🗌
Are Vegetation, Soil, or H	lydrology natu	rally problematic?	(If needed, explai	n any answers in R	emarks.)
SUMMARY OF FINDINGS – A	Attach site map	showing sam	pling point location	s, transects, ir	nportant features, etc.
Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes □ No ⊠ Yes □ No ⊠ Yes □ No ⊠		Is the Sampled Area within a Wetland?	Yes 🗌 No [3

Remarks: Sample Plot 2 is located in a forested area south of Wetland C, near the south property boundary.

VEGETATION – Use scientific names of plants.

	Absolute			Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot size: <u>5 m</u>)		Species?		Number of Dominant Species	
1. <u>Pseudotsuga menziesii (Douglas-fir)</u>	50	<u>Y</u>	FACU	That Are OBL, FACW, or FAC: <u>1</u> (A	4)
2. <u>Thuja plicata (Western Arborvitae)</u>	20	<u>Y</u>	FAC	Total Number of Dominant	
3. Fraxinus latifolia (Oregon Ash)	10	<u>N</u>	FACW	Species Across All Strata: 7(B))
4				Percent of Dominant Species	
	80	= Total C	over	That Are OBL, FACW, or FAC: <u>14</u> (A	/B)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)					
1. <u>Gaultheria shallon (Salal)</u>		<u>Y</u>		Prevalence Index worksheet:	
2. Symphoricarpos albus (Common Snowberry)	30	<u>Y</u>	FACU	Total % Cover of:Multiply by:	
3. Rubus ursinus (California Dewberry)	20	Y	FACU	OBL species <u>0</u> x 1 = <u>0</u>	
4. Rubus spectabilis (Salmon Raspberry)	10	N	FAC	FACW species <u>10</u> x 2 = <u>20</u>	
5. Corylus cornuta (Beaked Hazelnut)	10	Ν	FACU	FAC species <u>30</u> x 3 = <u>90</u>	
	100	= Total C	over	FACU species <u>165</u> x 4 = <u>660</u>	
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)				UPL species <u>0</u> x 5 = <u>0</u>	
1. Pteridium aquilinum (Northern Brackenfern)	20	Y	FACU	Column Totals: 205 (A) 770	(B)
2. Polystichum munitum (Pineland Sword Fern)	5	Y	FACU		· /
3				Prevalence Index = $B/A = 3.75$	
4				Hydrophytic Vegetation Indicators:	
5				□ 1 - Rapid Test for Hydrophytic Vegetation	
6				□ 2 - Dominance Test is >50%	
7				□ 3 - Prevalence Index is $\leq 3.0^1$	
8				4 - Morphological Adaptations ¹ (Provide suppor	rting
9				data in Remarks or on a separate sheet)	•
10				5 - Wetland Non-Vascular Plants ¹	
				Problematic Hydrophytic Vegetation ¹ (Explain)	
11				¹ Indicators of hydric soil and wetland hydrology mus	st
Woody Vine Stratum (Plot size: 3 m)	25	- Total C	over	be present, unless disturbed or problematic.	
<u> </u>					
2				Hydrophytic	
£		= Total C	over	Vegetation Present? Yes □ No ⊠	
% Bare Ground in Herb Stratum <u>75</u>	0		000		
Remarks:					

SOIL

Sampling	Point [.]	SP	2
Camping	I OILIL.	01	~

Profile Description: (Des	cribe to the	depth ne	eded to docur	nent the	ndicator	or confirm	the abs	ence of indicators.)			
Depth Ma	atrix		Redo	x Feature	S						
(inches) Color (moist)	%	Colo	r (moist)	%	Type ¹	Loc ²	Texture	Remarks			
<u>0 - 8 10YR 3/2</u>	100						Sandy L	<u></u>			
<u>8 - 18+ 10YR 4/6</u>	90	<u>10YF</u>	R 3/6	10	С	M	<u>Gr S Loa</u>	ım			
					·						
					·	·					
					·	·					
					·	. <u> </u>					
¹ Type: C=Concentration, I)=Depletion	RM=Red	uced Matrix CS	S=Covered	d or Coate	ed Sand Gra	ains	² Location: PL=Pore Lining, M=Matrix.			
Hydric Soil Indicators: (A								icators for Problematic Hydric Soils ³ :			
Histosol (A1)			Sandy Redox (S					2 cm Muck (A10)			
Histic Epipedon (A2)			Stripped Matrix					Red Parent Material (TF2)			
Black Histic (A3)		🗆 L	oamy Mucky M	lineral (F1) (except	MLRA 1)		Very Shallow Dark Surface (TF12)			
Hydrogen Sulfide (A4)			oamy Gleyed N)			Other (Explain in Remarks)			
Depleted Below Dark S			Depleted Matrix								
Thick Dark Surface (A1	,		Redox Dark Sur	()	-			licators of hydrophytic vegetation and			
 Sandy Mucky Mineral (Sandy Gleyed Matrix (\$,		Depleted Dark S Redox Depressi		()			wetland hydrology must be present, unless disturbed or problematic.			
Restrictive Layer (if pres	,		Cedux Depressi				1				
Type:											
Depth (inches):							Lludria	Sail Bragant? Yas 🗆 No 🕅			
							нуцпс	Soil Present? Yes 🗌 No 🛛			
Remarks:				Remarks:							
HYDROLOGY											
Wetland Hydrology Indica											
Wetland Hydrology Indica Primary Indicators (minimu		uired; che						Secondary Indicators (2 or more required)			
Wetland Hydrology Indicators (minimu		uired; che	U Water-Stai	ned Leave		xcept MLR		Water-Stained Leaves (B9) (MLRA 1, 2,			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2)		uired; che	Water-Stai	ned Leave A, and 4B		xcept MLR		Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3)		uired; che	☐ Water-Stai 1, 2, 4 ☐ Salt Crust	ned Leave A, and 4B (B11))	xcept MLR	XA [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1)	m of one req	uired; che	□ Water-Stai 1, 2, 4 □ Salt Crust □ Aquatic Inv	ned Leave A, and 4B (B11) vertebrates) s (B13)	xcept MLR	XA [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2)	m of one req	uired; che	Water-Stail 1, 2, 44 Salt Crust Aquatic Inv Hydrogen \$	ned Leave A, and 4B (B11) vertebrates Sulfide Oc) s (B13) lor (C1)		A [[[[Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) 			
Wetland Hydrology Indicators (minimu Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	<u>m of one req</u>)	uired; che	 Water-Stail 1, 2, 44 Salt Crust I Aquatic Inv Hydrogen S Oxidized R 	ned Leave A, and 4B (B11) vertebrates Sulfide Oc thizospher) s (B13) lor (C1) res along	Living Root	A [[[[Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	<u>m of one req</u>)	uired; che	Water-Stail 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen S Oxidized R Presence c	ned Leave A, and 4B (B11) vertebrate: Sulfide Oc hizospher of Reduce) lor (C1) es along d Iron (C4	Living Root	2 A [[[ts (C3) [[Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)	<u>m of one req</u>)	uired; che	 Water-Stail 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen 3 Oxidized R Presence c Recent Iron 	ned Leave A, and 4B (B11) vertebrates Sulfide Oc hizospher of Reduce n Reductio) lor (C1) los along d Iron (C4 on in Tille	Living Root -) d Soils (C6)	2 A [[[ts (C3) []) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B	<u>m of one req</u>) 6)		 Water-Stail 1, 2, 44 Salt Crust Aquatic Inv Hydrogen S Oxidized R Presence c Recent Iron Stunted or 	ned Leave A, and 4B (B11) vertebrate: Sulfide Oc hizospher of Reduce n Reductio Stressed) lor (C1) res along d Iron (C4 on in Tille Plants (D	Living Root -) d Soils (C6)	2 A [[[ts (C3) []) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B Inundation Visible on A	<u>m of one req</u>) 6) erial Imagery	r (B7)	 Water-Stail 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen 3 Oxidized R Presence c Recent Iron 	ned Leave A, and 4B (B11) vertebrate: Sulfide Oc hizospher of Reduce n Reductio Stressed) lor (C1) res along d Iron (C4 on in Tille Plants (D	Living Root -) d Soils (C6)	2 A [[[ts (C3) []) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B Inundation Visible on A Sparsely Vegetated Communication	<u>m of one req</u>) 6) erial Imagery	r (B7)	 Water-Stail 1, 2, 44 Salt Crust Aquatic Inv Hydrogen S Oxidized R Presence c Recent Iron Stunted or 	ned Leave A, and 4B (B11) vertebrate: Sulfide Oc hizospher of Reduce n Reductio Stressed) lor (C1) res along d Iron (C4 on in Tille Plants (D	Living Root -) d Soils (C6)	2 A [[[ts (C3) []) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B Inundation Visible on A Sparsely Vegetated Corr	m of one req) 6) erial Imagery ncave Surfa	r (B7) ce (B8)	Water-Stai 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen S Oxidized R Presence c Recent Iron Stunted or Other (Exp	ned Leave (B11) vertebrate: Sulfide Oc chizospher of Reduce n Reductio Stressed lain in Re) lor (C1) es along d Iron (C ² on in Tille Plants (D marks)	Living Root -) d Soils (C6)	2 A [[[ts (C3) []) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B3) Drift Deposits (B3) Iron Deposits (B5) Surface Soil Cracks (B) Inundation Visible on A Sparsely Vegetated Co Field Observations: Surface Water Present?	<u>m of one req</u>) 6) erial Imagery ncave Surfac Yes □	r (B7) ce (B8) No ⊠	Water-Stail 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen 3 Oxidized R Presence c Recent Iron Stunted or Other (Exp Depth (inches	ned Leave A, and 4B (B11) vertebrate: Sulfide Oc hizospher of Reduce n Reductio Stressed lain in Re) lor (C1) res along d Iron (C4 on in Tille Plants (D marks)	Living Root -) d Soils (C6)	2 A [[[ts (C3) []) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 			
Wetland Hydrology Indicators (minimu Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B Inundation Visible on A Sparsely Vegetated Co Field Observations: Surface Water Present? Water Table Present?	m of one req) 6) erial Imagery ncave Surfac Yes Yes	y (B7) ce (B8) No ⊠ No ⊠	Water-Stail 1, 2, 44 Salt Crust of Aquatic Inv Hydrogen S Oxidized R Presence of Recent Iron Stunted or Other (Exp Depth (inches Depth (inches	A, and 4B (B11) vertebrate: Sulfide Oc chizospher of Reduce n Reductio Stressed lain in Re) lor (C1) res along d Iron (C4 on in Tille Plants (D marks)	Living Root) d Soils (C6) 1) (LRR A)	2 A [[[[ts (C3) [[]] [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7) 			
Wetland Hydrology Indicators Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B3) Drift Deposits (B3) Iron Deposits (B5) Surface Soil Cracks (B) Inundation Visible on A Sparsely Vegetated Co Field Observations: Surface Water Present?	<u>m of one req</u>) 6) erial Imagery ncave Surfac Yes □	r (B7) ce (B8) No ⊠	Water-Stail 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen 3 Oxidized R Presence c Recent Iron Stunted or Other (Exp Depth (inches	A, and 4B (B11) vertebrate: Sulfide Oc chizospher of Reduce n Reductio Stressed lain in Re) lor (C1) res along d Iron (C4 on in Tille Plants (D marks)	Living Root) d Soils (C6) 1) (LRR A)	2 A [[[[ts (C3) [[]] [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 			
Wetland Hydrology Indicators (minimu Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B Inundation Visible on A Sparsely Vegetated Co Field Observations: Surface Water Present? Water Table Present? Saturation Present?	m of one req) 6) erial Imagery ncave Surfac Yes	y (B7) ce (B8) No ⊠ No ⊠ No ⊠	 Water-Stail 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen 3 Oxidized R Presence 0 Recent Iron Stunted or Other (Exp Depth (inchess Depth (inchess Depth (inchess	A, and Leave (B11) vertebrate: Sulfide Oc hizospher of Reduce n Reductio Stressed lain in Re (a): (a): (b): (c): (c): (c): (c): (c): (c): (c): (c) lor (C1) res along d Iron (C4 on in Tille Plants (D marks)	Living Root) d Soils (C6) 1) (LRR A) Wetla	A [[[[[]]] []] []]] []]]]	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)			
Wetland Hydrology Indicators (minimu Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B Inundation Visible on A Sparsely Vegetated Co Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	m of one req) 6) erial Imagery ncave Surfac Yes	y (B7) ce (B8) No ⊠ No ⊠ No ⊠	 Water-Stail 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen 3 Oxidized R Presence 0 Recent Iron Stunted or Other (Exp Depth (inchess Depth (inchess Depth (inchess	A, and Leave (B11) vertebrate: Sulfide Oc hizospher of Reduce n Reductio Stressed lain in Re (a): (a): (b): (c): (c): (c): (c): (c): (c): (c): (c) lor (C1) res along d Iron (C4 on in Tille Plants (D marks)	Living Root) d Soils (C6) 1) (LRR A) Wetla	A [[[[[]]] []] []]] []]]]	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)			
Wetland Hydrology Indicators (minimu Primary Indicators (minimu Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Surface Soil Cracks (B Inundation Visible on A Sparsely Vegetated Co Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	m of one req) 6) erial Imagery ncave Surfac Yes Yes Yes Yes Stream gauge	r (B7) ce (B8) No ⊠ No ⊠ No ⊠	Water-Stail 1, 2, 44 Salt Crust (Aquatic Inv Hydrogen S Oxidized R Presence c Recent Iron Stunted or Other (Exp Depth (inches Depth (inches Depth (inches Depth (inches	A, and Leave (B11) vertebrate: Sulfide Oc hizospher of Reduce n Reductio Stressed lain in Re (a): (a): (b): (c): (c): (c): (c): (c): (c): (c): (c) lor (C1) res along d Iron (C4 on in Tille Plants (D marks)	Living Root) d Soils (C6) 1) (LRR A) Wetla	A [[[[[]]] []] []]] []]]]	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)			

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

roject/Site: Floyd King County City/C			King County	Samp	bling Date: <u>6/7/2018</u>	
Applicant/Owner: <u>Toll</u>			State: V	VA Samp	oling Point: <u>SP 3</u>	
Investigator(s): K. Kosters and A. Clark		S	ection, Township, Ra	nge: <u>S26, T25N, R6E</u>	, W.M.	
Landform (hillslope, terrace, etc.): Slop	е	Local relief	(concave, convex, no	ne): <u>Convex</u>	Slope (%): <u>1 - 3</u>	
Subregion (LRR): Northwest Forests &	Coasts (LRR A) L	at: <u>47.625059</u>	Long: <u>-12</u>	2.009542	Datum: <u>Unknown</u>	
Soil Map Unit Name: <u>Alderwood gravel</u>	ly sandy loams			NWI classification: <u>N</u>	one	
Are climatic / hydrologic conditions on t	he site typical for this tim	ne of year? Yes 🛛	No 🗌 (If no, explain	in Remarks.)		
Are Vegetation, Soil, or ⊢	lydrology signific	antly disturbed?	Are "Normal Circun	nstances" present?	Yes 🛛 No 🗌	
Are Vegetation, Soil, or ⊢	lydrology naturally	y problematic?	(If needed, explain a	any answers in Rema	arks.)	
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.						
Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes □ No ⊠ Yes □ No ⊠ Yes □ No ⊠		Sampled Area a Wetland?	Yes 🗌 No 🛛		

Remarks: Sample Plot 3 is located in the northwest area of the property, west of the residence.

VEGETATION – Use scientific names of plants.

	Absolute	Dominant		Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot size: <u>5 m</u>)		Species?		Number of Dominant Species	
1. <u>Fraxinus latifolia (Oregon Ash)</u>				That Are OBL, FACW, or FAC: 1 (A	A)
2		·		Total Number of Dominant	
3				Species Across All Strata: <u>5</u> (B	3)
4				Percent of Dominant Species	
	5	= Total C	over	That Are OBL, FACW, or FAC: 20 (A	VB)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)					,
1. Symphoricarpos albus (Common Snowberry)	25	<u>Y</u>	FACU	Prevalence Index worksheet:	
2. Rubus ursinus (California Dewberry)	20	Y	FACU	Total % Cover of:Multiply by:	
3. Corylus cornuta (Beaked Hazelnut)	15	N	FACU	OBL species <u>0</u> x 1 = <u>0</u>	
4. Acer circinatum (Vine Maple)	15	N	FAC	FACW species <u>5</u> x 2 = <u>10</u>	
5. Amelanchier alnifolia (Saskatoon Service-Berry)	10	N	FACU	FAC species <u>15</u> x 3 = <u>45</u>	
	85	= Total C	over	FACU species <u>125</u> x 4 = <u>500</u>	
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)				UPL species 0 x 5 = 0	
1. Geranium robertianum (Lesser Herbrobert)	40	Y	FACU	Column Totals: <u>140</u> (A) <u>555</u>	(B)
2. Polystichum munitum (Pineland Sword Fern)	15	Y	FACU		()
3				Prevalence Index = $B/A = 3.9$	
4				Hydrophytic Vegetation Indicators:	
5				□ 1 - Rapid Test for Hydrophytic Vegetation	
6				□ 2 - Dominance Test is >50%	
7				□ 3 - Prevalence Index is $\leq 3.0^1$	
8				4 - Morphological Adaptations ¹ (Provide suppor	rting
				data in Remarks or on a separate sheet)	0
9 10				5 - Wetland Non-Vascular Plants ¹	
				Problematic Hydrophytic Vegetation ¹ (Explain)	
11				¹ Indicators of hydric soil and wetland hydrology mu	ıst
Woody Vine Stratum (Plot size: 3 m)	<u>55</u>	= Total C	over	be present, unless disturbed or problematic.	
1					
2				Hydrophytic	
<u>ــــــــــــــــــــــــــــــــــــ</u>		= Total C	over	Vegetation Present? Yes □ No ⊠	
% Bare Ground in Herb Stratum <u>45</u>	0				
Remarks:				1	

SOIL

Sami	plina	Point:	SP 3	3

Profile Desc	cription: (Describe	to the de	oth needed to docu	ment the	indicator	or confirm	the abse	ence of indicators.)
Depth	Matrix		Rede	ox Feature	s			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0 - 6	10YR 3/2	100					Sandy Lo	bam
6 - 12+	10YR 3/4	100					Sandy Lo	oam
		·						
·		·						·
					·			
¹ Type: C=C	oncentration, D=Der	pletion, RM	Reduced Matrix, C	S=Covered	d or Coate	d Sand Gr	ains.	² Location: PL=Pore Lining, M=Matrix.
			I LRRs, unless othe					cators for Problematic Hydric Soils ³ :
Histosol	(A1)		Sandy Redox (S5)				2 cm Muck (A10)
Histic Ep	oipedon (A2)		Stripped Matrix	· /				Red Parent Material (TF2)
Black Hi	· · /		Loamy Mucky I			MLRA 1)		Very Shallow Dark Surface (TF12)
	n Sulfide (A4)		Loamy Gleyed)			Other (Explain in Remarks)
	l Below Dark Surfac ark Surface (A12)	e (A11)	Depleted Matrix				³ Ind	icators of hydrophytic vegetation and
	lucky Mineral (S1)		Depleted Dark	. ,	7)			vetland hydrology must be present,
•	leyed Matrix (S4)		Redox Depress		')			inless disturbed or problematic.
-	Layer (if present):			()				
Type:			_					
Depth (in	ches):		_				Hydric	Soil Present? Yes 🗌 No 🖂
Remarks:	,							
HYDROLO	GY							
	drology Indicators:	!						
			ed; check all that app	lv)			S	econdary Indicators (2 or more required)
Surface	· · · · ·	<u>ine require</u>	☐ Water-Sta		es (B9) (e	cent MI R		Water-Stained Leaves (B9) (MLRA 1, 2 ,
	ter Table (A2)			A, and 4B	. , .			4A, and 4B)
Saturatio	()		Salt Crust		,		Г	Drainage Patterns (B10)
	arks (B1)		Aquatic In	` '	s (B13)		Г	Dry-Season Water Table (C2)
	t Deposits (B2)		☐ Hydrogen				Г] Saturation Visible on Aerial Imagery (C9)
	oosits (B3)					_iving Root	ts (C3)	
	it or Crust (B4)		Presence		-	-	Ĺ	Shallow Aquitard (D3)
-	osits (B5)		Recent Irc	n Reductio	on in Tilleo	Soils (C6)) [FAC-Neutral Test (D5)
Surface	Soil Cracks (B6)		Stunted or	Stressed	Plants (D	1) (LRR A)	Ľ	Raised Ant Mounds (D6) (LRR A)
🗌 Inundatio	on Visible on Aerial I	magery (B	7) 🗌 Other (Exp	olain in Re	marks)		C] Frost-Heave Hummocks (D7)
Sparsely	Vegetated Concave	e Surface (B8)					
Field Obser	vations:							
Surface Wat	er Present? Y	′es 🗌 🛛 N	o 🖾 🛛 Depth (inche	s):				
Water Table	Present? Y	′es 🗌 🛛 N	o 🖾 🛛 Depth (inche	s):				
Saturation P		′es 🗌 🛛 N	o 🛛 🛛 Depth (inche	s):		Wetla	and Hydro	ology Present? Yes 🗌 No 🖂
	pillary fringe)		onitoring well as the	nhotes		nontiers)	if overlate	~
Describe Re	corded Data (stream	i gauge, m	onitoring well, aerial	priotos, pr	evious ins	pecuons),	ii avallable	÷.
Remarks: No hydrologic indicators were observed.								
Remarks: No	o nydrologic indicato	rs were ob	served.					

Project/Site: Floyd King County City/Co			County	Samp	ling Date: <u>6/7/2018</u>
Applicant/Owner: <u>Toll</u>			State: WA	Samp	ling Point: <u>SP 4</u>
Investigator(s): K. Kosters and A. Clark	Section	on, Township, Rang	e: <u>S26, T25N, R6E</u>	, W.M.	
Landform (hillslope, terrace, etc.): <u>Slope</u>		Local relief (cor	cave, convex, none	e): <u>Convex</u>	Slope (%): <u>1 - 3</u>
Subregion (LRR): Northwest Forests & Coa	<u>sts (LRR A)</u> Lat: <u>47</u>	.624285	Long: <u>-122.</u>	009073	Datum: <u>Unknown</u>
Soil Map Unit Name: <u>Alderwood gravelly sandy loams</u> NWI classification: <u>None</u>					one
Are climatic / hydrologic conditions on the s	ite typical for this time of y	vear?Yes 🛛 No	☐ (If no, explain ir	n Remarks.)	
Are Vegetation, Soil, or Hydro	logy significantly o	disturbed? A	re "Normal Circums	tances" present?	Yes 🛛 No 🗌
Are Vegetation, Soil, or Hydro	logy naturally prob	lematic? (If	needed, explain an	y answers in Rema	rks.)
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.					
5 1 5 0	Yes ⊠ No 🗌 Yes ⊠ No 🗌		npled Area /etland?	Yes 🗖 No 🕅	

Wetland Hydrology Present?	Yes 🗌 No 🖂	within a Wetland?	Yes 🗌 No 🛛
Remarks: Sample Plot 4 is located in	a shallow depression between Wetla	nds B and C.	

	Absolute	Dominant		Dominance Test worksheet:
<u>Tree Stratum</u> (Plot size: <u>5 m</u>) 1		Species?		Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A)
2				Total Number of Dominant
3				Species Across All Strata: <u>2</u> (B)
4				Percent of Dominant Species
Sapling/Shrub Stratum (Diataiza: 2 m)	0	= Total C	over	That Are OBL, FACW, or FAC: <u>100</u> (A/B)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)			540	Prevalence Index worksheet:
1. <u>Rubus spectabilis (Salmon Raspberry)</u>		<u>Y</u>		
2. Rubus armeniacus (Himalayan Blackberry)	40	<u>Y</u>	FAC	Total % Cover of: Multiply by:
3				OBL species x 1 =
4				FACW species x 2 =
5				FAC species x 3 =
		= Total C		FACU species x 4 =
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)				UPL species x 5 =
1				Column Totals: (A) (B)
2				
3				Prevalence Index = B/A =
4				Hydrophytic Vegetation Indicators:
5				□ 1 - Rapid Test for Hydrophytic Vegetation
6				☑ 2 - Dominance Test is >50%
7				□ 3 - Prevalence Index is $\leq 3.0^1$
8				4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
9				5 - Wetland Non-Vascular Plants ¹
10				Problematic Hydrophytic Vegetation ¹ (Explain)
11				¹ Indicators of hydric soil and wetland hydrology must
We asked the a Other terms (Dist size a Orac)	0	= Total C	over	be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: <u>3 m</u>)				
1				Hydrophytic
2				Vegetation
	0	= Total C	over	Present? Yes 🛛 No 🗌
% Bare Ground in Herb Stratum <u>100</u>				
Remarks:				

Sampling Point: SP 4

Profile Des	cription: (Descri	be to the d	epth ne	eded to docu	ment the	indicator	or confirm	n the ab	sence o	f indicato	rs.)	
Depth	Matrix				ox Feature							
(inches)	Color (moist)	%	Colo	or (moist)	%	Type ¹	Loc ²	Textu	re		Remarks	
<u>0 - 10</u>	10YR 2/2	95	<u>10Y</u>	R 3/4	5	С	M	Sandy	Loam			
<u>10 - 18+</u>	10YR 4/2	60	<u>10Y</u>	R 4/6	40	С	M	<u>Gr S L</u>	oam			
							<u> </u>					
¹ Type: C=C	oncentration, D=D	Depletion, R	M=Red	uced Matrix, C	S=Covere	d or Coat	ed Sand G				Pore Lining, M=Matrix	
Hydric Soil	Indicators: (App	licable to	all LRR	s, unless othe	rwise not	ed.)		In	dicators	for Prob	lematic Hydric Soils	3
Histosol	()			Sandy Redox (Muck (A10)	,	
	pipedon (A2)			Stripped Matrix	· · /					arent Mate	()	
Black Hi				Loamy Mucky N			t MLRA 1)		-		rk Surface (TF12)	
	en Sulfide (A4) d Below Dark Surf	ace (A11)		_oamy Gleyed Depleted Matri>)] Other	(Explain in	Remarks)	
	ark Surface (A12)			Redox Dark Su				3	ndicators	s of hvdrop	hytic vegetation and	
	lucky Mineral (S1)		Depleted Dark	. ,	7)					y must be present,	
Sandy C	Bleyed Matrix (S4)			Redox Depress	ions (F8)				unless	disturbed	or problematic.	
Restrictive	Layer (if present):										
Depth (in	iches):							Hydr	ic Soil P	resent?	Yes 🛛 No 🗌	
Remarks:												
HYDROLO	GY											
Wetland Hy	drology Indicato	rs:										
Primary Indi	<u>cators (minimum o</u>	of one requi	red; che	eck all that app	ly)				<u>Second</u>	ary Indicat	tors (2 or more requir	ed)
Surface	Water (A1)			U Water-Sta	ined Leave	es (B9) (e	xcept MLF	RA	🗌 Wat	er-Stained	l Leaves (B9) (MLRA	1, 2,
-	ater Table (A2)				A, and 4B)				4A, and 4I	,	
Saturatio	on (A3)			Salt Crust	(B11)				Drail	inage Patte	erns (B10)	
	larks (B1)			Aquatic In					-		/ater Table (C2)	
	nt Deposits (B2)			Hydrogen							ible on Aerial Imager	y (C9)
	posits (B3)					-	Living Roo	ots (C3)		•	Position (D2)	
-	at or Crust (B4)			Presence		``	,			Illow Aquita	()	
	oosits (B5)						d Soils (C6			C-Neutral T	. ,	
	Soil Cracks (B6)	llmagan	(77)	\equiv		`	1) (LRR A))			bunds (D6) (LRR A)	
	on Visible on Aeria			Other (Exp	plain in Re	marks)				st-Heave F	łummocks (D7)	
Field Obser	/ Vegetated Conca		; (DO)									
Surface Wat		Yes 🗌		Denth (incho	e).							
				Depth (inche								
Water Table				Depth (inche			14/04/	and Live	drologe	Brocont?		
Saturation P (includes ca	resent? pillary fringe)	Yes 🗋	No 🖂	Depth (inche	s)		vveti	anu Hy	urology	Present?	Yes 📋 No 🖂	
	ecorded Data (stre	am gauge,	monitor	ing well, aerial	photos, pr	evious in	spections),	if availa	ble:			
	o hydrologic indic:	toro woro	bearvo	d								

Project/Site: Floyd King County	City/0	County: King County	Sampli	ing Date: <u>6/7/2019</u>
Applicant/Owner: <u>Toll</u>		State: <u>N</u>	/A Sampli	ing Point: <u>SP 5</u>
Investigator(s): K. Kosters and A. Clark		Section, Township, Rar	ıge: <u>S26, T25N, R6E,</u>	W.M.
Landform (hillslope, terrace, etc.): <u>Slope</u>	Loc	al relief (concave, convex, nor	ne): <u>Convex</u>	Slope (%): <u>1 - 2</u>
Subregion (LRR): Northwest Forests & Coasts (LH	RR A) Lat: <u>47.62428</u>	5 Long: <u>-12</u>	2.009073	Datum: <u>Unknown</u>
Soil Map Unit Name: Alderwood gravelly sandy lo	ams	I	NWI classification: <u>No</u>	ne
Are climatic / hydrologic conditions on the site typ	ical for this time of year? Y	′es 🛛 🛛 No 🗌 (If no, explain	in Remarks.)	
Are Vegetation, Soil, or Hydrology _	significantly disturbe	d? Are "Normal Circum	nstances" present? Y	′es 🛛 No 🗌
Are Vegetation, Soil, or Hydrology _	naturally problematic	? (If needed, explain a	any answers in Remar	ks.)
SUMMARY OF FINDINGS – Attach si	te map showing san	pling point locations,	transects, impo	rtant features, etc.
Hydric Soil Present? Yes	】 No □] No ⊠] No ⊠	Is the Sampled Area within a Wetland?	Yes 🗌 No 🛛	

Remarks: Sample Plot 5 is located in an upland area between Wetlands B and C.

Tree Stratum (Plot size: 5 m) % Cover Species? Status Number of Dominant Species 1.		Absolute	Dominant		Dominance Test worksheet:
3.					1
4.					
8 = Total Cover Percent of Dominant Species (A/B) 1. Rubus armeniacus (Himalayan Blackberry) 45 Y FAC Prevalence Index worksheet: (A/B) 2. Rubus spectabilis (Salmon Raspberry) 45 Y FAC Total % Cover of: Multiply by: 3.					()
Notest and the second of t					
3.	1. Rubus armeniacus (Himalayan Blackberry)	45	Y	FAC	Prevalence Index worksheet:
4.	2. Rubus spectabilis (Salmon Raspberry)	45	Y	FAC	Total % Cover of: Multiply by:
4.	3				OBL species x 1 =
5. 90 = Total Cover FAC species x 3 =					FACW species x 2 =
90 = Total Cover FACU species x 4 =					FAC species x 3 =
Herb Stratum (Plot size: 1 m) UPL species x 5 = 1.					FACU species x 4 =
1.	<u>Herb Stratum</u> (Plot size: <u>1 m</u>)				
2.	1				
3. Prevalence Index = B/A = 4. Hydrophytic Vegetation Indicators: 5. I - Rapid Test for Hydrophytic Vegetation 6. I - Rapid Test is >50% 7. I - Rapid Test is >50% 8. I - Rapid Test is >50% 9. I - Rapid Test is >50% 10. I - Rapid Test is >50% 11. I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50% I - Rapid Test is >50%	2		·		
5.					Prevalence Index = B/A =
6. \square	4				Hydrophytic Vegetation Indicators:
6.	5				1 - Rapid Test for Hydrophytic Vegetation
7.					☑ 2 - Dominance Test is >50%
8.					☐ 3 - Prevalence Index is ≤3.0 ¹
10.	8		·		
11. 0 = Total Cover Problematic Hydrophytic Vegetation" (Explain) 11. 0 = Total Cover Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 11. 0 = Total Cover Hydrophytic Vegetation" (Explain) 1. 0 = Total Cover Hydrophytic Vegetation" (Explain) 0 = Total Cover Hydrophytic Vegetation" (Explain)					5 - Wetland Non-Vascular Plants ¹
Woody Vine Stratum (Plot size: 3 m) 0 = Total Cover Indicators of Hydre solitand weitand Hydrology Hust be present, unless disturbed or problematic. 1.					Problematic Hydrophytic Vegetation ¹ (Explain)
Woody Vine Stratum (Plot size: 3 m) 1.	11				
1.	Woody Vine Stratum (Plot size: 3 m)	0	= Total C	over	be present, unless disturbed or problematic.
2. Hydrophytic 0 = Total Cover Vegetation Present? Yes ⊠ No □	//				
<u>0 </u>					
					0
	% Bare Ground in Herb Stratum 100	<u> </u>	i otar o		
Remarks:	Remarks:				

Sam	plina	Point:	SP	5

	cription: (Describe	to the d	epth ne	eaea to aocun	lient the i		or comm	n the abse	ence of indicators.)				
Depth	Matrix			Redo	x Features	6							
(inches)	Color (moist)	%	Colo	r (moist)	%	Type ¹	Loc ²	Texture	Remarks				
0 - 6	10YR 2/2	100	<u> </u>		<u> </u>			Sandy Lo	am with rounded cobbles				
<u>6 - 18</u>	<u>10YR 3/1</u>	90	<u>10Y</u>	R 3/3	10	<u>C</u>	Μ	Sandy Lo	pam				
<u> 18 - 19+</u>	<u>10YR 3/6</u>	100						Sandy Lo	bam				
								-					
<u> </u>			<u> </u>			<u> </u>							
			·										
¹ Type: C=C	oncentration, D=De	pletion, R	M=Red	uced Matrix, CS	S=Covered	l or Coate	ed Sand Gr	rains.	² Location: PL=Pore Lining, M=Matrix.				
Hydric Soil	Indicators: (Appli	cable to a	all LRR	s, unless other	wise note	ed.)		Indi	cators for Problematic Hydric Soils ³ :				
Histosol	· · /			Sandy Redox (S					2 cm Muck (A10)				
	oipedon (A2)			Stripped Matrix (. ,				Red Parent Material (TF2)				
Black His				oamy Mucky M			MLRA 1)		Very Shallow Dark Surface (TF12)				
	n Sulfide (A4)			oamy Gleyed N					Other (Explain in Remarks)				
•	Below Dark Surfac	e (A11)		Depleted Matrix				31					
	ark Surface (A12) lucky Mineral (S1)			Redox Dark Sur Depleted Dark S	· · ·	7)			icators of hydrophytic vegetation and vetland hydrology must be present,				
•	ileyed Matrix (S4)			Redox Depressi		()			inless disturbed or problematic.				
	Layer (if present):												
	, , , , , , , , , , , , , , , , , , ,												
	ches):							Hydric	Soil Present? Yes 🗌 No 🖂				
Remarks:			_										
Romano.													
HYDROLO	CV.												
	-												
-	cators (minimum of		rod: cha	ock all that apply			Wetland Hydrology Indicators:						
Surface		one requi	reu, che	or all that appl	<u> </u>			9	econdary Indicators (2 or more required)				
	()						voont ML F		econdary Indicators (2 or more required)				
- 0	ter Table (A2)			Water-Stair			xcept MLF		Water-Stained Leaves (B9) (MLRA 1, 2,				
	n (A2)			1, 2, 4A	, and 4B)		xcept MLF		Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)				
	on (A3)			1, 2, 4A ☐ Salt Crust (A, and 4B) (B11)		xcept MLF	RA [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10)				
U Water M	arks (B1)			1, 2, 4A ☐ Salt Crust (☐ Aquatic Inv	A, and 4B) (B11) ertebrates	s (B13)	xcept MLF	RA [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) 				
☐ Water Mater Mat	arks (B1) at Deposits (B2)			1, 2, 4A Salt Crust (Aquatic Inv Hydrogen S	A, and 4B) (B11) ertebrates Sulfide Od	s (B13) or (C1)			 Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) 				
☐ Water Mail☐ Sediment☐ Drift Dep	arks (B1) ht Deposits (B2) posits (B3)			1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher	s (B13) or (C1) es along	Living Roo		 Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) 				
 Water Mail Sediment Drift Dep Algal Mail 	arks (B1) ht Deposits (B2) posits (B3) ht or Crust (B4)			1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced	s (B13) or (C1) es along d Iron (C4	Living Roo	RA [[[[ts (C3) [[Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) 				
 Water Ma Sediment Drift Dep Algal Ma Iron Dep 	arks (B1) ht Deposits (B2) posits (B3) ht or Crust (B4) posits (B5)			1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reductio	s (B13) or (C1) es along d Iron (C4 on in Tille	Living Roo I) d Soils (C6	RA [ts (C3) [ts (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) 				
Water M Sedimen Drift Dep Algal Ma Iron Dep	arks (B1) ht Deposits (B2) posits (B3) ht or Crust (B4) osits (B5) Soil Cracks (B6)	Imageny (R 7)	1, 2, 4A Salt Crust (Aquatic Inv Hydrogen S Oxidized R Presence o Recent Iror Stunted or	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced Reductic Stressed	s (B13) or (C1) es along d Iron (C ² on in Tille Plants (D	Living Roo I) d Soils (C6	RA [ts (C3) [ts (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 				
 Water Ma Sediment Drift Dep Algal Ma Iron Dep Surface 3 Inundation 	arks (B1) ht Deposits (B2) posits (B3) ht or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial			1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced Reductic Stressed	s (B13) or (C1) es along d Iron (C ² on in Tille Plants (D	Living Roo I) d Soils (C6	RA [ts (C3) [ts (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) 				
Water M Sedimen Drift Dep Algal Ma Iron Dep Surface S Inundatio Sparsely	arks (B1) ht Deposits (B2) posits (B3) ht or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial v Vegetated Concav			1, 2, 4A Salt Crust (Aquatic Inv Hydrogen S Oxidized R Presence o Recent Iror Stunted or	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced Reductic Stressed	s (B13) or (C1) es along d Iron (C ² on in Tille Plants (D	Living Roo I) d Soils (C6	RA [ts (C3) [ts (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 				
Water M Sedimen Drift Dep Algal Ma Iron Dep Surface S Inundatio Sparsely	arks (B1) at Deposits (B2) posits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial Vegetated Concav vations:	e Surface	(B8)	1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reductic Stressed I lain in Rer	s (B13) or (C1) es along d Iron (C4 on in Tille Plants (D narks)	Living Roo I) d Soils (C6	RA [ts (C3) [ts (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 				
Water M Sedimen Sedimen Drift Dep Algal Ma Iron Dep Surface S Inundatio Sparsely Field Obser Surface Wat	arks (B1) tt Deposits (B2) posits (B3) tt or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial v Vegetated Concav vations: er Present?	e Surface Yes □	(B8) No 🖂	1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reductio Stressed I lain in Rer	s (B13) or (C1) es along d Iron (C4 on in Tille Plants (D narks)	Living Roo I) d Soils (C6	RA [ts (C3) [ts (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) 				
Water M Sedimen Sedimen Algal Ma Iron Dep Surface 3 Inundatic Sparsely Field Obser Surface Water Table	arks (B1) tt Deposits (B2) posits (B3) tt or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial Vegetated Concav vations: er Present? Present?	e Surface Yes □ □ Yes □ □	(B8) No 🖂 No 🖾	1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reductic Stressed I lain in Rer):):	s (B13) or (C1) es along d Iron (C4 n in Tille Plants (D narks)	Living Roo I) d Soils (C6 1) (LRR A)	ra [ts (C3) [i) [i) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7) 				
Water M Sedimen Sedimen Drift Dep Algal Ma Iron Dep Surface S Inundatic Sparsely Field Obser Surface Wate Water Table Saturation P (includes cap	arks (B1) tt Deposits (B2) posits (B3) tt or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial vegetated Concav vations: er Present? Present? pillary fringe)	e Surface Yes □ ↓ Yes □ ↓ Yes □ ↓	(B8) No 🛛 No 🖾 No 🖾	1, 2, 4A Salt Crust (Aquatic Inv Hydrogen S Oxidized R Presence o Recent Iror Stunted or Other (Expl Depth (inches Depth (inches	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reduction Stressed I lain in Rer):):):	s (B13) or (C1) es along d Iron (C4 on in Tille Plants (D narks)	Living Roo I) d Soils (C6 1) (LRR A) Wetl	RA [tts (C3) [its (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)				
Water M Sedimen Sedimen Drift Dep Algal Ma Iron Dep Surface S Inundatic Sparsely Field Obser Surface Wate Water Table Saturation P (includes cap	arks (B1) th Deposits (B2) posits (B3) th or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial Vegetated Concav vations: er Present? Present? resent?	e Surface Yes □ ↓ Yes □ ↓ Yes □ ↓	(B8) No 🛛 No 🖾 No 🖾	1, 2, 4A Salt Crust (Aquatic Inv Hydrogen S Oxidized R Presence o Recent Iror Stunted or Other (Expl Depth (inches Depth (inches	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reduction Stressed I lain in Rer):):):	s (B13) or (C1) es along d Iron (C4 on in Tille Plants (D narks)	Living Roo I) d Soils (C6 1) (LRR A) Wetl	RA [tts (C3) [its (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)				
Water M Sedimen Sedimen Drift Dep Algal Ma Iron Dep Surface S Inundatic Sparsely Field Obser Surface Wate Water Table Saturation P (includes cap	arks (B1) tt Deposits (B2) posits (B3) tt or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial vegetated Concav vations: er Present? Present? pillary fringe)	e Surface Yes □ ↓ Yes □ ↓ Yes □ ↓	(B8) No 🛛 No 🖾 No 🖾	1, 2, 4A Salt Crust (Aquatic Inv Hydrogen S Oxidized R Presence o Recent Iror Stunted or Other (Expl Depth (inches Depth (inches	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reduction Stressed I lain in Rer):):):	s (B13) or (C1) es along d Iron (C4 on in Tille Plants (D narks)	Living Roo I) d Soils (C6 1) (LRR A) Wetl	RA [tts (C3) [its (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)				
Water M Sedimen Control Sedimen Control Sedimen Control Sedimen Control Surface Surface Saturation P (includes cap Describe Re	arks (B1) tt Deposits (B2) posits (B3) tt or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial vegetated Concav vations: er Present? Present? pillary fringe)	e Surface Yes 🗌 I Yes 🔲 I n gauge, i	(B8) No ⊠ No ⊠ No ⊠ monitor	1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reduction Stressed I lain in Rer):):):	s (B13) or (C1) es along d Iron (C4 on in Tille Plants (D narks)	Living Roo I) d Soils (C6 1) (LRR A) Wetl	RA [tts (C3) [its (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)				
Water M. Sedimen Drift Dep Algal Ma Iron Dep Surface S Inundatic Sparsely Field Obser Surface Water Table Saturation P (includes cap Describe Re	arks (B1) tt Deposits (B2) posits (B3) tt or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial Vegetated Concav vations: er Present? Present? pillary fringe) corded Data (strear	e Surface Yes 🗌 I Yes 🔲 I n gauge, i	(B8) No ⊠ No ⊠ No ⊠ monitor	1, 2, 4A	A, and 4B) (B11) ertebrates Sulfide Od hizospher of Reduced n Reduction Stressed I lain in Rer):):):	s (B13) or (C1) es along d Iron (C4 on in Tille Plants (D narks)	Living Roo I) d Soils (C6 1) (LRR A) Wetl	RA [tts (C3) [its (C3) [Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)				

Project/Site: Floyd King County		City/Co	ounty: King County	Sam	pling Date: <u>12/5/2018</u>	
Applicant/Owner: <u>Toll</u>		State:	WA Sam	pling Point: <u>SP 6</u>		
Investigator(s): <u>K. Kosters</u>			Section, Township, R	ange: <u>S26, T25N, R6</u>	E, W.M.	
Landform (hillslope, terrace, etc.): Slop	e	Local	relief (concave, convex, n	one): <u>Convex</u>	Slope (%): <u>1 - 3</u>	
Subregion (LRR): Northwest Forests &	Coasts (LRR A)	Lat: <u>47.624285</u>	Long: <u>-1</u>	22.009073	Datum: <u>Unknown</u>	
Soil Map Unit Name: Alderwood gravel	ly sandy loams			NWI classification: <u>N</u>	lone	
Are climatic / hydrologic conditions on	the site typical for this	s time of year? Yes	s 🖾 No 🗌 (If no, explai	n in Remarks.)		
Are Vegetation, Soil, or H	lydrology sigr	nificantly disturbed?	Are "Normal Circu	mstances" present?	Yes 🛛 No 🗌	
Are Vegetation, Soil, or H	lydrology natu	Irally problematic?	c? (If needed, explain any answers in Remarks.)			
SUMMARY OF FINDINGS - A	Attach site map	showing samp	oling point locations	, transects, imp	ortant features, etc.	
Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes ⊠ No □ Yes □ No ⊠ Yes □ No ⊠		s the Sampled Area within a Wetland?	Yes 🗌 No 🖂		

Remarks: Sample Plot 6 is located in a suspect area in between Wetlands B and C.

	Absolute	Dominant		Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot size: <u>5 m</u>) 1	<u>% Cover</u>	Species?		Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A	A)
2				Total Number of Dominant	
3				Species Across All Strata: <u>1</u> (B	3)
4				Percent of Dominant Species	
Sapling (Shruh Stratum (Dlat aiza: 2 m)	0	= Total C	over	That Are OBL, FACW, or FAC: 100 (A	VB)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)	00	V	540	Prevalence Index worksheet:	
1. <u>Rubus armeniacus (Himalayan Blackberry)</u>		<u>Y</u>			
2. <u>Alnus rubra (Red Alder)</u>				Total % Cover of: Multiply by:	
3	-			OBL species x 1 =	
4	-			FACW species x 2 =	
5				FAC species x 3 =	
		= Total C		FACU species x 4 =	
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)				UPL species x 5 =	
1				Column Totals: (A)	(B)
2					()
3				Prevalence Index = B/A =	
4				Hydrophytic Vegetation Indicators:	
5				□ 1 - Rapid Test for Hydrophytic Vegetation	
6				☑ 2 - Dominance Test is >50%	
7				☐ 3 - Prevalence Index is ≤3.0 ¹	
8				 4 - Morphological Adaptations¹ (Provide suppor data in Remarks or on a separate sheet) 	rting
9				5 - Wetland Non-Vascular Plants ¹	
10				Problematic Hydrophytic Vegetation ¹ (Explain)	
11				¹ Indicators of hydric soil and wetland hydrology mu	ist
Marchelling Oberture (Distributed on the	0	= Total C	over	be present, unless disturbed or problematic.	
Woody Vine Stratum (Plot size: <u>3 m</u>)					
1				Hydrophytic	
2				Vegetation	
	0	= Total C	over	Present? Yes 🛛 No 🗌	
% Bare Ground in Herb Stratum <u>100</u>					
Remarks:					

Sami	olina	Point:	SP	6

Profile Desc	ription: (Describe	to the dep	oth needed to docur	nent the i	indicator	or confirm	the abse	nce of indicators.)
Depth	Matrix		Redo	x Feature	s			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
<u>0 - 12</u>	<u>10YR 2/2</u>	100			·		Sandy Lo	
<u>12 - 14</u>	<u>10YR 4/2</u>	95	<u>10YR 4/4</u>	5	<u>C</u>	M	Sandy Lo	<u></u>
<u>12 - 20</u>	10YR 4/3	100					Sandy Lo	pam
		. <u> </u>						
		·						
								21. I. D. D. L
			=Reduced Matrix, CS LRRs, unless other			ed Sand Gr		² Location: PL=Pore Lining, M=Matrix. cators for Problematic Hydric Soils ³ :
					eu.)			2 cm Muck (A10)
	ipedon (A2)		Sandy Redox (S Stripped Matrix)					Red Parent Material (TF2)
Black His			Loamy Mucky M	. ,) (excep	t MLRA 1)		Very Shallow Dark Surface (TF12)
	n Sulfide (A4)		Loamy Gleyed N			,		Other (Explain in Remarks)
Depleted	Below Dark Surface	e (A11)	Depleted Matrix	(F3)				
	rk Surface (A12)		Redox Dark Sur	. ,				icators of hydrophytic vegetation and
•	ucky Mineral (S1)		Depleted Dark S	•	7)			vetland hydrology must be present,
	leyed Matrix (S4)		Redox Depressi	ons (F8)			ι 1	inless disturbed or problematic.
	Layer (if present):							
							1 harded a	
	ches):						Hydric	Soil Present? Yes 🗌 No 🛛
Remarks:								
HYDROLO	CV.							
	drology Indicators:							
-			d; check all that appl				S	econdary Indicators (2 or more required)
		ne require			oo (P0) (a	voont ML B		Water-Stained Leaves (B9) (MLRA 1, 2 ,
	ter Table (A2)		Water-Stair	, and 4B				4A, and 4B)
	()		, 2, 4≁	•)		Г	Drainage Patterns (B10)
Water M	. ,		Aquatic Inv	· · ·	e (B13)			Drainage Fatterns (BT0) Dry-Season Water Table (C2)
	t Deposits (B2)		Hydrogen S					Saturation Visible on Aerial Imagery (C9)
	osits (B3)		Oxidized R			Living Root	ts (C3)	
	t or Crust (B4)			•	-	-	ы (00) Ц Г	Shallow Aquitard (D3)
-	osits (B5)		Recent Iror		•	,) [FAC-Neutral Test (D5)
	Soil Cracks (B6)		Stunted or			· · ·	/ _	Raised Ant Mounds (D6) (LRR A)
	on Visible on Aerial I	magery (B				., (,		Frost-Heave Hummocks (D7)
	Vegetated Concave		, , , ,		,			,
Field Obser	vations:							
Surface Wat	er Present? Y	′es 🔲 N	o 🛛 🛛 Depth (inches	.):				
Water Table			o 🛛 Depth (inches					
Saturation P			o 🛛 Depth (inches	· ·		Wetla	and Hydro	ology Present? Yes 🗌 No 🛛
(includes ca	oillary fringe)			-			-	
Describe Re	corded Data (stream	i gauge, m	onitoring well, aerial p	photos, pr	evious in	spections),	if available	e:
Remarks: No	o hydrologic indicato	rs were ob	served.					

Project/Site: Floyd King County	City/County: King County	Samplir	ng Date: <u>6/7/2018</u>
Applicant/Owner: <u>Toll</u>	State	e: <u>WA</u> Samplir	ng Point: <u>SP A-1</u>
Investigator(s): K. Kosters and A. Clark	Section, Township,	Range: <u>S26, T25N, R6E, \</u>	N.M.
Landform (hillslope, terrace, etc.): <u>Slope</u>	Local relief (concave, convex,	none): <u>Concave</u>	Slope (%): <u>1</u>
Subregion (LRR): Northwest Forests & Coasts (LRR A) Lat: 47	.624411 Long:	-122.009503	Datum: Unknown
Soil Map Unit Name: Everett very gravelly sandy loam		NWI classification: Non	e
Are climatic / hydrologic conditions on the site typical for this time of y	ear? Yes 🛛 No 🗌 (If no, exp	ain in Remarks.)	
Are Vegetation, Soil, or Hydrology significantly d	listurbed? Are "Normal Cire	cumstances" present? Ye	es 🛛 No 🗌
Are Vegetation, Soil, or Hydrology naturally probl	lematic? (If needed, expla	in any answers in Remark	s.)
SUMMARY OF FINDINGS – Attach site map showing	g sampling point locatior	ıs, transects, impor	tant features, etc.
Hydrophytic Vegetation Present? Yes ⊠ No □ Hydric Soil Present? Yes □ No ⊠ Wetland Hydrology Present? Yes □ No ⊠	Is the Sampled Area within a Wetland?	Yes 🗌 No 🛛	

Remarks: Sample Plot A-1 within Wetland A, in a closed depression.

	Absolute	Dominant		Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot size: <u>5 m</u>)		Species?		Number of Dominant Species	
1. <u>Populus balsamifera (Balsam Poplar)</u>	20	Υ	FAC	That Are OBL, FACW, or FAC: 4	(A)
2. <u>Alnus rubra (Red Alder)</u>	20	Υ	FAC	Total Number of Dominant	
3				Species Across All Strata: <u>5</u>	(B)
4				Percent of Dominant Species	
	40	= Total C	over	That Are OBL, FACW, or FAC: <u>80</u>	(A/B)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)					
1. Rubus spectabilis (Salmon Raspberry)	50	Y	FAC	Prevalence Index worksheet:	
2				Total % Cover of: Multiply by:	_
3				OBL species x 1 =	_
4				FACW species x 2 =	_
5				FAC species x 3 =	_
		= Total C		FACU species x 4 =	-
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)	00	- Total O	0101	UPL species x 5 =	
1. Geranium robertianum (Lesser Herbrobert)	15	Y	FACU	Column Totals:	
2. Urtica dioica (Stinging Nettle)	10	Y	FAC		_ (2)
3				Prevalence Index = B/A =	
4				Hydrophytic Vegetation Indicators:	
5				□ 1 - Rapid Test for Hydrophytic Vegetation	
6				☑ 2 - Dominance Test is >50%	
7				□ 3 - Prevalence Index is $\leq 3.0^1$	
8				4 - Morphological Adaptations ¹ (Provide supp	orting
9				data in Remarks or on a separate sheet)	
10				5 - Wetland Non-Vascular Plants ¹	,
11				Problematic Hydrophytic Vegetation ¹ (Explain	,
		= Total C		¹ Indicators of hydric soil and wetland hydrology m be present, unless disturbed or problematic.	ıust
Woody Vine Stratum (Plot size: 3 m)				be present, unless disturbed or problematic.	
1		. <u> </u>			
2				Hydrophytic Vegetation	
		= Total C		Present? Yes 🛛 No 🗌	
% Bare Ground in Herb Stratum <u>75</u>	<u>.</u>				
Remarks:					

Sampling Point: SP A-1

Profile Desc	ription: (Describe	to the dep	oth needed to docur	nent the i	ndicator	or confirm	n the ab	sence	of indicators.)
Depth	Matrix		Redo	x Features	6				
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Textu	e	Remarks
0 - 16	10YR 2/2	100					<u>Gr S L</u>	oam	
				_					
		- <u> </u>							
		- <u> </u>							
			=Reduced Matrix, CS			ed Sand Gr			cation: PL=Pore Lining, M=Matrix.
		able to all	LRRs, unless othe		ed.)				ors for Problematic Hydric Soils ³ :
	· · ·		Sandy Redox (S	,					n Muck (A10)
Black His	ipedon (A2)		Stripped Matrix	· ,) (avaant		_	-	Parent Material (TF2)
_	n Sulfide (A4)		Loamy Mucky M			WILKA 1)		-	/ Shallow Dark Surface (TF12) er (Explain in Remarks)
	Below Dark Surfac	e (A11)	Depleted Matrix				L		
•	rk Surface (A12)	C (ATT)	Redox Dark Sui	. ,			3	ndicate	ors of hydrophytic vegetation and
	ucky Mineral (S1)		Depleted Dark S	()	7)				and hydrology must be present,
	leyed Matrix (S4)		Redox Depress	ions (F8)	,				s disturbed or problematic.
Restrictive I	ayer (if present):		-						
Туре:									
Depth (ind	ches):						Hydr	ic Soil	Present? Yes 🗌 No 🖂
Remarks: Se	weall Wetland Cons	sulting, Inc.	(2014) identified red	oximoprhi	c concent	rations in t	he soil r	natric	during their site investigation. We did not
observe redo	ximorphic cocnentra	ations durir	ng our site assessme	nts.					
HYDROLO	CV.								
-	lrology Indicators			`				0	
-		one require	d; check all that appl		(===) (ndary Indicators (2 or more required)
Surface \	()		Water-Stai			xcept MLR	RA	ΠW	/ater-Stained Leaves (B9) (MLRA 1, 2,
	ter Table (A2)			A, and 4B)				_	4A, and 4B)
Saturatio			Salt Crust						rainage Patterns (B10)
Water Ma			Aquatic Inv		. ,				ry-Season Water Table (C2)
	t Deposits (B2)		Hydrogen						aturation Visible on Aerial Imagery (C9)
Drift Dep					-	-	ts (C3)		eomorphic Position (D2)
-	t or Crust (B4)		Presence of						hallow Aquitard (D3)
Iron Dep			Recent Iro						AC-Neutral Test (D5)
	Soil Cracks (B6)		Stunted or			1) (LRR A)			aised Ant Mounds (D6) (LRR A)
	n Visible on Aerial I	•••	,	lain in Rer	narks)			L F	rost-Heave Hummocks (D7)
	Vegetated Concave	e Surface (I	B8)						
Field Obser		_	_						
Surface Wat	er Present?		Depth (inches	s):					
Water Table	Present?	res 🗌 🛛 No	Depth (inches	s):					
Saturation P		′es 🗌 🛛 No	Depth (inches	s):		Wetla	and Hy	drolog	y Present? Yes 🗌 No 🖂
(includes cap			onitoring well, aerial	nhotos pre	avious ins	nections)	if availa	hla	
Describe I/6	שממ (שוופמו)	i gauge, m	ormorning well, aerial	prioros, pre		pecuona),	n availa	JIC.	
Domestre, M.	water table was all			n monte-	a well in	tolloci	un +h		nont area batulaan Marah 4 ta Aruil 44
Remarks: No 2019.	water table was ob	iserved in a	snallow groundwate		ig well in	staned with	iin the a	ssessi	nent area between March 1 to April 11,

Project/Site: Floyd King County	City/County: King	g County	Sampling Date:6/7/2018
Applicant/Owner: <u>Toll</u>		State: WA	Sampling Point: SP A-2
Investigator(s): K. Kosters and A. Clark	Section	on, Township, Range: <u>S26, T2</u>	5N, R6E, W.M.
Landform (hillslope, terrace, etc.): <u>Slope</u>	Local relief (cor	icave, convex, none): <u>Convex</u>	Slope (%): <u>3 - 5</u>
Subregion (LRR): Northwest Forests & Coasts (LRR A)	Lat: <u>47.624411</u>	Long: <u>-122.009503</u>	Datum: Unknown
Soil Map Unit Name: <u>Everett very gravelly sandy loam</u>		NWI classific	ation: None
Are climatic / hydrologic conditions on the site typical for	this time of year? Yes 🛛 No	(If no, explain in Remarks.)
Are Vegetation, Soil, or Hydrology	significantly disturbed? A	re "Normal Circumstances" pre	esent? Yes 🛛 No 🗌
Are Vegetation, Soil, or Hydrology r	aturally problematic? (If	needed, explain any answers	in Remarks.)
SUMMARY OF FINDINGS – Attach site ma	p showing sampling po	int locations, transects	s, important features, etc.
Hydrophytic Vegetation Present? Yes ⊠ No Hydric Soil Present? Yes □ No Wetland Hydrology Present? Yes □ No	→ Is the San within a V	npled Area Vetland? Yes □	No 🖂

Remarks: Sample Plot is located near flag A-3, uphill east of Wetland A.

	Absolute	Dominant		Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot size: <u>5 m</u>)	% Cover	Species?	Status	Number of Dominant Species	
1. <u>Populus balsamifera (Balsam Poplar)</u>	40	Y	FAC	That Are OBL, FACW, or FAC: 2	(A)
2				Total Number of Dominant	
3					(B)
4					
		= Total C		Percent of Dominant Species That Are OBL, FACW, or FAC: <u>67</u>	(A/B)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)					(//////
1. Rubus spectabilis (Salmon Raspberry)	40	Y	FAC	Prevalence Index worksheet:	
2. <u>Rosa nutkana (Nootka Rose)</u>	10	Ν	FAC	Total % Cover of: Multiply by:	
3. <u>Sambucus racemosa (Red Elder)</u>	5	Ν	FACU	OBL species x 1 =	_
4				FACW species x 2 =	_
5				FAC species x 3 =	_
		= Total C		FACU species x 4 =	
Herb Stratum (Plot size: <u>1 m</u>)				UPL species x 5 =	
1. Geranium robertianum (Lesser Herbrobert)	30	Y	FACU	Column Totals: (A)	
2					_ ()
3				Prevalence Index = B/A =	
4				Hydrophytic Vegetation Indicators:	
5				□ 1 - Rapid Test for Hydrophytic Vegetation	
6				☑ 2 - Dominance Test is >50%	
7				☐ 3 - Prevalence Index is ≤3.0 ¹	
8				4 - Morphological Adaptations ¹ (Provide supp	orting
9				data in Remarks or on a separate sheet)	
10				5 - Wetland Non-Vascular Plants ¹	
11				Problematic Hydrophytic Vegetation ¹ (Explain	ר)
····		= Total C	over	¹ Indicators of hydric soil and wetland hydrology n	nust
Woody Vine Stratum (Plot size: <u>3 m</u>)	<u> </u>	- 10(a) 0	000	be present, unless disturbed or problematic.	
1					
2				Hydrophytic Vegetation	
		= Total C		Present? Yes 🛛 No 🗆	
% Bare Ground in Herb Stratum <u>70</u>	<u> </u>	1000			
Remarks:					

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)									
Depth	Matrix		Redo	x Features					
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks	
0 - 16	10YR 2/1	100					<u>Gr S Loam</u>		
16+								Refusal due to very large rock	
10		. <u> </u>							
						<u> </u>			
		- <u> </u>							
			. <u></u>						
			/I=Reduced Matrix, C			d Sand G		cation: PL=Pore Lining, M=Matrix.	
Hydric Soil	Indicators: (Applic	able to a	II LRRs, unless othe	rwise note	ed.)		Indicate	ors for Problematic Hydric Soils ³ :	
Histosol			Sandy Redox (n Muck (A10)	
	oipedon (A2)		Stripped Matrix	. ,				Parent Material (TF2)	
Black Hi			Loamy Mucky N		(except	MLRA 1)		y Shallow Dark Surface (TF12)	
	n Sulfide (A4)		Loamy Gleyed				Othe	er (Explain in Remarks)	
	Below Dark Surfac	e (A11)	Depleted Matrix	· /			2		
	ark Surface (A12)		Redox Dark Su	· · /	• \			ors of hydrophytic vegetation and	
	lucky Mineral (S1)		Depleted Dark)			and hydrology must be present,	
-	Bleyed Matrix (S4)		Redox Depress	IONS (FO)			unie	ss disturbed or problematic.	
	Layer (il present).								
Туре:			-						
	ches):		_				Hydric Soi	l Present? Yes 🗌 No 🛛	
Remarks:									
HYDROLO	GY								
Wetland Hy	drology Indicators:								
Primary India	cators (minimum of o	one require	ed; check all that app	ly)			Seco	ndary Indicators (2 or more required)	
Surface		-	☐ Water-Sta		s (B9) (e z	cept MLF		/ater-Stained Leaves (B9) (MLRA 1, 2,	
	iter Table (A2)			A, and 4B)				4A, and 4B)	
Saturatio	()		Salt Crust					prainage Patterns (B10)	
	arks (B1)			. ,	(B13)			Pry-Season Water Table (C2)	
			Aquatic Invertebrates (B13) Dry-Season Water Table (C2						

Wetland Hydrology Indicators:					
Primary Indicators (minimum of one requ	uired; che		Secondary Indicators (2 or more required)		
Surface Water (A1)		U Water-Stained Leaves (B9) (except	ot MLRA	Water-Stained Leaves (B9) (MLRA 1, 2,	
High Water Table (A2)		1, 2, 4A, and 4B)		4A, and 4B)	
Saturation (A3)		Salt Crust (B11)		Drainage Patterns (B10)	
Water Marks (B1)		Aquatic Invertebrates (B13)		Dry-Season Water Table (C2)	
Sediment Deposits (B2)		Hydrogen Sulfide Odor (C1)		Saturation Visible on Aerial Imagery (C9)	
Drift Deposits (B3)		Oxidized Rhizospheres along Livin	ig Roots (C3)	Geomorphic Position (D2)	
Algal Mat or Crust (B4)		Presence of Reduced Iron (C4)		☐ Shallow Aquitard (D3)	
Iron Deposits (B5)		ils (C6)	FAC-Neutral Test (D5)		
Surface Soil Cracks (B6)		.RR A)	Raised Ant Mounds (D6) (LRR A)		
Inundation Visible on Aerial Imagery	(B7)	Other (Explain in Remarks)	Frost-Heave Hummocks (D7)		
Sparsely Vegetated Concave Surface	e (B8)				
Field Observations:					
Surface Water Present? Yes	No 🛛	Depth (inches):			
Water Table Present? Yes	No 🖂	Depth (inches):			
Saturation Present? Yes (includes capillary fringe)	No 🖂	Depth (inches):	Wetland Hy	drology Present? Yes 🗌 No 🛛	
Describe Recorded Data (stream gauge	, monitor	ing well, aerial photos, previous inspec	tions), if availa	able:	
Remarks: No hydrologic indicators were	observe	d.			

Project/Site: Floyd King County	City/County: King County	Sampling Date: <u>6/7/2018</u>					
Applicant/Owner: <u>Toll</u>	State: WA	Sampling Point: <u>SP B-1</u>					
Investigator(s): K. Kosters and A. Clark	Section, Township, Range: <u>S2</u>	6, T25N, R6E, W.M.					
Landform (hillslope, terrace, etc.): Depression	_Local relief (concave, convex, none): <u>Co</u>	<u>nvex</u> Slope (%): <u>1 - 3</u>					
Subregion (LRR): Northwest Forests & Coasts (LRR A) Lat: 47.6	24441 Long: <u>-122.0092</u>	13 Datum: <u>Unknown</u>					
Soil Map Unit Name: <u>Alderwood very gravelly sandy loam</u>	NWI cla	NWI classification: None					
Are climatic / hydrologic conditions on the site typical for this time of year	ar? Yes 🛛 No 🗌 (If no, explain in Rem	narks.)					
Are Vegetation, Soil, or Hydrology significantly dis	turbed? Are "Normal Circumstance	es" present? Yes 🛛 No 🗌					
Are Vegetation, Soil, or Hydrology naturally problem	matic? (If needed, explain any ans	wers in Remarks.)					
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.							
Hydrophytic Vegetation Present? Yes 🛛 No 🗌	Is the Sampled Area						

Hydric Soil Present?	Yes 🖾 No 🗌	within a Wetland?	Yes 🖂 No 🗌
Wetland Hydrology Present?	Yes 🛛 No 🗌		
Remarks: Sample Plot B-1 in the north	end of Wetland B.		

	Absolute	Dominant		Dominance Test worksheet:
<u>Tree Stratum</u> (Plot size: <u>5 m</u>)		Species?		Number of Dominant Species
1. <u>Populus balsamifera (Balsam Poplar)</u>	<u>30</u>	<u>Y</u>	FAC	That Are OBL, FACW, or FAC: <u>3</u> (A)
2. <u>Alnus rubra (Red Alder)</u>	<u>20</u>	<u>Y</u>	FAC	Total Number of Dominant
3				Species Across All Strata: <u>4</u> (B)
4				Percent of Dominant Species
	50	= Total C	over	That Are OBL, FACW, or FAC: <u>75</u> (A/B)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)				
1. Rubus spectabilis (Salmon Raspberry)	60	<u>Y</u>	FAC	Prevalence Index worksheet:
2. Thuja plicata (Western Arborvitae)	10	N	FAC	Total % Cover of:Multiply by:
3				OBL species x 1 =
4				FACW species x 2 =
5				FAC species x 3 =
		= Total C		FACU species x 4 =
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)				UPL species x 5 =
1. Geranium robertianum (Lesser Herbrobert)	<u>15</u>	Y	FACU	Column Totals: (A) (B)
2				
3				Prevalence Index = B/A =
4				Hydrophytic Vegetation Indicators:
5				□ 1 - Rapid Test for Hydrophytic Vegetation
6				☑ 2 - Dominance Test is >50%
7				☐ 3 - Prevalence Index is ≤3.0 ¹
8				4 - Morphological Adaptations ¹ (Provide supporting
9				data in Remarks or on a separate sheet)
10				5 - Wetland Non-Vascular Plants ¹
11				Problematic Hydrophytic Vegetation ¹ (Explain)
····	15			¹ Indicators of hydric soil and wetland hydrology must
Woody Vine Stratum (Plot size: <u>3 m</u>)				be present, unless disturbed or problematic.
1				
2				Hydrophytic Vegetation
		= Total C		Present? Yes 🛛 No 🗌
% Bare Ground in Herb Stratum 85				
Remarks:				•

Sam	olina	Point:	SP	B-1

Profile Desc	ription: (Describ	be to the o	depth n	eeded to docu	ment the i	ndicator	or confirm	n the ab	sence			-0int. <u>3P D-1</u>
Depth	Matrix				ox Features	s1		— .			_	
(inches)	Color (moist)	%	Cold	or (moist)	%	Type ¹	Loc ²	Textu	re		Remarks	
0 - 6	<u>10YR 2/2</u>	100						<u>Gr S L</u>	oam			
<u>6 - 18+</u>	<u>10YR 4/1</u>	95	<u>10Y</u>	R 3/4	5	С	Μ	<u>Gr S L</u>	oam			
						·	<u> </u>					
						·						
¹ Type: C=C	oncentration, D=D	epletion, I	RM=Rec	luced Matrix, C	S=Covered	d or Coat	ed Sand Gr	rains.	² Loc	ation: PL=F	Pore Lining	, M=Matrix.
	Indicators: (Appl										0	dric Soils ³ :
Histosol	(A1)			Sandy Redox (S5)			Ľ] 2 cm	Muck (A10)	
-	ipedon (A2)			Stripped Matrix	. ,			_	_	Parent Mate	()	
Black His	. ,			Loamy Mucky N			t MLRA 1)	_		Shallow Da		· · ·
	n Sulfide (A4)			Loamy Gleyed)		L] Othe	r (Explain in	Remarks)	
	Below Dark Surfa rk Surface (A12)	ace (ATT)		Depleted Matrix Redox Dark Su	. ,			31	ndicato	rs of hydrop	hytic veget	ation and
	ucky Mineral (S1)			Depleted Dark	, ,	7)		'		nd hydrolog		
-	leyed Matrix (S4)			Redox Depress		- /				s disturbed		
Restrictive	Layer (if present)	:		-								
Туре:												
Depth (in	ches):							Hydr	ic Soil	Present?	Yes 🖂	No 🗌
Remarks:												
HYDROLO	GY											
Wetland Hv	drology Indicator	's:										
•	cators (minimum o		ired: ch	eck all that app	lv)				Secon	darv Indica	tors (2 or m	ore required)
Surface		•	1	☐ Water-Sta		es (B9) (e	xcept MLR	RA				39) (MLRA 1, 2 ,
	ter Table (A2)				A, and 4B	. , .				4A, and 4		
Saturatio	. ,			Salt Crust	•	, ,			Dr.	ainage Patt		
🛛 Water M	. ,			Aquatic In		s (B13)				y-Season W		
Sedimen	t Deposits (B2)			Hydrogen						-		ial Imagery (C9)
🗌 Drift Dep	osits (B3)			Oxidized F	Rhizospher	es along	Living Roo	ts (C3)	🗌 Ge	eomorphic F	Position (D2	2)
🗌 Algal Ma	t or Crust (B4)			Presence	of Reduce	d Iron (C	4)		🗌 Sh	allow Aquit	ard (D3)	
Iron Dep	osits (B5)			Recent Iro	n Reductio	on in Tille	d Soils (C6)	🗆 FA	C-Neutral 1	Test (D5)	
Surface	Soil Cracks (B6)			Stunted or	Stressed	Plants (D	1) (LRR A))	🗌 Ra	ised Ant Mo	ounds (D6)	(LRR A)
	on Visible on Aeria			Other (Exp	olain in Rei	marks)			🗌 Fro	ost-Heave H	lummocks	(D7)
Sparsely	Vegetated Conca	ive Surfac	e (B8)									
Field Obser	vations:											
Surface Wat	er Present?	Yes 🗌	No 🛛	Depth (inche	s):							
Water Table	Present?	Yes 🗌	No 🛛	Depth (inche	s):							
Saturation P		Yes 🗌	No 🖂	Depth (inche	s):		Wetla	and Hy	drology	Present?	Yes 🛛	No 🗌
(includes cap Describe Re	oillary fringe) corded Data (strea	am daude	monitor	ing well serial	photos pr	evinue in	spections)	if availa	ble [.]			
Describerte		an gauge	monitor	ing won, aonai	priotos, pr	CV1000 III	opeodorio),					
Remarks:												
NCIIIdIKS.												

Project/Site: Floyd King County	City/C	ounty: King County	Sampling Date: <u>6/7/2018</u>
Applicant/Owner: <u>Toll</u>		State: WA	Sampling Point: <u>SP B-2</u>
Investigator(s): K. Kosters and A. Clark		Section, Township, Range: <u>S2</u>	6, T25N, R6E, W.M.
Landform (hillslope, terrace, etc.): Depression	Loca	l relief (concave, convex, none): <u>Cor</u>	Nvex Slope (%): <u>1 - 3</u>
Subregion (LRR): Northwest Forests & Coasts	<u>(LRR A)</u> Lat: <u>47.624441</u>	Long: <u>-122.00921</u>	3 Datum: Unknown
Soil Map Unit Name: Alderwood very gravelly	sandy loam	NWI cla	ssification: <u>None</u>
Are climatic / hydrologic conditions on the site	typical for this time of year? Ye	es 🛛 🛛 No 🗌 (If no, explain in Rem	arks.)
Are Vegetation, Soil, or Hydrolog	gy significantly disturbed	Are "Normal Circumstance	s" present? Yes 🖂 No 🗌
Are Vegetation, Soil, or Hydrolog	gy naturally problematic?	(If needed, explain any ans	wers in Remarks.)
SUMMARY OF FINDINGS – Attach	site map showing sam	pling point locations, trans	ects, important features, etc.
Hydric Soil Present? Ye	s 🗖 No 🕅	Is the Sampled Area within a Wetland? Yes	🗆 No 🛛

Remarks: Sample Plot B-2 is located just east of Wetland B.

	Absolute	Dominant		Dominance Test worksheet:
<u>Tree Stratum</u> (Plot size: <u>5 m</u>)		Species?	Status	Number of Dominant Species
1. <u>Pseudotsuga menziesii (Douglas-fir)</u>	<u>30</u>	<u>Y</u>	FACU	That Are OBL, FACW, or FAC: <u>1</u> (A)
2. <u>Thuja plicata (Western Arborvitae)</u>	20	Υ	FAC	Total Number of Dominant
3				Species Across All Strata: <u>6</u> (B)
4				Percent of Dominant Species
	50	= Total C	over	That Are OBL, FACW, or FAC: <u>17</u> (A/B)
Sapling/Shrub Stratum (Plot size: <u>3 m</u>)				、 ,
1. Symphoricarpos albus (Common Snowberry)	30	Υ	FACU	Prevalence Index worksheet:
2. <u>Gaultheria shallon (Salal)</u>	30	Y	FACU	Total % Cover of:Multiply by:
3. Rubus armeniacus (Himalayan Blackberry)	10	<u>N</u>	FAC	OBL species 0 x 1 = 0
4. Rubus laciniatus (Cut-Leaf Blackberry)	5	N	FACU	FACW species <u>0</u> x 2 = <u>0</u>
5. Mahonia nervosa (Cascade Oregon-Grape)	5	N	FACU	FAC species <u>30</u> x 3 = <u>90</u>
	80	= Total C	over	FACU species <u>115</u> x 4 = <u>460</u>
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)				UPL species <u>0</u> x 5 = <u>0</u>
1. Pteridium aquilinum (Northern Brackenfern)	10	Y	FACU	Column Totals: <u>145</u> (A) <u>550</u> (B)
2. Polystichum munitum (Pineland Sword Fern)	5	Y	FACU	
3				Prevalence Index = $B/A = 3.8$
4				Hydrophytic Vegetation Indicators:
5				1 - Rapid Test for Hydrophytic Vegetation
6				□ 2 - Dominance Test is >50%
7				☐ 3 - Prevalence Index is ≤3.0 ¹
8				4 - Morphological Adaptations ¹ (Provide supporting
				data in Remarks or on a separate sheet)
9				5 - Wetland Non-Vascular Plants ¹
10				Problematic Hydrophytic Vegetation ¹ (Explain)
11				¹ Indicators of hydric soil and wetland hydrology must
Woody Vine Stratum (Plot size: 3 m)	15	= Total C	over	be present, unless disturbed or problematic.
1				Hydrophytic
2				Vegetation Present? Yes □ No ⊠
% Bare Ground in Herb Stratum 85	0	= Total C	over	
Remarks:				1

Sampling	Point.	SP	B-2
Sampling	F UII IL.	<u>J</u>	D-2

Profile Descript	ion: (Describ	e to the	depth ne	eded to docur	nent the i	ndicator	or confirn	n the ab	sence	of indicators.)	
Depth	Matrix				x Features						
(inches) Col	lor (moist)	%	Colo	or (moist)	%	Type ¹	Loc ²	Textur	e	Remarks	
<u>0 - 10 10</u>	YR 2/2	100						Sandy	Loam		
<u>10 - 18+ 101</u>	YR 4/6	100						<u>Sandy</u>	Loam		
¹ Type: C=Conce							ed Sand Gr			ation: PL=Pore Lining, M=Mati	
Hydric Soil India		icable to				ed.)				rs for Problematic Hydric Soi	ls³:
Histosol (A1)				Sandy Redox (S						Muck (A10)	
Histic Epiped				Stripped Matrix Loamy Mucky N	· · ·) (avaant				Parent Material (TF2) Shallow Dark Surface (TF12)	
Hydrogen Su	. ,			Loamy Gleyed I			WILKA I)		-	r (Explain in Remarks)	
	low Dark Surfa	ce (A11)		Depleted Matrix							
Thick Dark S				Redox Dark Su	face (F6)			³ Ir	ndicato	rs of hydrophytic vegetation and	d
Sandy Mucky	,			Depleted Dark S		7)				nd hydrology must be present,	
Sandy Gleye				Redox Depress	ions (F8)			-	unles	s disturbed or problematic.	
Restrictive Laye											
	,										
	s):							Hydri	c Soll	Present? Yes 🗌 No 🖂	
Remarks:											
HYDROLOGY											
Wetland Hydrol											
Primary Indicator			uirod: ch	ock all that appl	V)				Socon	idary Indicators (2 or more requ	uirod)
-		one req	uneu, chi			(P0) (a)	voont ML E	2 4		• • • •	
Surface Wate High Water T	()			Water-Stai	A, and 4B		ксері міг	ΧA		ater-Stained Leaves (B9) (MLR 4A, and 4B)	A 1, 2,
Saturation (A	. ,			Salt Crust						ainage Patterns (B10)	
Water Marks						(B13)				y-Season Water Table (C2)	
Sediment De	. ,			Hydrogen						turation Visible on Aerial Image	erv (C9)
Drift Deposite				Oxidized R			Living Roo	ots (C3)		eomorphic Position (D2)	J (/
Algal Mat or 0	. ,			Presence of		-	-	()		allow Aquitard (D3)	
Iron Deposits	s (B5)			Recent Iro	n Reductio	n in Tille	d Soils (C6	5)	🗆 FA	C-Neutral Test (D5)	
Surface Soil	Cracks (B6)			Stunted or	Stressed	Plants (D	1) (LRR A))	🗌 Ra	aised Ant Mounds (D6) (LRR A))
Inundation Vi	isible on Aeria	Imagery	' (B7)	Other (Exp	lain in Rei	narks)			🗌 Fro	ost-Heave Hummocks (D7)	
Sparsely Veg	getated Conca	ve Surfac	ce (B8)								
Field Observation	ons:										
Surface Water P	resent?	Yes 🗌	No 🖂	Depth (inches	s):						
Water Table Pres	sent?	Yes 🗌	No 🖂	Depth (inches	s):						
Saturation Prese (includes capillar		Yes 🗌	No 🛛	Depth (inches	s):		Wetl	and Hyd	Irology	/ Present? Yes 🗌 No 🛛	
Describe Record		m gauge	, monitor	ing well, aerial	photos, pr	evious ins	pections),	if availa	ble:		
Remarks: No ind	licators of hydr	ology we	re obser	ved.							

Project/Site: Floyd King County		City/Count	ty: King County	Sam	pling Date: <u>6/7/2018</u>
Applicant/Owner: <u>Toll</u>			State: V	VA Sam	pling Point: <u>SP C-1</u>
Investigator(s): K. Kosters and A. Clark			Section, Township, Ra	nge: <u>S26, T25N, R6</u> l	E, W.M.
Landform (hillslope, terrace, etc.): Depres	ssion	Local reli	ef (concave, convex, no	ne): <u>Convex</u>	Slope (%): <u>1 - 3</u>
Subregion (LRR): Northwest Forests & C	oasts (LRR A)	Lat: <u>47.624041</u>	Long: <u>-12</u>	2.008743	Datum: <u>Unknown</u>
Soil Map Unit Name: <u>Alderwood very gra</u>	velly sandy loam			NWI classification: <u>N</u>	lone
Are climatic / hydrologic conditions on the	e site typical for this ti	me of year? Yes 🛛	🛾 No 🗌 (If no, explair	in Remarks.)	
Are Vegetation, Soil, or Hyd	drology signifi	cantly disturbed?	Are "Normal Circur	nstances" present?	Yes 🛛 No 🗌
Are Vegetation, Soil, or Hyd	drology natural	lly problematic?	(If needed, explain a	any answers in Rem	arks.)
SUMMARY OF FINDINGS - At	tach site map sh	lowing samplir	ng point locations,	transects, imp	ortant features, etc.
Hydrophytic Vegetation Present? Hydric Soil Present? Wetland Hydrology Present?	Yes ⊠ No □ Yes ⊠ No □ Yes ⊠ No □		he Sampled Area hin a Wetland?	Yes 🛛 No 🗌	

Remarks: Sample Plot C-1 is located within the east edge of Wetland C.

	Absolute	Dominant		Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot size: <u>5 m</u>) 1		Species?		Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A	۹)
2 3				Total Number of Dominant Species Across All Strata: 2 (B))
4 Sapling/Shrub Stratum (Plot size: <u>3 m</u>)				Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100</u> (A/	/B)
1. Cornus alba (Red Osier)	80	Y	FACW	Prevalence Index worksheet:	
2				Total % Cover of:Multiply by:	
3				OBL species x 1 =	
4				FACW species x 2 =	
5				FAC species x 3 =	
	80			FACU species x 4 =	
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)				UPL species x 5 =	
1. Ranunculus repens (Creeping Buttercup)	20	Y	FAC	Column Totals: (A) ((B)
2. Rumex crispus (Curly Dock)	5	N	FAC		
3. Geranium robertianum (Lesser Herbrobert)	5	N	FACU	Prevalence Index = B/A =	
4. Galium aparine (Sticky-Willy)	5	N	FACU	Hydrophytic Vegetation Indicators:	
5				1 - Rapid Test for Hydrophytic Vegetation	
6				☑ 2 - Dominance Test is >50%	
7				□ 3 - Prevalence Index is $\leq 3.0^{1}$	
8				 4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet) 	ting
9				5 - Wetland Non-Vascular Plants ¹	
10				Problematic Hydrophytic Vegetation ¹ (Explain)	
11				¹ Indicators of hydric soil and wetland hydrology mus	st
Woody Vine Stratum (Plot size: 3 m)	35	= Total C	over	be present, unless disturbed or problematic.	
<u> </u>					
2.				Hydrophytic Vegetation	
		= Total C	over	Present? Yes 🛛 No 🗌	
% Bare Ground in Herb Stratum <u>65</u>					
Remarks:					

Profile Des	cription: (Describe	to the de	pth needed to docu	ment the	indicato	r or confirr	n the absence	of indicators.)	
Depth	Matrix			ox Feature					
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks	
0 - 8	<u>10YR 3/1</u>	95	<u>10YR 4/3</u>	5	С	Μ	Sandy Loam		
<u>8 - 10+</u>	<u>10YR 3/4</u>	100		_	_		<u>Gr S Loam</u>	Refusal at 10 inches.	
		- <u> </u>							
		·				<u> </u>			
				_					
1Turney C=C	anaantration D-Dar	lation DA			d or Cool	ad Sand C			
			/I=Reduced Matrix, C II LRRs, unless othe			ed Sand G		cation: PL=Pore Lining, M=Matrix.	
-								n Muck (A10)	
☐ Histosol (A1) ☐ Sandy Redox (S5) ☐ Histic Epipedon (A2) ☐ Stripped Matrix (S6)								Parent Material (TF2)	
□ Black Histic (A3) □ Loamy Mucky Mineral (F1) (except MLRA 1)								/ Shallow Dark Surface (TF12)	
☐ Hydrogen Sulfide (A4) ☐ Loamy Gleyed Matrix (F2)							er (Explain in Remarks)		
Depleted Below Dark Surface (A11) Depleted Matrix (F3)						(
	ark Surface (A12)	· · ·	Redox Dark Su	. ,)		³ Indicators of hydrophytic vegetation and		
🔲 Sandy M	lucky Mineral (S1)		Depleted Dark	Surface (I	=7)		wetland hydrology must be present,		
	Bleyed Matrix (S4)		Redox Depress	•	,			ss disturbed or problematic.	
Restrictive	Layer (if present):								
Туре:			_						
Depth (in	ches):		_				Hydric Soil	Present? Yes 🛛 No 🗌	
Remarks:									
	2)/								
HYDROLO									
Wetland Hy	drology Indicators:								
Primary Indi	cators (minimum of o	one require	ed; check all that app	ly)			Seco	ndary Indicators (2 or more required)	
Surface	Water (A1)		Water-Sta	ined Leav	ves (B9) (e	except ML	RA 🛛 W	/ater-Stained Leaves (B9) (MLRA 1, 2,	
High Wa	ter Table (A2)		124	Δ and 4F	3)			4^{A} and 4^{B}	

				PLINERA	\square water-stained Leaves (D9) (with A 1, 2,	
High Water Table (A2)			1, 2, 4A, and 4B)	4A, and 4B)		
Saturation (A3)			Salt Crust (B11)	Drainage Patterns (B10)		
🛛 Water Marks (B1)			Aquatic Invertebrates (B13)	Dry-Season Water Table (C2)		
Sediment Deposits (B2)			Hydrogen Sulfide Odor (C1)		Saturation Visible on Aerial Imagery (C9)	
Drift Deposits (B3)			Oxidized Rhizospheres along Livi	ng Roots (C3)	Geomorphic Position (D2)	
Algal Mat or Crust (B4)			Presence of Reduced Iron (C4)		☐ Shallow Aquitard (D3)	
Iron Deposits (B5)			Recent Iron Reduction in Tilled So	oils (C6)	FAC-Neutral Test (D5)	
Surface Soil Cracks (B6)			Stunted or Stressed Plants (D1) (I	LRR A)	Raised Ant Mounds (D6) (LRR A)	
Inundation Visible on Aerial Imagery (B7)			Other (Explain in Remarks)		Frost-Heave Hummocks (D7)	
Sparsely Vegetated Conca	ave Surfac	ce (B8)				
Field Observations:						
Surface Water Present?	Yes 🗌	No 🛛	Depth (inches):			
Water Table Present?	Yes 🗌	No 🖂	Depth (inches):			
Saturation Present? (includes capillary fringe)	Yes 🗌	No 🛛	Depth (inches):	Wetland Hy	drology Present? Yes 🛛 No 🗌	
Describe Recorded Data (stre	am gauge	, monito	ring well, aerial photos, previous inspec	ctions), if availa	able:	
Remarks:						

Project/Site: Floyd King County		City/Count	ty: King County	Samp	ling Date: <u>6/7/2018</u>
Applicant/Owner: <u>Toll</u>			State: W	A Samp	ling Point: <u>SP C-2</u>
Investigator(s): K. Kosters and A. Clark			Section, Township, Ran	ge: <u>S26, T25N, R6E</u>	, W.M.
Landform (hillslope, terrace, etc.): <u>Slope</u>		Local reli	ef (concave, convex, non	e): <u>Convex</u>	Slope (%): <u>2 - 4</u>
Subregion (LRR): Northwest Forests & Coa	asts (LRR A) Lat: <u>4</u>	7.624085	Long: <u>-122</u>	.008702	Datum: <u>Unknown</u>
Soil Map Unit Name: Alderwood very grave	elly sandy loam		N	IWI classification: <u>N</u>	one
Are climatic / hydrologic conditions on the	site typical for this time of	year? Yes 🛛	🕽 No 🗌 (If no, explain i	n Remarks.)	
Are Vegetation, Soil, or Hydr	ology significantly	disturbed?	Are "Normal Circum	stances" present?	Yes 🛛 No 🗌
Are Vegetation, Soil, or Hydr	ology naturally pro	blematic?	(If needed, explain a	ny answers in Rema	ırks.)
SUMMARY OF FINDINGS – Atta	ich site map showii	ng samplin	ng point locations,	transects, impo	ortant features, etc.
Hydric Soil Present?	Yes ⊠ No □ Yes □ No ⊠ Yes □ No ⊠		he Sampled Area hin a Wetland?	Yes 🗌 No 🖂	

 Remarks: Sample Plot C-2 is located in an upland area in between Wetland C and the stream.

	Absolute		Indicator	Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot size: <u>5 m</u>) 1	% Cover	Species?		Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A))
2		·		Total Number of Dominant	
3		·		Species Across All Strata: <u>2</u> (B)	
4		·		Percent of Dominant Species	
Quellie v(Qhuelt Qherthans (Dhet size Que)	0	= Total C	over	That Are OBL, FACW, or FAC: <u>100</u> (A/E	3)
<u>Sapling/Shrub Stratum</u> (Plot size: <u>3 m</u>)				Prevalence Index worksheet:	
1					
2				Total % Cover of: Multiply by:	
3				OBL species x 1 =	
4				FACW species x 2 =	
5				FAC species x 3 =	
Harb Stratum (Diat aiza: 1 m)	0	= Total Cover		FACU species x 4 =	
<u>Herb Stratum</u> (Plot size: <u>1 m</u>)	00	X		UPL species x 5 =	
1. Epilobium ciliatum (Fringed Willowherb)				Column Totals: (A) (B	3)
2. <u>Ranunculus repens (Creeping Buttercup)</u>		<u>Y</u>		Prevalence Index = B/A =	
3. Lactuca serriola (Prickly Lettuce)		<u>N</u>			
4. <u>Galium aparine (Sticky-Willy)</u>				Hydrophytic Vegetation Indicators:	
5. <u>Unknown herb</u>	10	NI	NA	1 - Rapid Test for Hydrophytic Vegetation	
6. Geum macrophyllum (Large-leaf Avens)	5	Ν	FAC	☐ 2 - Dominance Test is >50%	
7. Phalaris arundinacea (Reed Canary Grass)	5	<u>N</u>	FACW	3 - Prevalence Index is ≤3.0 ¹	
8. <u>Rubus armeniacus (Himalayan Blackberry)</u> o				4 - Morphological Adaptations ¹ (Provide supporti data in Remarks or on a separate sheet)	ng
9				5 - Wetland Non-Vascular Plants ¹	
10				Problematic Hydrophytic Vegetation ¹ (Explain)	
11		= Total C		¹ Indicators of hydric soil and wetland hydrology must	t
Woody Vine Stratum (Plot size: 3 m)	90	- 10tai C	over	be present, unless disturbed or problematic.	
1					
2				Hydrophytic Vegetation	
		= Total C	over	Present? Yes 🛛 No 🗌	
% Bare Ground in Herb Stratum <u>4</u>		. etal e			
Remarks:					_

Profile Desc	ription: (Describe	to the de	oth needed to docur	ment the ind	icator	or confirm	n the absen	ce of indicators.)
Depth	Matrix		Redo	x Features				
<u>(inches)</u>	Color (moist)	%	Color (moist)	<u>%</u> T	ype ¹	Loc ²	Texture	Remarks
<u>0 - 10</u>	10YR 3/2	100					Sandy Loa	<u>m</u>
10+								Refusal due to very large rock.
·								
						······		
					<u> </u>			<u> </u>
			Reduced Matrix, CS			ed Sand Gr		_ocation: PL=Pore Lining, M=Matrix.
		able to al	LRRs, unless othe		.)			ators for Problematic Hydric Soils ³ :
Histosol			Sandy Redox (S					cm Muck (A10)
Histic Ep	vipedon (A2)		 Stripped Matrix Loamy Mucky M 		ovoont			ed Parent Material (TF2) ery Shallow Dark Surface (TF12)
	n Sulfide (A4)		Loamy Gleyed I		except	WILKA I)		ther (Explain in Remarks)
	Below Dark Surface	(A11)	Depleted Matrix	. ,				
	rk Surface (A12)	()	Redox Dark Su				³ Indic	ators of hydrophytic vegetation and
Sandy Mucky Mineral (S1)			Depleted Dark S	Surface (F7)				tland hydrology must be present,
🔲 Sandy G	leyed Matrix (S4)		Redox Depress	ions (F8)			un	less disturbed or problematic.
Restrictive	Layer (if present):							
Туре:								
Depth (in	ches):						Hydric S	oil Present? Yes 🗌 No 🖂
Remarks:								
	A V(
HYDROLO	GY							
Wetland Hy	drology Indicators:							
Primary India	cators (minimum of o	ne require	d; check all that appl	<u>y)</u>			Se	condary Indicators (2 or more required)
Surface S	Water (A1)		Water-Stai	ned Leaves ((B9) (e	xcept MLR	RA 🗌	Water-Stained Leaves (B9) (MLRA 1, 2,
🔲 High Wa	ter Table (A2)		1, 2, 4/	A, and 4B)				4A, and 4B)
Saturatio	on (A3)		Salt Crust	(B11)				Drainage Patterns (B10)
Water Mater Mater Mater	arks (B1)		Aquatic Inv	/ertebrates (E	313)			Dry-Season Water Table (C2)
Sedimen	t Deposits (B2)		Hydrogen	Sulfide Odor	(C1)			Saturation Visible on Aerial Imagery (C9)
-	osits (B3)		Oxidized R	Rhizospheres	along	Living Roo	ts (C3)	Geomorphic Position (D2)
	t or Crust (B4)			of Reduced Ir	``	,		Shallow Aquitard (D3)
	osits (B5)			n Reduction i			·	FAC-Neutral Test (D5)
Surface	Soil Cracks (B6)		Stunted or	Stressed Pla	ants (D	1) (LRR A)		Raised Ant Mounds (D6) (LRR A)

Surface Soil Cracks (B6)			Stunted or Stressed Plants (D1) (L	.RR A)	Raised Ant Mounds (D6) (LRR A)			
Inundation Visible on Aerial Imagery (B7)			Other (Explain in Remarks)	[Frost-Heave Hummocks (D7)			
Sparsely Vegetated Conc	ave Surface	e (B8)						
Field Observations:								
Surface Water Present?	Yes 🗌	No 🛛	Depth (inches):					
Water Table Present?	Yes 🗌	No 🖂	Depth (inches):					
Saturation Present? (includes capillary fringe)	Yes 🗌	No 🖂	Depth (inches):	Wetland Hydr	ology Present?	Yes 🗌 No 🖂		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:								
Remarks: No indicators of hyd	drology wer	e observ	ved.					

APPENDIX B

Washington Department of Ecology (2014) Wetland Rating Form Wetland 1

WETLAND RATING FORM – WESTERN WASHINGTON Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): WETLA	NDB Date of site	visit: <u>June</u> ZOB	
Rated by K. Kosters	Trained by Ecology? Yes XNo Da	te of training MARCI-1 2014	
SEC: <u>26</u> TWNSHP: <u>25</u> RNGE: <u>6</u> Is	s S/T/R in Appendix D? Yes No	-	
Map of wetland unit: Fig	gure Estimated size	,	
SUMM	ARY OF RATING		
Category based on FUNCTIONS pr	rovided by wetland		
Category I = Score >=70 Category II = Score 51-69 Category III = Score 30-50 Category IV = Score < 30	Score for Water Quality Functions Score for Hydrologic Functions Score for Habitat Functions TOTAL score for Functions	22 4 13 39	
Category based on SPECIAL CHA	RACTERISTICS of wetland		
I II Does not Apply			
Final Category (choose	e the "highest" category from above)	III	
Summary of basic in	formation about the wotland unit		

Wetland Unit has Special Characteristics	Wetland HGM Class used for Rating
Estuarine	Depressional
Natural Heritage Wetland	Riverine
Bog	Lake-fringe
Mature Forest	Slope
Old Growth Forest	Flats
Coastal Lagoon	Freshwater Tidal
Interdunal	
None of the above	Check if unit has multiple HGM classes present

1

basic information about the wetland unit

Wetland Rating Form – western Washington version 2 To be used with Ecology Publication 04-06-025

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?		Х
For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		
 SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form). 		Х
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		Х
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		×

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)? NO - go to 2 YES - the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it.
 Groundwater and surface water runoff are NOT sources of water to the unit.
 NO - go to 3
 YES - The wetland class is Flats

If your wetland can be classified as a "Flats" wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit meet both of the following criteria?
 - _The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 - At least 30% of the open water area is deeper than 6.6 ft (2 m)?

NO – go to 4 YES – The wetland class is Lake-fringe (Lacustrine Fringe)

- 4. Does the entire wetland unit meet all of the following criteria?
 - _____The wetland is on a slope (*slope can be very gradual*),
 - _____ The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 - _____The water leaves the wetland without being impounded?
 - NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep).

NO - go to 5) **YES** – The wetland class is **Slope**

Wetland Rating Form – western Washington 3 version 2 Updated with new WDFW definitions Oct. 2008

Wetland name or number \underline{B}

- 5. Does the entire wetland unit meet all of the following criteria?
 - The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river

The overbank flooding occurs at least once every two years.

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

(NO - go to 6) **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 7 (YES – The wetland class is Depressional)

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

(NO – go to 8) YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.


HGM Classes within the wetland unit being rated	HGM Class to Use in Rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to improve water quality	Points (only 1 score per box)
D	D 1. Does the wetland unit have the <u>potential</u> to improve water quality?	(see p.38)
	D 1.1 Characteristics of surface water flows out of the wetland:	Figure
D	Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) points = 1 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch (If ditch is not permanently flowing treat unit as "intermittently flowing") Provide photo or drawing	2
D	S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic <i>(use NRCS definitions)</i> VES points = 4 NO points = 0	6
	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class)	Figure
D	Wetland has persistent, ungrazed, vegetation > = 95% of areapoints = 5Wetland has persistent, ungrazed, vegetation > = 1/2 of areapoints = 3Wetland has persistent, ungrazed vegetation > = 1/10 of areapoints = 1Wetland has persistent, ungrazed vegetation <1/10 of areapoints = 0	5
	Map of Cowardin vegetation classes	Figure
D	 D1.4 Characteristics of seasonal ponding or inundation. This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is > ¼ total area of wetland Area seasonally ponded is < ¼ total area of wetland points = 0 Mag of luvdengerinde 	Higure
D	Map of Hydroperiods Total for D 1 Add the points in the boxes above	
D		
D	 D 2. Does the wetland unit have the <u>opportunity</u> to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150 ft Untreated stormwater discharges to wetland Tilled fields or orchards within 150 ft of wetland A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging Metand is fed by groundwater high in phosphorus or nitrogen Other YES multiplier is 2 NO multiplier is 1 	(see p. 44) multiplier
D	<u>TOTAL</u> - Water Quality Functions Multiply the score from D1 by D2 Add score to table on p. 1	22

D	Depressional and Flats Wetlands	Points	
100	HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to	(only 1 score per box)	
2200803	reduce flooding and stream degradation	(caa = 16)	
	D 3. Does the wetland unit have the <u>potential</u> to reduce flooding and erosion?	(see p.46)	
D	D 3.1 Characteristics of surface water flows out of the wetland unit Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch points = 1 (If ditch is not permanently flowing treat unit as "intermittently flowing") Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 0	2	
D	D 3.2 Depth of storage during wet periodsEstimate the height of ponding above the bottom of the outlet. For units with no outletmeasure from the surface of permanent water or deepest part (if dry).Marks of ponding are 3 ft or more above the surface or bottom of outletpoints = 7The wetland is a "headwater" wetland"Marks of ponding between 2 ft to < 3 ft from surface or bottom of outletpoints = 5Marks are at least 0.5 ft to < 2 ft from surface or bottom of outletpoints = 3Unit is flat (yes to Q. 2 or Q. 7 on key) but has small depressions on the surface that trap	0	
	water points = 1 Marks of ponding less than 0.5 ft points = 0		
D	 D 3.3 Contribution of wetland unit to storage in the watershed Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of unit 	0	
	The area of the basin is 10 to 100 times the area of the unitpoints = 3The area of the basin is more than 100 times the area of the unitpoints = 0Entire unit is in the FLATS classpoints = 5		
D	Total for D 3Add the points in the boxes above	Z	
D	D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion?	(see p. 49)	
	Answer YES if the unit is in a location in the watershed where the flood storage, or		
	reduction in water velocity, it provides helps protect downstream property and aquatic		
	resources from flooding or excessive and/or erosive flows. Answer NO if the water		
	coming into the wetland is controlled by a structure such as flood gate, tide gate, flap		
	valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.		
	Note which of the following indicators of opportunity apply.		
	— Wetland is in a headwater of a river or stream that has flooding problems		
	\checkmark Wetland drains to a river or stream that has flooding problems		
	 Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems 		
	— Other	2	
	(YES multiplier is 2) NO multiplier is 1		
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 Add score to table on p. 1	4	

These questions apply to wetlands of all H HABITAT FUNCTIONS - Indicators that unit fur		habitat	Points (only 1 score per box)
H 1. Does the wetland unit have the potential to	o provide habitat for many	species?	
H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as def class is ¼ acre or more than 10% of the area if un Aquatic bed Emergent plants	nit is smaller than 2.5 acres.	hold for each	Figure
Scrub/shrub (areas where shrubs have >30 Forested (areas where trees have >30% co If the unit has a forested class check if: The forested class has 3 out of 5 strata (c moss/ground-cover) that each cover 20 Add the number of vegetation structures that qualify Map of Cowardin vegetation classes	over) anopy, sub-canopy, shrubs, he 0% within the forested polygor		0
H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods)		11	Figure
regime has to cover more than 10% of the wetland descriptions of hydroperiods) Permanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or Seasonally flowing stream in, or adjacent t Lake-fringe wetland = 2 points Freshwater tidal wetland = 2 points	d or ¼ acre to count. (see text) 4 or more types present 3 types present 2 types present 1 type present adjacent to, the wetland	for points = 3 points = 2 point = 1 points = 0	0
H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland of the same species can be combined to meet the You do not have to name the species. Do not include Eurasian Milfoil, reed canary If you counted: List species below if you want to:	d that cover at least 10 ft ² . (<i>difj size threshold</i>)	ferent patches	D
		Total for p	age_O



Comments

H 2.1 Buffers (see p. 80)	
	Figure
 Choose the description that best represents condition of buffer of wetland unit. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed." 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No structures are within the undisturbed part of buffer. (relatively undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference. Points = 4 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference. Points = 4 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference. Points = 4 00 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >25% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >25% circumference, Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 Mo paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK. Points = 2 No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK. Points = 1 Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0. Points = 1 	Figure
Aerial photo showing buffersH 2.2 Corridors and Connections (see p. 81)H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor(either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forestor native undisturbed prairie, that connects to estuaries, other wetlands or undisturbeduplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravelroads, paved roads, are considered breaks in the corridor.YES = 4 points (go to H 2.3)NO = go to H 2.2.2H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor(either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs orforest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as inthe question above?YES = 2 points (go to H 2.3)NO = H 2.2.3H 2.2.3 Is the wetland:within 5 mi (8km) of a brackish or salt water estuary ORwithin 1 mi of a lake greater than 20 acres?YES = 1 pointNO = 0 points	1

Wetland name or number B

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete		
descriptions of WDFW priority habitats, and the counties in which they can be found, in		
the PHS report http://wdfw.wa.gov/hab/phslist.htm)		
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the		
connections do not have to be relatively undisturbed.		
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).		
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various		
species of native fish and wildlife (<i>full descriptions in WDFW PHS report p. 152</i>).		
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.		
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree		
species, forming a multi-layered canopy with occasional small openings; with at least 20		
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands		
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;		
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of		
large downed material is generally less than that found in old-growth; 80 - 200 years old		
west of the Cascade crest. Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where		
canopy coverage of the oak component is important (<i>full descriptions in WDFW PHS</i>		
	. 1	
report p. 158).	4	
$\sqrt{\mathbf{Riparian}}$: The area adjacent to aquatic systems with flowing water that contains elements of	ſ	
both aquatic and terrestrial ecosystems which mutually influence each other.		
Westside Prairies: Herbaceous, non-forested plant communities that can either take the		
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).		
Instream: The combination of physical, biological, and chemical processes and conditions		
that interact to provide functional life history requirements for instream fish and wildlife		
resources.		
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,		
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the		
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in		
Appendix A).		
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under		
the earth in soils, rock, ice, or other geological formations and is large enough to contain a		
human.		
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.		
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),		
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine		
r tailings. May be associated with cliffs.		
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient		
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a		
diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in		
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)		
long.		
If wetland has 3 or more priority habitats = 4 points		
If wetland has 2 priority habitats = 3 points		
If wetland has 1 priority habitat = 1 point No habitats = 0 points		
Note: All vegetated wetlands are by definition a priority habitat but are not included in this		
list. Nearby wetlands are addressed in question H 2.4)		

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5 There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetlands within ½ mile, BUT the connections between them are disturbed points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe points = 3 There are at least 1 wetland within ½ mile. points = 2 There is at least 1 wetland within ½ mile. points = 2 There are no wetlands within ½ mile. points = 0	5
H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1,H2.2, H2.3, H2.4	13
TOTAL for H 1 from page 14	0
Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1	13

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the appropriate criteria are met.	
 SC 1.0 Estuarine wetlands (see p. 86) Does the wetland unit meet the following criteria for Estuarine wetlands? — The dominant water regime is tidal, — Vegetated, and — With a salinity greater than 0.5 ppt. 	
YES = Go to SC 1.1 NO √ SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
YES = Category I NO go to SC 1.2	
 SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions? YES = Category I NO = Category II The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II). The area of Spartina would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of Spartina in determining the size threshold of 1 acre. At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. The wetland has at least 2 of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. 	Cat. I Cat. II Dual rating I/II

 SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites) 	Cat. I
before you need to contact WNHP/DNR) S/T/R information from Appendix D or accessed from WNHP/DNR web site	
YES contact WNHP/DNR (see p. 79) and go to SC 2.2 NO / SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? YES = Category I YES = Category I NO not a Heritage Wetland	
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
 Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3 	
2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?	
Yes - go to Q. 3 No - Is not a bog for purpose of rating	
3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?	
Yes – Is a bog for purpose of rating No - go to Q. 4 NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
 Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)? 	
2. YES = Category I No Is not a bog for purpose of rating	Cat. I

 SC 4.0 Forested Wetlands (see p. 90) Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions. Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more. 	
NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.	
$YES = Category I \qquad NO \checkmark not a forested wetland with special characteristics$	Cat. I
 SC 5.0 Wetlands in Coastal Lagoons (see p. 91) Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? — The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks — The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 	
 SC 5.1 Does the wetland meets all of the following three conditions? — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. — The wetland is larger than 1/10 acre (4350 square feet) 	Cat. I Cat. II
194 Dec 1940 Add 1	

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1 NO \checkmark not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
 Long Beach Peninsula- lands west of SR 103 	
 Grayland-Westport- lands west of SR 105 	
 Ocean Shores-Copalis- lands west of SR 115 and SR 109 	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is once acre or larger?	
$YES = Category II \qquad NO - go to SC 6.2$	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?	
YES = Category III	Cat. III
Category of wetland based on Special Characteristics	
Choose the "highest" rating if wetland falls into several categories, and record on	ALA
p. 1.	NA
If you answered NO for all types enter "Not Applicable" on p.1	

WETLAND RATING FORM – WESTERN WASHINGTON Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats Name of wetland (if known): WETLAND C Date of site visit: JUNE 2018 Rated by 14. KOSTERS Trained by Ecology? Yes XNo Date of training MARCH 2014 SEC: 26 TWNSHP: 25 RNGE: 6 Is S/T/R in Appendix D? Yes No Map of wetland unit: Figure Estimated size SUMMARY OF RATING Category based on FUNCTIONS provided by wetland I II III X IV Score for Water Quality Functions 10 Category I = Score \geq =70 16 Score for Hydrologic Functions Category II = Score 51-69 Category III = Score 30-50 Score for Habitat Functions 20 Category IV = Score < 3046 **TOTAL score for Functions** Category based on SPECIAL CHARACTERISTICS of wetland I___ II___ Does not Apply // **Final Category** (choose the "highest" category from above) Summary of basic information about the wetland unit Wetland Unit has Special Wetland HGM Class Characteristics used for Rating Estuarine Depressional Natural Heritage Wetland Riverine Bog Lake-fringe **Mature Forest** Slope

Flats

1

Freshwater Tidal

Check if unit has multiple HGM classes present

Wetland Rating Form – western Washington version 2 To be used with Ecology Publication 04-06-025

Old Growth Forest

Coastal Lagoon

None of the above

Interdunal

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?		X
For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		
 SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form). 		Х
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		\times
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		×

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)? NO - go to 2 YES - the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)

If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit. NO - go to 3
 YES - The wetland class is Flats

If your wetland can be classified as a "Flats" wetland, use the form for **Depressional** wetlands.

- 3. Does the entire wetland unit meet both of the following criteria?
 - _The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 - At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 - NO go to 4) YES The wetland class is Lake-fringe (Lacustrine Fringe)
- 4. Does the entire wetland unit meet all of the following criteria?
 - _____The wetland is on a slope (*slope can be very gradual*),
 - _____The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 - The water leaves the wetland without being impounded?
 - NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep).

(NO - go to 3) **YES** – The wetland class is **Slope**

Wetland Rating Form – western Washington 3 version 2 Updated with new WDFW definitions Oct. 2008

Wetland name or number _____

5. Does the entire wetland unit meet all of the following criteria?

_____ The unit is in a valley, or stream channel, where it gets inundated by overbank

flooding from that stream or river

The overbank flooding occurs at least once every two years.

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6) YES – The wetland class is Riverine

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO - go to 7 (YES - The wetland class is Depressional)

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO - go to 8 YES - The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated	HGM Class to Use in Rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics


If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to	Points (only 1 score
	improve water quality	per box)
D	D 1. Does the wetland unit have the potential to improve water quality?	(see p.38)
	D 1.1 Characteristics of surface water flows out of the wetland:	Figure
D	Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) points = 1 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch (<i>If ditch is not permanently flowing treat unit as "intermittently flowing</i> ") Provide photo or drawing	2
	S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic <i>(use NRCS)</i>	
D	$\begin{array}{c} definitions) \\ YES \\ V NO \end{array} \qquad $	0
		Figure
D	Wetland has persistent, ungrazed, vegetation $> = 95\%$ of areapoints = 5Wetland has persistent, ungrazed, vegetation $> = 1/2$ of areapoints = 3Wetland has persistent, ungrazed vegetation $> = 1/10$ of areapoints = 1Wetland has persistent, ungrazed vegetation $< 1/10$ of areapoints = 0	3
	Map of Cowardin vegetation classes D1.4 Characteristics of seasonal ponding or inundation.	Figure
D	This is the area of the wetland unit that is ponded for at least 2 months, but dries outsometime during the year. Do not count the area that is permanently ponded. Estimatearea as the average condition 5 out of 10 yrs.Area seasonally ponded is > 1/2 total area of wetlandpoints = 4Area seasonally ponded is > 1/4 total area of wetlandpoints = 2	
	Area seasonally ponded is $< \frac{1}{4}$ total area of wetland Map of Hydroperiods	
D	Total for D 1Add the points in the boxes above	5
D	 D 2. Does the wetland unit have the <u>opportunity</u> to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150 ft Untreated stormwater discharges to wetland Tilled fields or orchards within 150 ft of wetland A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging Residential, urban areas, golf courses are within 150 ft of wetland Wetland is fed by groundwater high in phosphorus or nitrogen Other 	(see p. 44) multiplier
D	<u>TOTAL</u> - Water Quality Functions Multiply the score from D1 by D2 Add score to table on p. 1	10

D	Depressional and Flats Wetlands HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to reduce flooding and stream degradation	Points (only 1 score per box)
	D 3. Does the wetland unit have the <u>potential</u> to reduce flooding and erosion?	(see p.46)
D	D 3.1 Characteristics of surface water flows out of the wetland unit Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch (If ditch is not permanently flowing treat unit as "intermittently flowing") Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 0	Z
D	D 3.2 Depth of storage during wet periods Estimate the height of ponding above the bottom of the outlet. For units with no outlet measure from the surface of permanent water or deepest part (if dry). Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 The wetland is a "headwater" wetland" points = 5 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 Unit is flat (yes to Q. 2 or Q. 7 on key) but has small depressions on the surface that trap water points = 1 Marks of ponding less than 0.5 ft points = 0	ς,γ
D	 D 3.3 Contribution of wetland unit to storage in the watershed Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of unit The area of the basin is 10 to 100 times the area of the unit The area of the basin is more than 100 times the area of the unit Entire unit is in the FLATS class 	3
D	Total for D 3Add the points in the boxes above	8
D	 D 4. Does the wetland unit have the <u>opportunity</u> to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur. Note which of the following indicators of opportunity apply. — Wetland is in a headwater of a river or stream that has flooding problems — Wetland drains to a river or stream that has flooding problems — Wetland drains to a river or stream that has flooding problems — Wetland drains to a river or stream that has flooding problems — Wetland drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding problems — Wetland the total drains to a river or stream that has flooding the total drains to a river oris stream the total drains total drains total drains total dra	(see p. 49)
	 Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems 	multiplier
	Other YES multiplier is 2 NO multiplier is 1	2
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 Add score to table on p. 1	16

These questions apply to wetlands of all H HABITAT FUNCTIONS - Indicators that unit fun		Points (only 1 scor per box)
H 1. Does the wetland unit have the potential to	provide habitat for many species?	
H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined as the second s		Figure
Emergent plants Scrub/shrub (areas where shrubs have >30 Forested (areas where trees have >30% co		s 1
If the unit has a forested class check if: The forested class has 3 out of 5 strata (carried class has 3 out of 5 strata	anopy, sub-canopy, shrubs, herbaceous,	2
Add the number of vegetation structures that qualify. Map of Cowardin vegetation classes		
H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) regime has to cover more than 10% of the wetland descriptions of hydroperiods)	present within the wetland. The water	Figure
Permanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or		1
Seasonally flowing stream in, or adjacent to Lake-fringe wetland = 2 points Freshwater tidal wetland = 2 points	o, the wetland Map of hydroperiods	
H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland of the same species can be combined to meet the You do not have to name the species. Do not include Eurasian Milfoil, reed canary If you counted: List species below if you want to:	size threshold)	1
		4

Wetland Rating Form – western Washington13version 2Updated with new WDFW definitions Oct. 2008



Comments

Thoose the description that best represents condition of buffer of wetland unit. The highest scoring riterion that applies to the wetland is to be used in the rating. See text for definition of undisturbed." 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No structures are within the undisturbed part of buffer. (relatively undisturbed ans no-grazing, no landscaping, no daily human use) Points = 5 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 55% circumference. Points = 4 0 to more that a points of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 4 0 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Light for does not meet any of the criteria above. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 5% circumference. Light to moderate grazing, or lawns are OK. Points = 2 No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK. Points = 1 Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g., tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0. Points = 1 Aerial photo showing buffers H2.2 Corridors and Connections (see p. 81) H 2.2.2 Gridors and Connections (see p. 81) H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs, forest or native undisturbed praite; that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (Aans in riparian corridors, heavily used gravel roads, paved roads, are consid	H 2. Does the wetland unit have the opportunity to provide habitat for many species?	
 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No structures are within the undisturbed part of buffer. (relatively undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference. Points = 4 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 4 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 4 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 4 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 4 No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK. Points = 2 No paved areas or buildings within 50m of wetland for >50% circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 1 Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 1 Aerial photo showing buffers H 2.2 Corridors and Connections (see p. 81) H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed preas in size? (dams in riparian corridors, heavily used gravel roads, are considered breaks in the corridor. No = go to H 2.2.2) H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 3	H 2.1 <u>Buffers</u> (see p. 80) Choose the description that best represents condition of buffer of wetland unit. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed"	Figure
H 2.2 <u>Corridors and Connections</u> (see p. 81) H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor). YES = 4 points (go to H 2.3) H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above? YES = 2 points (go to H 2.3) H 2.2.3 Is the wetland: within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?	 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No structures are within the undisturbed part of buffer. (relatively undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference. Points = 4 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference. Points = 4 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference. Points = 4 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >25% circumference, . Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Light to moderate grazing, or lawns are OK. Points = 2 No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK. Points = 1 Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0. Buffer does not meet any of the criteria above. Points = 1 	M
NO = 0 points	H 2.2 <u>Corridors and Connections</u> (see p. 81) H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor). YES = 4 points (go to H 2.3) H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above? YES = 2 points (go to H 2.3) H 2.2.3 Is the wetland: within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR	

Wetland Rating Form – western Washington 15 version 2 Updated with new WDFW definitions Oct. 2008

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm)	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the	
connections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian : The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	11
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	4
Instream: The combination of physical, biological, and chemical processes and conditions	L
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human. G_{12}^{12} for G_{12} for (25 fb) high and accurring below 5000 ft	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs. Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
decay characteristics to enable cavity excavation use by whome. Thority shags have a diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	
If wetland has 3 or more priority habitats = 4 points	
If we land has 2 priority habitats = 3 points	
If we than that $rates = 2$ priority habitats = 3 points If we than that $rates = 1$ points No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	
usi. Trearby weitunus are unaressen in question II 2.47	

 H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile. There is at least 1 wetland within ½ mile. There are no wetlands within ½ mile. 	5
H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1,H2.2, H2.3, H2.4	13
TOTAL for H 1 from page 14	7
Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1	20

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	Sec.
appropriate criteria are met.	
SC 1.0 Estuarine wetlands <i>(see p. 86)</i>	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	1
- Vegetated, and	
$ \text{ With a salinity greater than 0.5 ppt.} \\ \text{YES} = \text{ Go to SC 1.1} \qquad \text{NO } \underline{\checkmark}$	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
YES = Category I NO go to SC 1.2	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the	Cat. I
following three conditions? YES = Category I NO = Category II	
 The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant 	Cat. II
species. If the non-native <i>Spartina</i> spp. are the only species that cover	Dual
more than 10% of the wetland, then the wetland should be given a dual rating (I/II). The area of Spartina would be rated a Category II while the	rating
relatively undisturbed upper marsh with native species would be a	Ŭ
Category I. Do not, however, exclude the area of Spartina in	I/II
determining the size threshold of 1 acre.	
- At least ³ / ₄ of the landward edge of the wetland has a 100 ft buffer of	
shrub, forest, or un-grazed or un-mowed grassland.	
— The wetland has at least 2 of the following features: tidal channels,	
depressions with open water, or contiguous freshwater wetlands.	

 SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D ✓ or accessed from WNHP/DNR web site 	Cat. I
YES – contact WNHP/DNR (see p. 79) and go to SC 2.2 NO \checkmark	
SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? YES = Category I NO not a Heritage Wetland	-
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
 Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3 	
 Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond? Yes - go to Q. 3 No - Is not a bog for purpose of rating 	
 Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)? 	
Yes – Is a bog for purpose of rating No - go to Q. 4 NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
 Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)? 	


	Sector States (Days)
 SC 4.0 Forested Wetlands (see p. 90) Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions. Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more. NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter. 	
 Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 - 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth. YES = Category I NO √ not a forested wetland with special characteristics 	Cat. I
 SC 5.0 Wetlands in Coastal Lagoons (see p. 91) Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? — The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks — The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO_√ not a wetland in a coastal lagoon 	
 SC 5.1 Does the wetland meets all of the following three conditions? — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. — The wetland is larger than 1/10 acre (4350 square feet) YES = Category I NO = Category II 	Cat. I Cat. II


SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1NO \checkmark not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
 Long Beach Peninsula- lands west of SR 103 	
 Grayland-Westport- lands west of SR 105 	
 Ocean Shores-Copalis- lands west of SR 115 and SR 109 	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is once acre or larger?	
$YES = Category II \qquad NO - go to SC 6.2$	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?	
YES = Category III	Cat. III
Category of wetland based on Special Characteristics	
Choose the "highest" rating if wetland falls into several categories, and record on	ALA
p. 1.	1014
If you answered NO for all types enter "Not Applicable" on p.1	

APPENDIX C

Hydrologic Monitoring Data March 1, 2019 to April 11, 2019

				D
Well #	Date of measurement	Depth of water in PVC Pipe	Height above ground pipe was installed	Depth of water table (below ground surface)
1	3/1/2019	No hydro in well -dry	12"	no water table to 23"
	3/8/2019	No hydro in well -dry		no water table to 23"
	3/14/2019	No hydro in well -dry		no water table to 23"
	3/21/2019	No hydro in well -dry		no water table to 23"
	3/29/2019	No hydro in well -dry		no water table to 23"
	4/4/2019	No hydro in well -dry		no water table to 23"
	4/11/2019	No hydro in well -dry		no water table to 23"
7	3/1/2019	No hydro in well -dry	14"	no water table to 21"
	3/8/2019	No hydro in well -dry		no water table to 21"
	3/14/2010	No nyaro in well -ary		no water table to 21
	3/29/2019	No hydro in well -dry		no water table to 21"
	4/4/2019	No hydro in well -dry		no water table to 21"
	4/11/2019	No hydro in well -dry		no water table to 21"
3	3/1/2019	34"	21"	13"
	3/8/2019	No hydro in well -dry		no water table to 19"
	3/14/2019	No hydro in well -dry		no water table to 19"
	3/21/2019	No hydro in well -dry		no water table to 19"
	3/29/2019	No hydro in well -dry		no water table to 19"
	4/4/2019	No hydro in well -dry		no water table to 19"
	4/11/2019	No hydro in well -dry		no water table to 19"
4	3/1/2019	No hydro in well -dry	19"	no water table to 16"
	3/8/2019	No hydro in well -dry		no water table to 16"
	3/14/2019	No hydro in well -dry		no water table to 16"
	3/21/2019	No hydro in well -dry		no water table to 16"
	3/29/2019	No hydro in well -dry		no water table to 16"
	4/4/2019	No hydro in well -dry		no water table to 16"
	4/11/2019	No hydro in well -dry		no water table to 16"
S	3/1/2019		19"	16"
	3/8/2019	35"		16"
	3/14/2019	34"		15"
	3/21/2019	34.5		15.5
	3/29/2019	No hydro in well -dry		no water table to 16"
	4/4/2019	No hydro in well -dry		no water table to 16"
	4/11/2019	No hydro in well -dry		no water table to 16"
9	3/1/2019	33.5 "	23.75"	9.75"
	3/8/2019	No hydro in well -dry		no water table to 11.25
	3/14/2019	Small (maybe 1cm deep) puddle of water at very bott no water table to 11.25	ddle of water at very bo	tt no water table to 11.25
	3/21/2019	No hydro in well -dry		no water table to 11.25
	3/29/2019	No hydro in well -dry		no water table to 11.25
	4/4/2019	No hydro in well -dry		no water table to 11.26
	0100/11/1	No budeo io mollodor		no water table to 11 36





PVC Pipes are 35" total in length

Depth of water table (below ground surface) = Depth of water in PVC Pipe - Height above ground pipe was installed

Surveyors

DateSurveyorMarch 1st 2019Andrew RossiMarch 1st 2019Kolten KostersMarch 14th 2019Andrew rossiMarch 21st 2019Andrew RossiMarch 21st 2019Andrew RossiMarch 21th 2019Andrew RossiApril 4th 2019Andrew RossiApril 11 2019Kolten Kosters