

Residential Density Calculation Worksheet

and Environmental Review 35030 SE Douglas Street, Suite 210 Snoqualmie, WA 98057-9266 206-296-6600 TTY Relay: 711 www.kingcounty.gov

For alternate formats, call 206-296-6600.

This worksheet will assist you in correctly applying specific portions of the zoning code related to allowable density and will be used to determine if a proposal meets the density provisions of the King County Zoning Code (Title 21A).

This worksheet is **ONLY** for multi-family residential or townhouse developments or for a residential developments associated with residential condominium binding site plans. A separate worksheet is available for residential subdivisions. This worksheet is prepared to assist applicants and does not replace compliance with adopted local, state, and federal laws.

Call 206-296-6600 to find out if a pre-application conference is needed for your proposal and how a pre-application conference can be arranged.

DATE: ______
NAME OF DEVELOPMENT: ______ FILE NO. ______
COMPREHENSIVE PLAN LAND USE DESIGNATION: ______

ZONING DESIGNATION(S):

If more than one zone designation exists on the property, the architectural site plan must show the boundary between the zones and the area within each. In such cases, the transferring of density across zones on the lot may be permitted subject to the provisions of KCC 21A.12.200.

Please complete only the applicable portions of the form.

I. Calculate Site Area in Acres (KCC 21A.06.1172):

- a. Determine the total site area (in square feet) of the project site.
- b. Divide the total site area by 43,560 to determine the site area in acres.

Example: If site area is 21,780 square feet. Divide site area by 43,560 to find the site acreage. 21,780 / 43,560 = 0.5 acres

/ 43,560 = _____/ Site area in square feet

Site area in acres

II. Base Density (KCC 21A.12.030 - .040 tables):

The base density is determined by the zone designation(s) for the lot. For example: If zoning is R-6, base density is 6 du/acre.

Base density (dwelling units/acre) for the zone

III. Calculate Allowable Dwelling Units, Floor Area and Rounding (KCC 21A.12.070):

The base number of dwelling units is calculated by multiplying the site area by the base density in dwelling units per acre (from KCC 21A.12.030 - .040 tables). If proposing mixed use development, see also KCC 21A.14.130.

_____ site area in acres (see Section I) X _____ base density (see Section II) = _____ allowable dwelling units

The allowed floor area, which excludes structured or underground parking areas and areas housing mechanical equipment, is calculated by multiplying the site area by the floor to lot area ratio (from KCC 21A.12.040).

_____ site area in square feet (see Section I) X ______ floor to lot area ratio (KCC 21A.12.040)

= _____ allowed floor area in square feet

When calculations result in a fraction, the fraction is rounded to the nearest whole number as follows:

- a. Fractions of .50 or above shall be rounded up; and
- b. Fractions below .50 shall be rounded down.

IV. Required On-site Recreation Space (KCC 21A.14.180):

A proposal is required to provide recreation space when more than four dwelling units are proposed in any residential development in the UR and R zones, stand-alone townhouses in the NB zone on property designated Commercial Outside of Center in the urban area, or within any mixed use development of more than 4 units. When recreation space is required, the total recreation space area must be computed by multiplying the recreation space requirement per unit type by the proposed number of such dwelling units (KCC 21A.14.180). NOTE: King County has the discretion to accept a fee in lieu of all or a portion of the required recreation space per KCC 21A.14.185.

Apartments and townhouses developed at a density greater than eight units per acre, and mixed use must provide recreational space as follows:

90 square feet X 170 square feet X	proposed number of studio and one bedroom units proposed number of two or more bedroom units	+			
	Recreation space requirement	=			
Townhouses and single family detached proposals developed at a density less than eight units per acre must provide					

Townhouses and single family detached proposals developed at a density <u>less than</u> eight units per acre must provide recreational space as follows:

390 square feet X	proposed number of units	=			
Mobile home parks shall provide recreational space as follows:					
260 square feet X	proposed number of units	=			

V. Net Buildable Area (KCC 21A.06.797):

Ca

The net buildable area is the site area (see Section I) less the following areas:

	areas <u>within</u> a project site which are required to be dedicated for public rights-of-way in excess of sixty feet (60') of width			
+	critical areas and their buffers, to the extent they are required by King County Code chapter			
+	21A.24 to remain undeveloped areas required for above ground stormwater control facilities including, but not limited to, retention/detention ponds, biofiltration swales and setbacks from such ponds and swales			
+	areas required by King County to be dedicated or reserved as on-site recreation areas (see Section IV)			
+	regional utility corridors, and			
+	other areas, excluding setbacks, required by King County to remain undeveloped			
=	Total reductions			
culation:				
	site area in square feet (see Section I)			
	Total reductions			
	net buildable area in square feet NOTE: convert site area in square feet to acres by dividing by 43,560			
	= net buildable area in acres			

VI. Minimum Urban Residential Density (KCC 21A.12.060):


The minimum density requirement applies <u>only</u> to the R-4 through R-48 zones. Minimum density is determined by multiplying the base density in dwelling units per acre (from KCC 21A.12.030 table) by the net buildable area of the site in acres and then multiplying the resulting product by the minimum density percentage from the KCC 21A.12.030 table. The minimum density requirements may be phased or waived by King County in certain cases. See KCC 21A.12.060(A-B).

Calculation:

=

- base density in du/ac (see Section II) X _____ net buildable area in acres (see Section V)
- X minimum density % set forth in KCC 21A.12.030 or as adjusted in Section VII.
- = _____ minimum dwelling units required.

A proposal to locate a single residential unit on a lot is exempt from the minimum density requirements if the residential unit is located within 15 feet of one or more interior lot lines or the site is pre-planned to demonstrate that the proposed residential unit is compatible with future division of the site to meet the minimum density requirements.



VII. Minimum Density Adjustments For Moderate Slopes (KCC 21A.12.087):

Residential developments in the R-4, R-6 and R-8 zones may modify the minimum density factor in KCC 21A.12.030 based on the weighted average slope of the net buildable area of the site (see Section V). To determine the weighted average slope, a topographic survey is required to calculate the net buildable area(s) within each of the following slope increments and then multiplying the number of square feet in each slope increment by the median slope value of each slope increment as follows:

	 sq. ft 0 - 5% slope increment X 2.5% median slope value	=	
+	sq. ft 5 - 10% slope increment X 7.5% median slope value	=	+
+	sq. ft 10 - 15% slope increment X 12.5% median slope value	=	+
+	sq. ft 15 - 20% slope increment X 17.5% median slope value	=	+
+	sq. ft 20 - 25% slope increment X 22.5% median slope value	=	+
+	sq. ft 25 - 30% slope increment X 27.5% median slope value	=	+
+	sq. ft 30 - 35% slope increment X 32.5% median slope value	=	+
+	sq. ft 35 - 40% slope increment X 37.5% median slope value	=	+
	Total square feet		Total square feet
	 in net buildable area		adjusted for slope
~ .			

Calculation:

- total square feet adjusted for slope divided by ______ total square feet in net buildable area
 weighted average slope of net buildable area
 (Note: multiply by 100 to convert to percent round up to nearest whole percent)
- Use the table below to determine the minimum density factor. This density is substituted for the minimum density factor in KCC

21A.12.030 table when calculating the minimum density as shown in Section VI of this worksheet.

Weighted Average Slope of Net Buildable Area(s) of Site:	Minimum Density Factor:	
0% - less than 5%	85%	
5% - less than 15%	83%, less 1.5% for each 1% of average slope in excess of 5%	
15% - less than 40%	66%, less 2.0% for each 1% of average slope in excess of 15%	

EXAMPLE CALCULATION FOR MINIMUM DENSITY ADJUSTMENTS FOR MODERATE SLOPES:

	sq. ft 0 - 5% slope increment X 2.5% median slope value	=	
10,000	sq. ft 5 - 10% slope increment X 7.5% median slope value	= 750	+
20,000	sq. ft 10 - 15% slope increment X 12.5% median slope value	= 2,500	+
	sq. ft 15 - 20% slope increment X 17.5% median slope value	=	+
	sq. ft 20 - 25% slope increment X 22.5% median slope value	=	+
	sq. ft 25 - 30% slope increment X 27.5% median slope value	=	+
	sq. ft 30 - 35% slope increment X 32.5% median slope value	=	+
	sq. ft 35 - 40% slope increment X 37.5% median slope value	=	+
30,000	Total square feet in net buildable area	3,250	Total square feet adjusted for slope
3,250) total square feet adjusted for slope divided by30,000	total square feet ir	n net buildable area
.108333	3 weighted average slope of net buildable area		
	20,000 20,000 30,000 3,250	10,000 sq. ft 5 - 10% slope increment X 7.5% median slope value 20,000 sq. ft 10 - 15% slope increment X 12.5% median slope value sq. ft 15 - 20% slope increment X 17.5% median slope value sq. ft 20 - 25% slope increment X 22.5% median slope value sq. ft 20 - 25% slope increment X 27.5% median slope value sq. ft 20 - 35% slope increment X 32.5% median slope value sq. ft 30 - 35% slope increment X 32.5% median slope value sq. ft 35 - 40% slope increment X 37.5% median slope value 30,000 Total square feet in net buildable area 30,000 30,000	10,000sq. ft $5 - 10%$ slope increment X $7.5%$ median slope value= 750 $20,000$ sq. ft $10 - 15%$ slope increment X $12.5%$ median slope value= $2,500$ sq. ft $15 - 20%$ slope increment X $17.5%$ median slope value= $2,500$ sq. ft $20 - 25%$ slope increment X $22.5%$ median slope value= $2,500$ sq. ft $20 - 25%$ slope increment X $22.5%$ median slope value= $2,500$ sq. ft $20 - 25%$ slope increment X $27.5%$ median slope value= $2,500$ sq. ft $30 - 35%$ slope increment X $32.5%$ median slope value= $2,500$ sq. ft $30 - 35%$ slope increment X $37.5%$ median slope value= $3,250$ Total square feet in net buildable area $30,000$ Total square feet adjusted for slope divided by $30,000$ total square feet in

= 11 % (Note: multiply by 100 to convert to percent - round up to nearest whole percent)

Using the table above, an 11% weighted average slope of net buildable area falls within the 5% - less than 15% range which has a minimum density factor of 83%, less 1.5% for each 1% of average slope in excess of 5%. Since 11% is 6% above 5%, multiply 6 times 1.5 which would equal 9%. Subtract 9% from 83% for an adjusted minimum density factor of 74%. This replaces the minimum density factor in KCC 21A.12.030 table.

VIII. Maximum Dwelling Units Allowed (KCC 21A.12.030 - .040):

This section should be completed only if the proposal includes application of residential density incentives (KCC 21A.34) or transfer of density credit (KCC 21A.36). Maximum density is calculated by adding the bonus or transfer units authorized to the base units calculated in Section III of this worksheet. The maximum density permitted through residential density incentives is 150 percent of the base density (see Section II) of the underlying zoning of the development or 200 percent of the base density for proposals with 100 percent affordable units. The maximum density permitted through transfer of density credit is 150 percent of the base density (see Section II) of the underlying zoning of the development.

	base density in dwelling units per acre (see			maximum density
	maximum density in dwelling units per acre	X	site area in acres	
maximum	dwelling units allowed utilizing density incentives	s (KCC 21A.34)		
	base density in dwelling units per acre (see s maximum density in dwelling units per acre	,	=site area in acres =	maximum density
maximum	dwelling units allowed utilizing density incentives	s with 100 percent af	fordable units(KCC	21A.34)
	base density in dwelling units per acre (see s maximum density in dwelling units per acre	,	=	maximum density
maximum	dwelling units allowed utilizing density transfers	(KCC 21A.36)		
Calculation				
+	base allowable dwelling units calculated bonus units authorized by KCC 21A.34 transfer units authorized by KCC 21A.36 total dwelling units (cannot exceed maxi	3	ove)	
	Check out the Permitting Web	o site at <u>www.kin</u>	gcounty.gov/pe	<u>rmits</u>