



King County
Department of Permitting
and Environmental Review
 35030 SE Douglas Street, Suite 210
 Snoqualmie, WA 98065-9266
206-296-6600 TTY Relay: 711
 www.kingcounty.gov

**Conversion Option
 Harvest Plan
 Application for Review**

For alternate formats, call 206-296-6600.

PART I: To be completed by applicant.

Project Name _____ Location _____

Description of Project:

Tax Parcel No(s) _____ Zoning _____

Applicant _____ Owner _____

Address _____ Address _____

Phone _____ Phone _____

Note: If applicant is other than the owner, authorization from legal owner must be provided.

Agent _____

Address _____

Phone _____

Total size of parcel _____ acres

Total area to be logged _____ acres

Total area to be cleared _____ acres (roads, landings, etc.)

Estimated harvest volume _____ MBF

List any known or suspected critical areas identified on or adjacent to the site:

PART II: To be completed by Permitting staff

| Submittal Requirements: | Quantity |
|-----------------------------------|-----------------|
| Application for review | _____ |
| Logging site plan | _____ |
| Erosion control plan | _____ |
| Drainage plan/calcs | _____ |
| Soils/geotech report | _____ |
| Wetlands/stream report | _____ |
| Certification of applicant status | _____ |
| Affidavit for Application form | _____ |
| Other (list) | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

Fees: Consult the current Permitting fee schedule for the appropriate fees or deposit to be paid at the time of application.

Plan review _____ hrs @ \$_____/hr = _____

Critical areas review

Geo _____

Wetland/stream _____

Drainage review _____

Total fees collected at time of application _____

Approved for submittal by _____ Date _____

Accepted by _____ Date _____

The applicant understands that signing and submitting this application authorizes Permitting staff to inspect the site at any reasonable time for the purpose of permit review.

Signed _____ Date _____

Check out the Permitting Web site at www.kingcounty.gov/permits