3985080 INSTRUMENT OF TRANSFER

THIS INDENTURE, made as of the 26th day of May, 1948, between THE UNITED STATES OF AMERICA, acting by and through the General Services Administrator, under and pursuant to the powers and authority contained in the provisions of the Federal Property and Administrative Services Act of 1949 and the Surplus Property Act of 1944 (58 Stat. 765) as amended thereby and regulations and orders promulgated thereunder, party of the first part and KING COUNTY, WASHINGTON, a municipal corporation under the laws of the State of Washington, acting by and through its Board of County Commissioners, party of the second part,

WITNESSETH: That the said party of the first part, for and in consideration of the assumption by the party of the second part of all the obligations and its taking subject to certain reservations, restrictions and conditions and its covenant to abide by and agreement to certain other reservations, restrictions and conditions, all as set out hereinafter, conveys and quitclaims to the said party of the second part, its successors and assigns, under and subject to the reservations, restrictions and conditions, exceptions, and reservation of fissionable materials and rights hereinafter set out, all its right, title and interest in the following described property situate in the City of Seattle, County of King, State of Washington, to-wit:

(TRACT 1)

Beginning at a point on the centerline of Airport Way in King County, Washington, said point being marked by a City of Seattle Momment in a case, at the Northerly end of a curve on said Airport Way, said Monument bearing North 38° 48: 18.4" West a distance of 496.35 feet from the point of intersection of the two tangents to said curve; thence South 51° 13: 41.6" West a distance of 355.0 feet; thence South 38° 46: 18.4" East a distance of 157.28 feet to the true point of beginning; thence continuing South 38° 46: 18.4" East a distance of 400.0 feet; thence North 51° 13: 41.6" East a distance of 245.87 feet; thence along the arc of a curve to the left, having a radius of 2068.92 feet; and an initial course of North 26° 56: 02.4" West a distance of 5.28 feet; thence North 27° 04: 48.4" West a distance of 210.11 feet; thence along the arc of a curve to the left having a radius of 1709.24 feet and central angle of 6° 24: 43" a distance of 191.28 feet; thence South 51° 13: 41.6" West a distance of 317.73 feet to the true point of beginning;

(TRACT 34A)

Beginning at a point on the line between the East and West halves of Luther M. Collins Donation Land Claim No. 46, in Section 29, Township 24 North, Range 4 East, Willamette Meridian, in King County, Washington, said point being 50 feet North of the Northwest corner of Block A, Queen Addition Supplement; thence South 0° 16: 05" West along said line, a distance of 391.3 feet; thence West a distance of 382.7 feet; thence North 11° 56: East, a distance of 400 feet; thence East a distance of 300 feet to the point of beginning;

是为345.743me3

(TRACT 34B)

Beginning at the Southeast corner of Block 2, Elizabeth Addition to the City of Seattle, Washington, said point being on the line between the East and West halves of Luther M. Collins Donation Land Claim No. 46; thence South 0° 16' 05" West along said line, a distance of 466.4 feet; thence West 300 feet; thence North 11° 56' East, a distance of 477.2 feet, more or less, to the South line of said Block 2, Elizabeth Addition; thence South 89° 56' East, along said South line, a distance of 210 feet to the point of beginning;

(TRACT 3AC)

Beginning at a point on the line between the East and West halves of Luther M. Collins Donation Land Claim No. 46 in Section 29, Township 24 North, Range 4 East, Willamette Meridian, in King County, Washington, said point being 26.7 feet North of the intersection of said line with the Meander line of the Duwamish River; thence South 0° 16' 05" West, a distance of 26.7 feet to the said Meander line; thence along said Meander Line, South 70° 50' 35" West, a distance of 47.29 feet; thence continuing along said Meander line, South 46° 15' 49" West, a distance of 192.38 feet; thence continuing along said Meander line, South 52° 16' 21" West, a distance of 286.96 feet; thence continuing along said Meander line, South 33° 28' 16" West, a distance of 135 feet, more or less, to an intersection with a line drawn parallel to and 250 feet Easterly from the East line of Ellis Avenue; thence North 11° 56' East along said line parallel to and 250 feet Easterly from the East line of Ellis Avenue a distance of 475 feet, more or less, to a point which bears due West from the point of beginning; thence East 382.7 feet to the point of beginning;

(TRACTS 34D, 34E and 34F)

Beginning at a point on the East line of Ellis Avenue North 11° 56° East a distance of 203.2 feet from the point of intersection of said East line of Ellis Avenue and the South line of the Collins donation land claim No. 46; thence continuing along said East line of Ellis Avenue North 11° 56° East a distance of 339.7 feet to the point of intersection of said East line with the extended centerline of Willow Street, which point is South 77° 44° 15° East a distance of 30 feet from the City monument located on the centerline of Ellis Avenue; thence South 77° 44° 15° East along the extended centerline of Willow Street a distance of 222 feet to a point of intersection with the meander line of the old waterway; thence South 33° 28° 16° West a distance of 68 feet more or less to an angle point on said meander line; thence South 14° 26° 16° West following said meander line a distance of 54.00 feet to an angle point on said meander line; thence South 2° 15° 13° East a distance of 162.02 feet to an angle point on said meander line; thence South 87° 0° West a distance of 240 feet to the point of beginning;

(TRACTS: 34F, partial: 34G; 34H and 34I)

Beginning at a point on the East line of Ellis Avenue, which point is South 77° 44' 15" East, a distance of 30 feet from a city monument located at the point of intersection of the center lines of Willow Street and Ellis Avenue; thence North 11° 56' East along the east line of Ellis Avenue to a point on the East line of Ellis Avenue 1216.9 feet distant from the point of intersection of the East line of Ellis Avenue and the South line of Luther M. Collins Donation Land Claim No. 46; thence North 87° East, a distance of 252.8 feet; thence South 11° 56' West, a distance of 674.0 feet, more or less, to the Meander line of Duwamish River; thence along said Meander line South 33° 28' 16" West, a distance of 68.0 feet to a point of intersection of said Meander line with the center line of Willow Street extended Southeasterly; thence along said extended center line of Willow Street, North 77° 44' 15" West, a distance of 222.0 feet to the point of beginning;

(TRACT 341)

Beginning at a point on the East line of Ellis Avenue in the City of Seattle, Washington, said point being North 11° 56' East a distance of

1216.9 feet from the intersection of said East line with the South line of Luther M. Collins Donation Land Claim No. 46; thence North 11° 56' East along said East line of Ellis Avenue, a distance of 103.4 feet; thence North 87° East, a distance of 252.8 feet; thence South 11° 56' West a distance of 103.4 feet; thence South 87° West, a distance of 252.8 feet, to the point of beginning;

(TRACTS 34K, 34L and 34M)

Beginning at a point on the East line of Ellis Avenue in the City of Seattle, Washington, said point being North 11° 56' East, a distance of 1320.3 feet from the intersection of said East line with the South line of Luther M. Collins Donation Land Claim No. 46; thence North 11° 56' East along said East line of Ellis Avenue, a distance of 578.8 feet, more or less, to the South line of Block 2, Elizabeth Addition; thence South 89° 56' East along said South line of Block 2, a distance of 249.7 feet; thence South 11° 56' West, a distance of 574.8 feet, more or less, to a point which bears North 87° East from the point of beginning; thence South 87° West, a distance of 252.8 feet to the point of beginning;

Together with a perpetual easement and right of way to construct, maintain, repair, operate, patrol, replace and/or remove a drainage system over and through, under, along and across certain real property situate in the County of King, State of Washington, more particularly described in the following easement deeds from the grantors indicated:

- (a) Isaacson Iron Works, a Washington corporation, to the United States of America, dated January 30, 1947, and recorded February 6, 1947 in Volume 2585 of Deeds, page 531, records of King County, Washington;
- (b) Teresa Greco to the United States of America, dated December 24, 1946 and recorded January 16, 1947 in Volume 2577 of Deeds, page 109, records of King County, Washington;

Together with appurtenant avigation easements, and buildings, structures, improvements and equipment described as follows:

없는 돈 1. 점취하면 사용하는 기계		할 것 같은 그렇지 그리가 잘됐었다. [2]		
T-101	5' x 7'	Guard House		
T-102	76° x 270°	School Bldg.		
T-103	76' x 270'	B. O. Q.		
T-105	35° High	Flag Pole		
T-106		Bridge		
T-107	20' x 100'	Laundry		
T-108	C	Recreation Bldg.		
T-109	2514" x 2812"	Latrine		
T-110		Supply Room		
T-111		Recreation Building		
T-112		Mess Hall		
	w/Wings: 39' x	등 보고 그 가장 좋은 사람들에 살았다.		
	56'6" and 40' x	빨리되는데 이렇게 되었다. 하나 뭐하다 되었다.		
	5316", w/Addns:			
	18' x 56'6"	왕		
T-112A	4' High	Incinerator, 4' High		
T-113	20' x 100'	Barracks		
T-114	12' x 20'	Shop		
T-115	20' x 100'	Barracks		
T-116	20' x 40'	Latrine		
T-117		Latrine		
T-118	201 x 100%	Barracks		
T-119	201 x 1001	Barracks		
T-120	201 x 1001	Barracks		
T-121	20' x 100', w/	Post Exchange		
	Wings: 30'x40',			
	30°x38°, and	요즘 그래요의 나라가 얼마나 얼마나 하는데 하는데 다		

Barracks

```
20' x 100'
    T-122
                                               Barracks
                        20° x 100°
    T-123
                        20' x 100'
                                               Barracks
    T-124
                                               Latrine
                        201 x 561
    T-125
                                               Barracks
                        20' x 100'
    T-126
                                               Barracks
                        20' x 100'
    T-127
                                               Post Engineer
                        82' x 36' w/
    T-128
                        Wings: 23' x 39'
                        16' x 69',
16' x 60', &
                        15° x 69°
                                               Barracks
                        201 x 100%
    T-129
                        20' x 84', w/
Addns: 20' x 24'
                                               Post Office Building
    T-130
                                               Barracks
                         20' x 100'
    T-131
                                               Platform Shelter
                         10' x 10'
    T-132
                         25"4" x 5712"
                                               Latrine
    T-133
                                                Latrine
                         201 x 401
    T-134
                         6' x 8'
20' x 100'
                                                Clock House
    T-135
                                                Barracks
    T-136
                                                Barracks
                         201 x 1001
    T-137
                                                Barracks
                         20' x 100'
    T-138
                                                Barracks
                         20° x 100°
    T-140
                                                Barracks
                         20' x 100'
     T-141
                         201 x 721
                                               Chapel
    T-142
                                                Day Room
                         201 x 841
     T-143
                         25°4" x 48°2"
                                               Latrine
     T-145
                         25' x 124'
                                                Dispensary
     T-150
                                                Medical Supply
                         201 x 1001
     T-152
                                                Barracks
                         201 x 1001
     T-156
                                               Barracks
                         201 x 1001
     T-158
                                                Barracks
                         201 x 1001
     T-162
                                                Barracks
                         201 x 1001
     T-164
                                                Day Room
                         20° x 84°
     T-168
                                                Barracks
                         20° x 100°
     T-170
                                                Barracks
                         201 x 1001
     T-171
                                                Barracks
                         20° x 100°
     T-172
                                                Barracks
                         20' x 100"
     T-174
                                                Barracks
                          201 x 1005
     T-176
                                                Supply Building
                          201 x 841
     T-178
                                                Latrine
                          25°4" x 57'2"
     T-180
                                                Barracks
                          20' x 100'
     T-181
                          20' x 100'
                                                 Barracks
     T-182
                                                Barracks
                          20' x 100°
     T-184
                                                 Barracks
                          201 x 100%
     T-186
                                                 Barracks
                          201 x 1001
     T-187
                                                 Barracks
                          20° x 100°
     T-188
                                                 Barracks
                          20' x 100'
     T-190
                          58' x 112', w/
Addns: 22' x 30' &
                                                 Gym
     T-191
                          20° x 20°
                                                 Barracks
                          20' x 100'
     T-192
                                                 Bridge
                          15° x 37°
      T-193
                                                 Recreation & Shipping
                          201 x 721
      T-195
                                                 Coal Bunker (Serves Bldg. T-199)
                          10' x 10' x 2"
      T-197
                          501 x 1031, W/
Wings: 221 x 251
                                                 Thestre
PLB T-198
                          & 121 x 241
                                                 B. O. Q.
                          20' x 100', W/
      T-199
                          Addn. 201 x 201
                          Hangar, 117' x 202'
                                                 Hangar
      T-301
                           w/Addns: 1812"
                           x 40'10"
                                                 Coal Bunker (Attached to T-301)
                           10° x 10° x 2°
      T-303
                                                 Rack, Wash, Concrete
                           201 x 301
      T-304
                                                  Clock House
                           61 x 81
      T-305
                                                  Paint Storage
                           11: x 18:
      T-306
                                                  Rack, Grease, Concrete
                           4° x 32°
      T-308
                           5' x 5'
                                                  Guard House
       T-309
                                                  Oil & Dope Storage
                           2514" x 541
       T-310
                                                  Mock-Up, Engine Run
                           16' x 18', w/
Addns: 7'4" x 18'
       T-311
```

T-312		Gas Pump & Tank
T-314	80°2" x 122°3",	Hangar
	w/Addn: 16' x 86'8"	
명보 200 시간 등 기가를 받는 것이 되는 것이다. 것이 하는 사람들이 가는 것이 되었다.	& Coal bunker 5'x28'	
T-316	80'2" x 122'3",	Hangar
	w/Addns: 16'x68'8"	되었던 시시 경우를 하는 그 이 경험을
T-318	and 5' x 28' 76' x 159', w/	A. C. Supply Bldg.
1-010	20' x 25' Addn.	we of publith prose
T-326	10' x 16'	Dope & Oil Storage Warehouse
T-320	9° x 6°	Shed, Portable, skid mounted
T-320A	91 x 61	Shed, Portable, skid mounted
T-330	20' x 28', w/20'	Storeroom
m_222	x 30' lean-to addn.	Pump House, (North)
T-332 T-500	20' x 58'	Barracks
T-507	181 x 361	Iatrine
T-509	18° x 36°	Latrine
T-511	18' x 36'	Latrine
T-513	18° x 36°	Latrine
T-515 T-516	18' x 36' 7' x 15'	Latrine Shed
T-517	21' x 30'	Shed
T-519	91 x 731	Grease Rack
T-521	331 x 341, \(\pi/\)	Garage
	Wings: 13' x 152'	
	8' x 15'	Tank, Oil Storage Barracks, w/wings: 14 x 20
T-525 T-527	18' x 54', w/wings 16' x 36'	Barracks
T-527A	10' x 12'	Oil Storage
T-528	20° x 40°	Barracks
T-531	18' x 54', w/wings	Barracks, w/wings: 14' x 20'
T-532	20° x 40°	Barracks
T-533	20' x 100', w/ Wings: 12' x 60'	Warehouse
	& 24' x 24'	
T-534	20' x 40', w/wings	Barracks
	20' x 12'	
1−535	20' x 48'	Barracks, E.M.
T-536	201 x 481	Barracks, E.M. Barracks
T-537	20' x 34', w/ Wings: 14' x 20'	DATIACAS
T-538	201 x 341, w/	Barracks
	Wings: 14' x 20'	
T-539	201 x 801	Barracks
T-540	18' x 18'	Paint Storage
T-541	25' x 63', w/wing 8' x 8'	Barracks
T-542	15' x 15'	AA Gun Emplacement
T-542A	10° x 10°	Earth Mound for Ammo. Storage
T-543	251 x 631, w/	Barracks "
	9' x 12' addn.	
T-544	15' x 15'	Oil & Dope Storage Barracks
T-545	25' x 63', w/ 4' x 6' Addn.	Derracis
T-547	25° x 63°	Barracks
T-549	25° x 63°	Barracks
T-551	20' x 48', w/wings	Barracks
	20' x 12'	7
T-553	18' x 21' 20' x 25'	Latrine Barracks
T - 555 T-558	20° x 48°	Barracks
1-559	20' x 32'	Open Lumber Storage Shed
T-560	201 x 481	Barracks
T-561	20' x 32'	Shed
T-563	10'6" x 16'	Mess Kit Shelter Barracks
T-564	20' x 56' 20' x 100'	Barracks
T-571 T-573	20' x 100'	Barracks
T-575	20' x 100'	Barracks
T-577	20' x 100'	Barracks
T-578	20° x 48°	Barracks
	(1) 1. 1 1. 1 1. 1 1. 1 1. 1 1. 1 1. 1 1	化橡胶 医环环 化自己流气 医硫酸钠 医二氏征 化二氯甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基

T-579	20' x 46', w/ Addn: 6' x 9'	Latrine
T-581	20' x 100'	Barracks
T-583	20° x 40°	Barracks
T-585	20' x 76', w/wing	Mess Hall
T-589	20' x 40' 20' x 100'	Barracks
T-591	20' x 100'	Barracks
T-609		Incinerator
T-622	16' x 32'	Shed
T-624	90' x 156', w/	Warehouse
	2nd floor- 90% x 17%8%	
T-629	20' x 96' (2-20'	Storehouse
	x 48° bldgs.	
m 627	combined)	Mace Hall
T-631.	20' x 88', w/wings 20' x 40' & 12'	Mess hall
	x 16'	
T-633	20' x 112',	Quarters, w/Latrine
	20' x 72' &	
	20' x 112', 20' x 24'	
T 635	16' x 48', w/	Garage
	Wings: 8' x 16' -	
	4° x 8°	
T-641	48' x 48', 16' x	Fire Station, w/hose tower & concrete coal bunker
	32 [†] , 20 [†] x 56 [†] , w/wings: 20 [†] x 32 [†] ,	Concrete Coal Dimaer
	20' x 32', &	
	12' x 12'	
T-649	7°5" x 9°5", w/	Sewage Pump House
T-653	wings: 4° x 4° 16° x 16°	Shed
T-655	10° x 12°	Shed
T-661.	10° x 13°	Compressor House #1
T-663	48° x 128°	Field Service Bldg.
T-665	7' x 15' 125' x 177'	Septic Tank
T-637 T-639	21' x 22', w/addn.	Hangar, XB-29 Boiler House
	81 x 161	
T-643	75,000 Gal.	Water Tank
T-645	201 x 261	Pump House
T-647 T-673	75,000 Gal. 20' x 60'	Water Tank Shop Building
T-675	20' x 10'	Shed
T-675A	101 x 61	Shed
T-675B	10° x 6°	Shelter, Plywood
T-6750 T-677	10' x 6' 120' x 120'	Shelter, Plywood Gun Revetment
T-700	92' x 118',	Salvage Yard
	w/roofed over area	
경기 (2000년) 전 10년 12년 12년 12년 12년 12년 12년 12년 12년 12년 12	$11' \times 92'$, w/fence,	
	wood, 420 lin. ft. x 7'8" hi., w/link	
	wire gate 1416"	
T-730	20' x 40'	Barracks
T-732	10° x 13°	Compressor House
T-734	48° x 128°	Field Service Bldg. Septic Tank, Underground
T-736 T-764	48' x 140', w/	Flight Delivery Service Bldg.
	Wings: 2 ea. 20°	
	x 24°	
T-768	30' x 114'	Office Building
T-785 T-1702	13' x 55' 8' x 4', w/inlet	So. Drainage Pump House Coal Bunker (T-102)
T-1702 T-1703	10' x 10' x 2",	" (T-103)
	w/shelter	
T-1707	10, × 10, × 5 _µ	n n (T-107) n n (T-108)
T-1708	n i	" " (1-108) " (T-109)
T-1709 T-1712	,	" (T-112)
	교통을 가득하는 이 반으로 불통하다 가능함	

김	30님 하이 ^ 이 요^하는 프라틴트()		그 그리는 네이 가게 된 점하다.
T-1713	10' x 10' x 2"	Coal Bunker	(T-113)
T-1716		11 11	(T-116)
T-1717		11 11	(T-117)
T-1720		S1 19	(T-120) .
T-1724		61 (1	(T-124)
T-1725		81 E1	(T-125)
T-1729		ii ii	(T-129)
I-1733		:1 B	(T-133)
T-1734		61 11	(T-134)
T-1736			(T-136)
Î-1740	n n	11 11	(T-140)
Ī-1743		91 #	(T-143)
T-1745		81 11	(T-145)
T-1750		11 S	(T-150)
T-1752	11	11 . 11	(T-152)
T-1762	n a	11 11	(T-162)
1-1706 1-1776		11 11	(7-176)
T-1778		81 13	(T-178)
T-1780	11	n n	(T-180)
T-1784		n n	(T-184)
T-1788		91 13-	(T-188)
기 4.7.4 (1) - 1		Coal Bunkers	Attached to
	요즘 맛이 보는 아이는 그를 먹었다.		T-579, T-593,
	[낚시하는] 보이는 경기에 가입하다	T-631, T-633	- 71/3 - 7/23
	경기를 가득하는데 말씀하는 것이 하다네	1-072	

Together with all attached fixtures and equipment contained in and used in connection with said buildings above listed including all government owned attached fixtures and equipment in Building T-529 owned by King County;

All runways, taxiways, aprons, roads, spoilers, fencing and other improvements situated on the property herein conveyed and leased property surrendered;

All of the sewer system, water system, compressed air system, drainage system, electrical system including ruby lights for fire reporting stations and field markings and lighting situated on the property herein conveyed and leased property surrendered;

- Grader, "Caterpillar", Diesel, Ser. 1R-999, Eng. #20P6687, 1942, Mod. 212, with:
 - 2 Tires and Tubes, 6:50 x 20
 - 4 Tires and Tubes, 1000 x 24
 - 1 Extinguisher, Fire, 00/2, 42#
 - 6 Extra Blades for Grader

- Mower, "McGormack & Doering", Mod. #7, with:

 2 Tires and Tubes, 500 x 21

 Snowplow, "Ross", mfgr. Burch Gorp., Mod. R2-8-9-ft., Ser. #43284

 Snowplow "Duplex", Angle type, Ser. #DD-1143

 Tractor, "Cletrac", Overhead Loader, Ser. #60608, Eng. #1806940 DJKG, Size-3-3/4 x 4-1/2, Mcd. BD 44, Mfgr. "Cleveland Tractor Co.", Bore 3-3/4", Stroke 4 1/2", Diesel, Attachments:

 Overhead Loading attachment, w/1/2 cu. yd. bucket

- w/winch, "Sargent", Mod. #38
 1 Tractor, Mower, VA-1, "Case", Ser. #12536 (eng) Chassis #4700680, 1942, Mod. CD-14, with attachment and cutting bar, w/power takeoff and power lift, Accessories:
 - 2 Tires and Tubes, front 600 x 16 2 Tires and Tubes, back 900 x 24

 - 1 Cultivating attachment
 - 2 Extra blades
- 1 "2-way" plow Tractor, "Caterpillar", Bulldozer, U.S.A. No. 354, Ser. #5E3215-SP, Hydraulic Lift, with attachment Trail Builder, LaPlante Choate
- Bulldozer, Ser. #RBL-35-20, USA #1400 Truck, Ford V-8, Converted to all Wheel Drive by Marmon-Herrington, Chassis #MM5-4-54, Motor #547316 with Klawer Snogo - R1, Mod. LTR, Ser. #1060, Truck Loader Ser. #712, Gas driven; Eng. "International", 6-cylinder No. UHM-5575, Accessories:

4 Tires and Tubes 8.25 x 20

```
Truck, Fire, Ford #2, Motor #21T-5086, 1-1/2 ton USA #501526.
         American Barton Fire Pump, 500 gallon capacity, Ser. #C-54952,
        Equipped with:
               l Light, signal, Mars
               6 Tires and Tubes, 7.50 \times 20
              1 Unit, Radio, Communication, 2-way
              1 Extinguisher, Fire, CTC, 1 Qt.
              1 Ladder, roof, 14' long
1 Ladder, ext. 24' long
2 Suction hoses, 4", hard rubber, 10' sections
              4 Belts, safety
              2 Wrenches, spanner, 2-1/2"
              1 Applicator, 6"
              1 Applicator, 8
              1 Pole, pike, 8
              1 Adapter, 2-1/2" to 1-1/2"
              2 Nozzles, shut-off, w/5/8" tips, 2-1/2" 2 "Y", gates, 2-1/2" to 1-1/2"
              2 Connectors, double female, 2-1/2"
          2 Connectors, double male, 2-1/2"
2 Connectors, double female, 4-1/2" to 4-1/2"
1000 Ft. Hose, double jacket, 2-1/2"
250 Ft. Hose, double jacket, 1-1/2"
             2 Nozzles, Comb. Fog & Straight Stream, 1-1/2"
              1 Wrench, Spanner, double, 2-1/2"
             l Clamp, hose
l Axe, fire, pick head
             1 Wrench, hydrant, Adj.
             1 Wrench, ground valve
             1 Bar, pinch
             1 Bar, hook claw
             I Gal. CTC, Fire Extinguisher
             1 Extinguisher, fire, foam, 2-1/2 gal.
             1 Indian back-pack, water pump can, 5-gal.
             1 Thomson light
            15 Ft. Hose, fire, cotton, soft suction, 4-1/2"
             1 Connector, double, female, 4-1/2^u \times 4^u 4 Tips, nozzle, fire, 2-3/4^u
             1 Hard suction screen
            1 Hose jacket
1 "Y", Straight, 2-1/2" to 2-1/2"
             1 Shovel, round point
          200 Ft. Booster line, w/nozzle & shut-off, 1
             1 Tip, 3/8"
            1 Cap, 412
            1 Reducer, 4" to 2-1/2"
            2 Caps, 2-1/2"
            1 Wrench, spanner, 4-1/2"
            1 Wrench, Crescent, 12"
            1 Wrench, Spanner, 2-1/2"
      2 Lights, spot
Truck, Fire, "International", #506887, 2x4, Mcd. HF-65526, Motor, #GRD-253 38844, "Central Pacific Fire Corp.", mcd. 13001, Ser.
I
      #CA-135 (1944), 500 gal. pumper, w/following accessories: 6 Tires & Tubes 700 x 20
            1 Wrench, Lug
            1 Wrench, Sparkplug
            2 Wrenches, Wheel
            I Spare Wheel
            1 Reducer, 4-1/2^n to 4^n
            1 Reducer, 4-1/2" to 2-1/2"
           15 Ft. Hose, Cotton, Soft suction, 4-1/2"
2 Caps, brass, 4-1/2"
2 Hoses, fire, hard suction, rubber, 4", 10' lengths
            3 Caps, brass, 2-1/2"
            2 Adapters, 2-1/2" to 1-1/2"
            1 Wye, gate, 2-1/2" to 2-1/2" to 2-1/2"
            1 Clamp, hose, "Hebert"
            1 Tip, nozzle, 1-1/8"
            1 Tip, nozzle, 1-1/4"
            2 Nozzles, shut-off, w/l" tips, 2-1/2"
```

1

2 32

Ţ

1

1

1

2

l

2

```
1 Screen, hard suction
           2 Connectors, double female, 2-1/2"
3 Connectors, double, male, 2-1/2"
2 Wyes, gates, 2-1/2" to 1-1/2"
           2 Playpipes, 2-1/2"
           l Applicator, 61
           1 Applicator, 8
           l Pole, pike, 8
           7 Belts, safety, leather
        1000 Ft. Hose, fire, cotton, D.J., 2-1/2"
           l Wrench, hydrant, double, 2-1/2"
           l Ladder, roof, 141
           1 Ladder, ext., 241
         1 Extinguisher, fire, water, pump, 2-1/2 gal. 200 Ft. Rope, 3/4"
           1 Shovel, L.H., R.P.
           1 Wye, Straight, 2-1/2" to 2-1/2"
           l Pump, tire, hand
           1 Kit, first aid, 16-unit
           l Nozzle, foam
l Light, "Thomson", w/dry cell battery & metal case
           1 Kit, crash
           5 Wrenches, spanner, 2-1/2"
           1 Reducer, 2-1/2" to 1-1/2"
            1 Bag, tool, canvas
          14 Wrenches, double, open end
           I Wrench, comb. open & spanner
           1 Wrench, spanner, 1-1/2"
           1 Wrench, single, open end
           1 Wrench, comb. box & open end
1 Wrench, Monkey, 14"
           1 Screwdriver, common, 10"
           1 Gun, grease, hand
           1 Wrench, sparkplug
1 Wrench, wheel, double end
1 Wrench, pipe, 18", adj.
           1 Jack, 3-ton, hydraulic, w/handle
           2 Irons, tire
           1 Belt, safety
           2 Cans Solution, foam, 2-gal. each 4 Spotlights, 5"
           1 Siren, fire
         300 Ft. Hose, fire, cotton, 1-1/2"
           2 Nozzles, fog, shut-off, 1-1/2"
           1 Extinguisher, fire, CTC, 1-qt.
1 Extinguisher, fire, CO/2, 15#
           l axe, fire, pickhead
l Bar, claw, hook
           1 Wrench, ground valve
           1 Reel, hose
         200 Ft. Hose, rubber, booster, 1"
           l Nozzle, fog, combination, l"
Cutter, wire, l"
           2 Spanners, 4-1/2"
           3 Wrenches, auto, adj.
           1 Clamp, hose
           1 Wrench, spanner, hydrant, 2-1/2"
(Extra Fire-Fighting Gear in T-134 - Fire Dept. in Hangar Building)
     Strap, safety
     Playpipe & tip, straight, 2-1/2"
Nozzles, playpipe, 2-1/2" to 1-1/2"
Nozzles, shut-off, 1-1/2"
     Tips, nozzle, 1-1/4"
     Playpipe, 2-1/2" to 1"
     Nozzle, tip, l"
     Nozzle, shut-off, 1-1/2", w/1-1/8" nozzle tip
      Tip, 1-1/8"
     Nozzles, shut-off, 1", Booster with 3/8" tip
     Nozzle, Comb. fog & spray and straight stream, 3/4"
      Connectors, Double, Female, 2-1/2"
      Connector, Double, Male, 2-1/2"
```

```
Reducers, double, female, 2-1/2" to 1-1/2" Wye, Straight, 2-1/2" to 2-1/2"
      Wyes, Gates, 2-1/2^n to 1-1/2^n
      Nozzles, Fog with shut-off, 1-1/2"
2
      Wrenches, hydrant, Adj.
     Wrench, Spanner, double Wrench, Spanner, 2-1/2" Wrench, Spanner, combination, 2-1/2"
1
1
      Connector, Siamese, "Y", 2-1/2"
      Broom, Rotary, Tractor-driven, Ser. #TTS 446, 1943, Mod. No.
      same as Ser. No., "Frank T. Hough Co.", size, 30" x 96"
      Accessories:
            2 Tires and Tubes, 6.00 x 16
            2 Tires and Tubes, 6.00 x 9
            2 Brushes
     Padlocks: "Best"
     Truck, Fire, crash, "International", gasoline powered, class 125, USA #504365, Ser. #9MS09-1616, Eng. #BF-2104, Pump #1654,
     Accessories:
            1 Set Chains, tire
            4 Cans Solution, Foam, 2-gal.
            1 Coil, Rope, 3/4"
            1 Kit, crash
            2 Wrenches, hydrant
            7 Hoods, asbestos
            1 Kit, tool
            1 Wrench, pipe, "Stilson", 18"
            l Mask, gas
            2 Suits, asbestos
            1 Kit, first-aid
            4 Wrenches, spanner
            I Wrench, wheel
            2 Guns, grease, "Alimite", mod. #5585
            1 Hammer
            1 Crank, starting
            1 Jack, hydraulic, 3-ton, w/handle
            2 Nozzles, foam
         300 Ft. Hose, high pressure
2 Nozzles, Silver Spray, "Meyers"
1 Light, Thompson (battery but no light)
            3 Extinguishers, fire, CO, 15 lb.
            1 Extinguisher, fire, CTC, 1-gal.
            2 Extinguishers, fire, CTC, 1-qt.
            l Axe, fire
            l Pole, pike
            1 Bar, claw, hook
            I Bar, pinch
1 Coupling, Q.M.
1 Cap, 2-1/2"
            1 Siren, flasher
            3 Lights, spot
            1 Mirror, rear view
1 Ladder, folding, 12°
1 Wrench, monkey, 12°
            3 Wrenches, Open-end
            4 Connectors (2-#14, 1-#16, 1-#18)
            2 Screwdrivers
            1 Tool, tire
1 Spotlight, portable
      Truck: Fire, crash, "Chevrolet", gasoline powered, class 125,
      USA #506703, Ser. #IMS01-4863, Eng. #BF-350293, Pump #1626; High pressure, fog-foam, mounted on Commercial 1-1/2 ton 4 x 2 chassis:
      Accessories:
            l Kit, crash
            1 Light, "Thompson", w/battery
            2 Suits, asbestos
            6 Hoods, asbestos
            l Mask, gas
l Pr. Gloves
            1 Axe, fire
            2 Nozzles, foam
```

17

1

2

1

1

7

17

250

5 Nozzles, "Meyers"

```
2 Extinguishers, fire, Foam, 2-1/2 gal.
          1 Bar, claw, hook
          1 Pole, pike
          l Ladder, folding, 12'
          1 Jack, hydraulic, 3-ton, w/handle
          1 Crank, starting
          l Tool, rim, tire
          1 Gun, grease
          3 Spotlights
          3 Reels, high pressure hose, 1001 lengths
          1 Extinguisher, fire, CO2, 20 1b.
          1 Coupling, D.M., 2-1/2"
          1 Cap, 2-1/2"
          1 Extinguisher, fire, CTC, 1-qt.
          1 Mirror, rear view
Equipment in Guard House:
300 Ft. 1" high pressure rubber hose in 6-50' lengths
    2-gal. cans liquid foam
     Coal oil lanterns
    2-1/2" play pipe - 1" tip
2-1/2" pipes complete
     2-1/2" nozzle valve and tip
    1-1/2" fog nozzles with tips - combination
     1-1/2" fog nozzles without tips - combination
     1-1/2" nozzles with tips
    l" Elkhart fog nozzles
    1-1/4" tip
    2-1/2" double female couplings
    2-1/2" double male coupling
    1" double male coupling
    2-1/2" to 1-1/2" double female adapters
  1 2-1/2" to 1" reducer
    2" to 1-1/2" reducer
    2-1/2" Wye
    2-1/2" Siamese coupling
    2-1/2" to 1-1/2" Wyes, Single female, double male, w/shutoffs
    Hose belt tails
   2-1/2" spanners
    Hydrant wrenches
    Male hose couplings
    Female hose couplings
 1 Fog nozzle spreader tip, shop made
   2" plug
    Small roll rubber packing
   Miscellaneous rubber gaskets (Box)
    6" funnel
    4# CO2 Extinguishers
    3# CO2 Extinguishers
   CO2 nozzles
    Several pcs. rubber hose for CO2 extinguishers, approx. 15
    5-1/2" to 4-1/2" female adapter
    10° plaster hooks
    Large can misc. fittings, CO2 valves, gaskets, pipe fittings, etc.
    000 dehydrater
    Incomplete pump cans
    2-1/2 gal. babcocks - soda & acid
    1-qt. pyrenes
    Ft. 2-1/2" single jacket hose in 50° lengths
    Cases Batteries for hand light
    6 applicators
    10' applicators
    Box Pyrene hangers - approx. 20
    Lbs. Soda
    Sets Skid chains
    5-gal. can liquid foam
    15# CO2 extinguisher
    Rear vision mirror with extension arm
 6 Bottles Sulphuric Acid (7#)
```

being the same land acquired by the United States of America under Declaration of Taking filed February 15, 1943, in cause entitled United States v 13.33 Acres of Land in Seattle, King County, Washington, Civil Docket No. 656, in the District Court of the United States for the Western District of Washington, Northern Division; and by purchase from various owners under deeds all of record in the office of the County Auditor of King County, Washington.

The above described premises are transferred subject to existing easements for public roads and highways, public utilities, railroad rights of way and pipe lines, and also subject to an easement granted by Horton Investment Company to Puget Sound Traction, Hight and Power Company dated September 8, 1915, filed for record October 21, 1915, File No. 1024007 in Volume 902 of Deeds, Page 560, records of the County Auditor, King County, State of Washington and further subject to the conditions, reservations and restrictions contained in the deeds and Declaration of Taking under which the United States of America acquired title.

EXCEPTING, HOWEVER, from this conveyance all right, title and interest in and to all its property in the nature of equipment, furnishings and other personal property located on the above described premises or the premises leased from party of the second part which can be removed from the land without material injury to the land or structures located thereon, other than property of such nature located on the premises conveyed hereby which is reasonably necessary for the operation or maintenance of the airport or for the operation or maintenance of the structures and improvements specifically listed hereinabove as being transferred hereby, for any reasonable use for which such structures or improvements are readily adaptable; and further excepting from this conveyance all its structures on said premises other than structures specifically described or enumerated above as being conveyed hereunder; and reserving to the party of the first part for itself and its lessees, licensees, permittees, agents and assigns the right to use the property and structures excepted hereby in such a manner as will not materially and adversely affect the development, improvement, operation or maintenance of the airport and the right of removal from said premises of such property and structures, all within a reasonable period of time after the date hereof, which shall not be construed to mean any period more than one (1) year after the date of this instrument, together with a right of ingress to and egress from said premises for such purposes.

And further excepting from this conveyance and reserving to the party of the first part, in accordance with Executive Order 9908, approved on December 5, 1947, (12 F. R. 8223), all uranium, thorium, and all other materials determined pursuant to section 5 (b) (1) of the Atomic Energy Act of 1946 (60 Stat. 761), to be

peculiarly essential to the production of fissionable material, contained, in whatever concentration, in deposits in the lands covered by this instrument which are hereby reserved for the use of the United States, together with the right of the United States through its authorized agents or representatives at any time to enter upon the land and prospect for, mine and remove the same, making just compensation for any damage or injury occasioned thereby. However, such land may be used, and any rights otherwise acquired by this disposition may be exercised, as if no reservation of such materials had been made; except that, when such use results in the extraction of any such material from the land in quantities which may not be transferred or delivered without a license under the Atomic Energy Act of 1946, as it now exists or may hereafter be amended, such material shall be the property of the United States Atomic Energy Commission, and the Commission may require delivery of such material to it by any possessor thereof after such material has been separated as such from the ores in which it was contained. If the Commission requires the delivery of such material to it, it shall pay to the person mining or extracting the same, or to such other person as the Commission determines to be entitled thereto, such sums, including profits, as the Commission deems fair and reasonable for the discovery, mining, development, production, extraction, and other services performed with respect to such material prior to such delivery, but such payment shall not include any amount on account of the value of such material before removal from its place of deposit in nature. If the Commission does not require delivery of such material to it, the reservation hereby made shall be of no further force or effect.

Further, the party of the first part, for the considerations hereinabove expressed, does hereby surrender, subject to the terms and conditions of this instrument to the party of the second part the former's leasehold interest in and to the premises set forth and described in lease No. WO4-193-eng-3584 dated September 1, 1943, and lease No. WO4-193-eng-1528 dated July 6, 1943, from King County, Washington, to the United States of America including 451.75 acres, more or less, of land situated in the City of Seattle, County of King, State of Washington.

Said property transferred hereby was duly declared surplus and was assigned to the War Assets Administrator for disposal, acting pursuant to the provisions of the above mentioned Act, as amended, Executive Order 9689, and applicable rules, regulations and orders.

TO HAVE AND TO HOID said premises, with appurtenances, except the fissionable materials and other property excepted above and the rights reserved above, and under and subject to the reservations, restrictions and conditions set forth in this instrument, unto the said party of the second part, its successors and assigns forever. By the acceptance of this deed or any rights hereunder, the said party of the second part, for itself, its successors and assigns agrees that the transfer of the property transferred by this instrument, is accepted subject to the following restrictions set forth in subparagraphs (1) and (2) of this paragraph, which shall run with the land, imposed pursuant to the authority of Article 4, Section 3, Clause 2 of the Constitution of the United States of America, the Federal Property and Administrative Services Act of 1949, the Surplus Property Act of 1944, as amended thereby, and applicable rules, regulations and orders:

- (1) That, except as provided in subparagraph (6) of the next succeeding unnumbered paragraph, the land, buildings, structures, improvements and equipment in which this instrument transfers any interest shall be used for public airport purposes for the use and benefit of the public, on reasonable terms and without unjust discrimination and without grant or exercise of any exclusive right for use of the airport within the meaning of the terms "exclusive right" as used in subparagraph (4) of the next succeeding paragraph. As used in this instrument, the term "airport" shall be deemed to include at least all such land, buildings, structures, improvements and equipment.
- (2) That, except as provided in subparagraph (6) of the next succeeding paragraph, the entire landing area, as defined in WAA Regulation 16, dated June 26, 1946, and all structures, improvements, facilities and equipment in which this instrument transfers any interest shall be maintained for the use and benefit of the public at all times in good and serviceable condition, provided, however, that such maintenance shall be required as to structures, improvements, facilities and equipment only during the remainder of their estimated life, as determined by the Civil Aeronautics Administrator or his successor. In the event materials are required to rehabilitate or repair certain of the aforementioned structures, improvements, facilities or equipment, they may be procured by demolition of other structures, improvements, facilities or equipment transferred hereby and located on the above described premises which have outlived their use as airport property in the opinion of the Civil Aeronautics Administrator or his successor.

By the acceptance of this deed or any rights hereunder, the said party of the second part for itself, its successors and assigns, also assumes the obligations of, covenants to abide by and agrees to, and this transfer is made subject to, the following reservations and restrictions set forth in subparagraphs (1) to (7), inclusive, of this paragraph, which shall run with the land, imposed/pursuant to the authority of Article 4, Section 3, Clause 2 of the Constitution of the United States of America, the Federal Property and Administrative Services Act of 1949, the Surplus

Property Act of 1944, as amended thereby, and applicable rules, regulations and orders:

- (1) That insofar as it is within its powers, the party of the second part shall adequately clear and protect the aerial approaches to the airport by removing, lowering, relocating, marking or lighting or otherwise mitigating existing airport hazards and by preventing the establishment or creation of future airport hazards.
- (2) That the United States of America (hereinafter sometimes referred to as the "Government") through any of its employees or agents shall at all times have the right to make nonexclusive use of the landing area of the airport at which any of the property transferred by this instrument is located or used, without charge; Provided, however, that such use may be limited as may be determined at any time by the Civil Aeronautics Administrator or his successor to be necessary to prevent undue interference with use by other authorized aircraft; Provided, further, that the Government shall be obligated to pay for damages caused by such use, or if its use of the landing area is substantial, to contribute a reasonable share of the cost of maintaining and operating the landing area, commensurate with the use made by it.
- (3) That during any national emergency declared by the President of the United States of America or the Congress thereof, the Government shall have the right to make exclusive or nonexclusive use and have exclusive or nonexclusive control and possession, without charge, of the airport at which any of the property transferred by this instrument is located or used, or of such portion thereof as it may desire, provided, however, that the Government shall be responsible for the entire cost of maintaining such part of the airport as it may use exclusively, or over which it may have exclusive possession or control, during the period of such use, possession, or control, and shall be obligated to contribute a reasonable share, commensurate with the use made by it, of the cost of maintenance of such property as it may use nonexclusively or over which it may have nonexclusive control and possession; Provided, further, that the Government shall pay a fair rental for its use, control, or possession, exclusively or non-exclusively of any improvements to the airport made without United States aid.
- (4) That no exclusive right for the use of the airport at which the property transferred by this instrument is located shall be vested (directly or indirectly) in any person or persons to the exclusion of others in the same class, the term "exclusive right" being defined to mean
 - (1) any exclusive right to use the airport for conducting any particular aeronautical activity requiring operation of aircraft;

- (2) any exclusive right to engage in the sale or supplying of aircraft, aircraft accessories, equipment, or supplies (excluding the sale of gasoline and oil), or aircraft services necessary for the operation of aircraft (including the maintenance and repair of aircraft, aircraft engines, propellers, and appliances).
- (5) That, except as provided in subparagraph (6) of this paragraph, the property transferred hereby may be successively transferred only with the proviso that any such subsequent transferee assumes all the obligations imposed upon the party of the second part by the provisions of this instrument.
- (6) That no property transferred by this instrument shall be used, leased, sold, salvaged, or disposed of by the party of the second part for other than airport purposes without the written consent of the Civil Aeronautics Administrator, which shall be granted only if said Administrator determines that the property can be used, leased, sold, salvaged or disposed of for other than airport purposes without materially and adversely affecting the development, improvement, operation or maintenance of the airport at which such property is located; Provided, that no structures disposed of hereunder shall be used as an industrial plant, factory, or similar facility within the meaning of Section 23 of the Surplus Property Act of 1944, as amended, unless the party of the second part shall pay to the United States such sum as the General Services Administrator or his successor in function shall determine to be a fair consideration for the removal of the restriction imposed by this proviso.
- (7) The party of the second part does hereby release the Government, and will take whatever action may be required by the General Services Administrator to assure the complete release of the Government from any and all liability the Government may be under for restoration or other damages under any lease or other agreement covering the use by the Government of the airport, or part thereof, owned, controlled or operated by the party of the second part, upon which, adjacent to which, or in commection with which, any property transferred by this instrument was located or used; Provided, that no such release shall be construed as depriving the party of the second part of any right it may otherwise have to receive reimbursement under Section 17 of the Federal Airport Act for the necessary rehabilitation or report of public airports heretofore or hereafter substantially damaged by any Federal agency.

By acceptance of this instrument or any rights hereunder, the party of the second part further agrees with the party of the first part as follows:

(1) That in the event that any of the aforesaid terms, conditions, reservations or restrictions is not met, observed, or complied with by the party of the second part or any subsequent transferee, whether caused by the legal inability of said party of the second part or subsequent transferee to perform any of the obligations herein set out, or otherwise, the title, right of possession and all other rights transferred by this instrument to the party of the second part, or any portion thereof, shall at the option of the party of the first part revert to the party of the first part sixty (60) days following the date upon which demand to this effect is made in writing by the Civil Aeronautics Administrator or his successor in function, unless within said sixty (60) days such default or violation shall have been cured and all such terms, conditions, reservations and restrictions shall have been met, observed or complied with, in which event said reversion shall not occur and title, right of possession, and all other rights transferred hereby, except such, if any, as shall have previously reverted, shall remain vested in the party of the second part, its transferees, successors and assigns.

(2) That if the construction as covenants of any of the foregoing reservations and restrictions recited herein as covenants or the application of the same as covenants in any particular instance is held invalid, the particular reservations or restrictions in question shall be construed instead merely as conditions upon the breach of which the Government may exercise its option to cause the title, right of possession and all other rights transferred to the party of the second part, or any portion thereof, to revert to it, and the application of such reservations or restrictions as covenants in any other instance and the construction of the remainder of such reservations and restrictions as covenants shall not be affected thereby.

IN WITHESS WHEREOF, the parties hereto have caused these presents to be executed as of the day and year first above written.

THE UNITED STATES OF AMERICA Acting by and through The General Services Administrator

R. E. BLACKBURN

E Bligh

Associate Regional Director 11th Region, Liquidation Service

KING COUNTY, WASHINGTON A Municipal Corporation

By Jack Call County

Acting Chairman, Board of County

// Commissioners

Approved as to Form:

Approved as to Form:

Assistant Regional Counsel Real Property Division Liquidation Service

(SEAL)

0, co.

County Auditor and

Ex-officio Clerk of the Board

attest/